

PROJECT REPORT

NEWS TRACKER APPLICATION

submitted by

PNT2022TMID07261

Menaga M

Rhithvik T

Anuja Beula J

Deepa D

TABLE OF FIGURES

1. INTRODUCTION
 - 1.1 Project Overview
 - 1.2 Purpose
 2. LITERATURE SURVEY
 - 2.1 Existing problem
 - 2.2 References
 - 2.3 Problem Statement Definition
 3. IDEATION & PROPOSED SOLUTION
 - 3.1 Empathy Map Canvas
 - 3.2 Ideation & Brainstorming
 - 3.3 Proposed Solution
 - 3.4 Problem Solution fit
 4. REQUIREMENT ANALYSIS
 - 4.1 Functional requirement
 - 4.2 Non-Functional requirements
 5. PROJECT DESIGN
 - 5.1 Data Flow Diagrams
 - 5.2 Solution & Technical Architecture
 - 5.3 User Stories
 6. PROJECT PLANNING & SCHEDULING
 - 6.1 Sprint Planning & Estimation
 - 6.2 Sprint Delivery Schedule
 - 6.3 Reports from JIRA
 7. CODING & SOLUTIONING
 - 7.1 Feature 1
 - 7.2 Feature 2
 - 7.3 Database Schema (if Applicable)
 8. TESTING
 - 8.1 Test Cases
 - 8.2 User Acceptance Testing
 9. RESULTS
 - 9.1 Performance Metrics
 10. ADVANTAGES & DISADVANTAGES
 11. CONCLUSION
 12. FUTURE SCOPE
 13. APPENDIX
- Source Code GitHub & Project Demo Link

News Tracker Application

1. INTRODUCTION

Mobile app ecosystems are transforming patterns of news consumption. Until quite recently, reading the news was a niche use for smartphones [12], mostly for when users were ‘on the go’; now however, two in every three users of mobile devices in the US regularly access news and as many as one in five read in-depth news articles daily [2]; a similar picture is found in the UK [1]. This growth in mobile news access continues the migration of news consumers to the Internet.

1.1 Project overview

As news is increasingly accessed on smartphones and tablets, the need for personalising news app interactions is apparent. We report a series of three studies addressing key issues in the development of adaptive news app interfaces. We first surveyed users’ newsreading preferences and behaviors’; analysis revealed three primary types of reader. We then implemented and deployed an Android news app that logs users’ interactions with the app. We used the logs to train a classifier and showed that it is able to reliably recognise a user according to their reader type. Finally we evaluated alternative, adaptive user interfaces for each reader type. The evaluation demonstrates the differential benefit of the adaptation for different users of the news app and the feasibility of adaptive interfaces for news apps.

1.2 Purpose

As our lives are very busy these days, we often feel we need more than 24 hrs. a day to cope up with everything we have in our schedule. Well, that's not possible but reducing the time by changing the conventional method of reading news can help. Just tell us what market news you're interested in and get a quick peek for the day. Only read what you feel is relevant and save your time. This app helps you to query for all information about Indices, Commodities, Currencies, Future Rates, Bonds, etc.... as on official websites.

2. LITERATURE SURVEY

2.1 Existing problem

We often feel we need more than 24 hrs. a day to cope up with everything we have in our schedule. Well, that's not possible but reducing the time by changing the conventional method of reading news can help.

2.2 References

Like articles, websites, blogs.

<https://www.researchgate.net/>.

<https://techvidvan.com/tutorials/android-news-app-project-source-code/>


<https://www.ripublication.com/>

2.3 Problem Statement Definition


- 1.The user needs a way to organize the news on daily basis so that he can cope up with daily events in his tight schedule.
- 2.The user wants to read news only about particular topics so that he can be informed about his interest.
- 3.The user wants to get informed from only certified news outlets .
- 4.The user needs a way to search about the news on topics he wants to.
5. The user wants to know the news about his surrounding using GPS location.

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas



3.1.2 Ideation & Brainstorming



3.2 Proposed Solution

S.NO	PARAMETERS	DESCRIPTION
1.	Problem statement (problems to be solved)	In our daily life, we come across various events of local as well as national importance, and to know it, we take the help of NEWS. But recently we realized there is no such common platform that provides both. So we found a Social Need and built a platform that helps to solve the problem.
2.	Idea/solution description	There are many news apps available that can keep you abreast of the latest happenings. When you want news from multiple sources, try New shunt, Pulse, Flip board, Zite. News Republic and News 360. The other alternatives of course are the dedicated news apps from media sources/publications. For instance, The Economic Times and Times of India have free apps across platforms
3.	Novelty/Uniqueness	In our daily life, we come across various events of local as well as national importance, and to know it, we take the help of NEWS. But recently we realized there is no such common platform that provides both. So we found a social need and built a platform that provides such news in form of short videos that are taken from them out trusted resources in the world.

4.	Social Impact/Customer satisfaction	Mobile devices have changed the way everyone lives. Here is a list of some amazing Social Good apps that can be used for a variety of different things. Some of these apps can be used on a day to day basis, others can be used for research, and some can be used to educate. No matter the reason, these mobile apps gives you the ability to stay consumer conscious And socially involved in every facet of your life
5.	Business Model (Revenue)	News apps are trying to be Model) like social media apps Businesses have to publish irrelevant news because younger generations prefer news with more fun instead of reliable news. News apps want to increase the time that user spends on their app So that they can show ads and generate revenue.
6.	Scalability of the solution	<ul style="list-style-type: none"> • Better user experience • Cost-effectiveness • Stable performance • App customization • Project growth

3.3 Problem Solution fit

Project Title: News Tracker Application			Project Design Phase-I - Solution Fit		Team ID: PNT2022TMID24457	
Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS From young people to old people From working professional to jobless person From poor to rich From village people to city people Every one reads news now-a-days.		6. CUSTOMER CONSTRAINTS CC No network, Provide Download option No well organized content No related and interesting and educating content Click Bait(Topic and content are not related) Annoying user interface No customization option		5. AVAILABLE SOLUTIONS AS User can customize what content to read and can search contents Chat bot that solves user queries Providing quick access to favorite topic User friendly interface, avoiding misleading ads Prioritize news according to user interest and location.	Explore AS, differentiate
	2. JOBS-TO-BE-DONE/ PROBLEMS J&P Reading unwanted and irrelevant and repeated content Bad user interface Searching related news Misleading Ads and unorganized contents user unable to customize news content Using internet for previously watched content Forced notifications and ads Providing dark mode		9. PROBLEM ROOT CAUSE RC No user customization. This leads to unorganized and uninterested news. No search bars leads frustration to search contents No service to complain(Chat bot solves queries.) No download option user may not have internet. Light mode may not good for eye. User interface needs to be attractive and easy to use or it make user to lose interest on app Provide notification which related to user wish		7. BEHAVIOUR BE User searching news and wasting time on it User gets frustrated while using bad user interface Misleading ads or topics wasting user time and confuse user User need all types of content but needs their favorite content to be prioritized. User may feel stressed eye. User may avoid notification if it is not related.	Focus on J&P, tag into C
Identify strong TR & EM	3. TRIGGERS TR People asking about latest news When things goes viral When need report about weather, market, sports and etc		10. YOUR SOLUTION SL Providing search bars and content customization tiles Enabling download options and save or pin post options Providing Chat bot Providing Dark Mode Providing like, comments, tag, polling options to develop to develop user interface further more. User can control their notification. They can select content which they need to notified		8. CHANNELS of BEHAVIOUR CH R1 ONLINE User can customize their news according to their interest. User can interact with community feed and user can report any queries R2 OFFLINE User can save post and then read it for later User can download post and can share it to other people.	Extract online & offline CH of BE
	4. EMOTIONS: BEFORE/AFTER EM Feels waste of time to read irrelevant content Feels frustrated about misleading news Feels getting lack of information from contents					

4. REQUIREMENT ANALYSIS

4.1 Functional requirement

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail Registration through website.
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	User Login	Login through browser directly by entering username and password Login through Login through email
FR-4	User interaction	Done through user interface between client and server View the related news by subscribed or requested page.

4.2 Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.


FR No.	Non-Functional Requirement	Description
NFR-1	Usability	End users can receive push updates for new content on a site by subscribing to the site's news feed
NFR-2	Security	How well are the system and its data protected against attacks
NFR-3	Reliability	How often does the system experience critical failures? How much time does it take to fix the issue when it arises ?And how is user availability time compared to downtime?
NFR-4	Performance	Performance is the core non-functional requirements no system can do without.It defines how fast a software system or a particular piece of it responds to certain users actions under a certain workload. In most cases, this metric explains how long a user must wait before the target operation happens (the page renders, a transaction is processed, etc.) given the overall number of users at the moment. But it's not always like that. Performance requirements may describe background processes invisible to users, e.g. backup. But let's focus on user-centric performance.
NFR-5	Availability	Availability describes how likely the system is accessible to a user at a given point in time. While it can be expressed as an expected percentage of successful requests, you may also define it as a percentage of time the system is accessible for operation during some time

		<p>period. For instance, the system may be available 98 percent of the time during a month. Availability is perhaps the most business-critical requirement, but to define it, you also must have estimations for reliability and maintainability.</p>
NFR-6	Scalability	<p>Scalability assesses the highest workloads under which the system will still meet the performance requirements. There are two ways to enable your system scale as the workloads get higher: horizontal and vertical scaling.</p>


5. PROJECT DESIGN

5.1 Data Flow Diagrams

Dataflow Diagram



5.2 Solution & Technical Architecture



5.3 User Stories

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	Sprint-2
		USN-4	As a user, I can register for the application through Gmail	I can register & access the dashboard with Gmail Login	Low	Sprint-2
	Login	USN-5	As a user, I can log into the application by entering email & password	I can view all types of information through this application	High	Sprint-1
	Dashboard	USN-1	As a user, I can log into the application and look into my dashboard	I can Look into My Dashboard After my login	Low	Sprint-1
		USN-2	As a user, I can log into the application and update my personal data	I can View the personal data which can be updated by the user	Low	Sprint-2
		USN-3	As a user, I can log into the application and read news based on my filter contents	News contents are filtered based on the user needs	High	Sprint-1

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Web user)	Login	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password through web applications such as Chrome, Firefox, brave, Operamini etc.	I can access my account / dashboard	High	Sprint-1
Customer Care Executive	Dashboard	USN-1	As a user, I can Report to the customer service about the error or doubt of the application by calling to the customer service which is provided in the application help box	I can report to the customer service if I am facing an issue or I didn't know anything about the application	High	Sprint-1
		USN-2	As a user, I can Report to the customer service about the error or doubt of the application by emailing to the customer service which is provided in the application help box	I can report to the customer service if I am facing an issue or I didn't know anything about the application	High	Sprint-1
Administrator	Application	USN-1	Application administrator will rectify the error caused in the application as soon as possible and provide a patch update in order to have an error free software	I can report to the customer service what the issue has been faced and they might rectify by releasing patch updates	High	Sprint-1

6. PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation

TITLE	DESCRIPTION	DATE
Literature Survey & Information Gathering	Literature survey on the selected project & gathering information byreferring the technical papers, research publications etc.	6 OCTOBER 2022
Prepare Empathy Map	Prepare Empathy Map Canvas to capture the user Pains & Gains, Prepare list of problem statements	6 OCTOBER 2022
Ideation Brain Storming	List the by organizing the brainstorming session and prioritize the top 3 ideas based on the feasibility & importance.	6 OCTOBER 2022
Proposed Solution	Prepare the proposed solution document, which includes the novelty, feasibility of idea, business model, social impact, scalability of solution, etc.	6 OCTOBER 2022
Problem Solution Fit	Prepare problem solution fit document	17 OCTOBER 2022
Solution Architecture	Prepare solution architecture document.	17 OCTOBER 2022
Customer Journey	Prepare the customer journey maps to	17 OCTOBER 2022

	Understand the user interactions& experiences with the application (entry to exit).	
Data Flow Diagrams	Draw the data flow diagrams and submit for review.	17 October 2022
Technology Architecture	Prepare the technology architecture diagram.	17 October 2022
Prepare Milestone & Activity List	Prepare the milestones & activity list of the project.	3 NOVEMBER 2022
Project Development - Delivery of Sprint-1, 2, 3 & 4	Develop & submit the developed code by testing it.	IN PROGRESS..

6.2 Sprint Delivery Schedule

Sprint Delivery Plan.pdf 1 / 3 90%

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	2	High	harikrishnan
Sprint-1		USN-2	As a user, I will receive confirmation email once I have registered for the application	1	High	karthikeyan
Sprint-1		USN-3	As a user, I can register for the application through Facebook	2	Low	bharath
Sprint-1		USN-4	As a user, I can register for the application through Gmail	2	Medium	Yuvaraj,bharath
Sprint-1	Login	USN-5	As a user, I can log into the application by entering email & password	1	High	Harikrishnan,karthikeyan
Sprint-2	Dashboard	USN-6	As a user I should be able to navigate and access all the features hassle free	2	High	Harikrishnan,karthikeyan
Sprint-2	Layout	USN-7	As a user I should be able to access the portal with different devices with the same comfort	2	High	Harikrishnan,karthikeyan
Sprint-3	Data Store and retrieval	USN-8	Get Data from API and store as JSON in DB2	3	High	yuvraj,karthikeyan
Sprint-3		USN-9	Get bin data from API and store in DFS	2	High	Hari,bharath,yuvraj

Sprint-4	User Segregation and data access	USN-10	As a CC executive I should be able to uniquely identify the customer and offer help	1	Low	karthikeyan
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-4	Change code	USN-11	As a administrator I should be able to modify code according to the future requirements.	2	Medium	Harikrishnan,yuvraj
Sprint-4	Monitor the system	USN-12	As a administrator I should be able to monitor the cloud system and fix errors before customer.	1	High	Hari,karthi,bharath,yuvraj

6.3 Reports from JIRA

7. CODING & SOLUTIONING

Forgot password-

Forpass.html

<!doctype html>

<html lang="en">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1">

<meta name="description" content="">


```
<meta name="author" content="Mark Otto, Jacob Thornton, and Bootstrap contributors">
```

```
<meta name="generator" content="Hugo 0.84.0">
```

```
<title>Sign In</title>
```

```
<link rel="canonical" href="https://getbootstrap.com/docs/5.0/examples/sign-in/">
```

```
<link href="https://getbootstrap.com/docs/5.0/assets/css/docs.css" rel="stylesheet">
```

```
<!-- Bootstrap core CSS -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT" crossorigin="anonymous">
```

```
<!-- Favicons -->
```

```
<link rel="apple-touch-icon" href="/docs/5.0/assets/img/favicons/apple-touch-icon.png" sizes="180x180">
```

```
<link rel="icon" href="/docs/5.0/assets/img/favicons/favicon-32x32.png" sizes="32x32" type="image/png">
```

```
<link rel="icon" href="/docs/5.0/assets/img/favicons/favicon-16x16.png" sizes="16x16" type="image/png">
```

```
<link rel="manifest" href="/docs/5.0/assets/img/favicons/manifest.json">
```

```
<link rel="mask-icon" href="/docs/5.0/assets/img/favicons/safari-pinned-tab.svg" color="#7952b3">
```

```
<link rel="icon" href="/docs/5.0/assets/img/favicons/favicon.ico">
```

```
<meta name="theme-color" content="#7952b3">
```

```
<style>

.bd-placeholder-img {
  font-size: 1.125rem;
  text-align: middle;
  -webkit-user-select: none;
  -moz-user-select: none;
  user-select: none;
}

@media (min-width: 768px) {
  .bd-placeholder-img-lg {
    font-size: 3.5rem;
  }
}

</style>
```

```
<!-- Custom styles for this template -->
<link href="static/sheets/signin.css" rel="stylesheet">
<link href="static/sheets/colors.css" rel="stylesheet">
</head>

<body class="text-center">
  <nav class="navbar navbar-dark bg-dark fixed-top">
    <div class="container-fluid">
      <a class="navbar-brand" href="#">News Tracker</a>
```

```
<button class="navbar-toggler" type="button" data-bs-
toggle="offcanvas" data-bs-target="#offcanvasDarkNavbar" aria-
controls="offcanvasDarkNavbar">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="offcanvas offcanvas-end text-bg-dark" tabindex="-1"
id="offcanvasDarkNavbar" aria-labelledby="offcanvasDarkNavbarLabel">
```

```
<div class="offcanvas-header">
```

```
<h5 class="offcanvas-title"
id="offcanvasDarkNavbarLabel">Profile</h5>
```

```
<button type="button" class="btn-close btn-close-white" data-bs-
dismiss="offcanvas" aria-label="Close"></button>
```

```
</div>
```

```
<div class="offcanvas-body">
```

```
<ul class="navbar-nav justify-content-end flex-grow-1 pe-3">
```

```
<li class="nav-item">
```

```
<a class="nav-link active" aria-current="page"
href="home.html">Home</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="base.html">Fetch News</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="about.html">About Us</a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link" href="signin.html">Sign In</a>
```

```
</li>
```

```

        <li class="nav-item">
            <a class="nav-link" href="signup.html">Sign Up</a>
        </li>
    </div>
</div>
</div>
</div>
</nav>

<main class="form-signin ">
    <form action = "{{ url_for('getUser')}}" method="POST">
        
        <h1 class="h3 mb-3 fw-normal white">Change your password</h1>

        <div class="form-floating">
            <input type="email" class="form-control" id="floatingInput" name =
"uname" placeholder="name@example.com">
            <label for="floatingInput">Email address</label>
        </div>

        <br>

        <button class="w-100 btn btn-lg btn-warning btn-outline-warning"
type="submit"><a href="static/templates/changepass.html">Change
Password</a></button><br><br>

    </form>
</main>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.j
s"
integrity="sha384-
u1OknCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rIHI7NnikvZlHgTPOOm
Mi466C8" crossorigin="anonymous"></script>

```

```
<script src="https://cdn.jsdelivr.net/npm/@docsearch/js@3"></script>
```

```
<script  
src="https://cdn.jsdelivr.net/npm/@stackblitz/sdk@1/bundles/sdk.umd.js"></sc  
ript>
```

```
<script src="/docs/5.2/assets/js/docs.min.js"></script>
```

```
<script>
```

```
document.querySelectorAll('.btn-edit').forEach(btn => {  
  btn.addEventListener('click', event => {  
    const      htmlSnippet      =      event.target.closest('.bd-code-  
snippet').querySelector('.bd-example').innerHTML
```

```
    const      classes      =      Array.from(event.target.closest('.bd-code-  
snippet').querySelector('.bd-example').classList).join(' ')
```

```
    const jsSnippet = event.target.closest('.bd-code-snippet').querySelector('.btn-  
edit').getAttribute('data-sb-js-snippet')
```

```
    StackBlitzSDK.openBootstrapSnippet(htmlSnippet, jsSnippet, classes)  
  })  
})
```

```
StackBlitzSDK.openBootstrapSnippet = (htmlSnippet, jsSnippet, classes) => {
```

```
  const markup = `<!doctype html>
```

```
<html lang="en">
```

```
<head>
```


[illegible]

```

`u003cdiv class=u0022alert alert\-${type}\} alert-dismissibleu0022
role=u0022alertu0022u003e`,n
u003cdivu003e\${message}\u003cdivu003e`,n u0027 u003cbutton
type=u0022buttonu0022 class=u0022btn-closeu0022 data-bs-
dismiss=u0022alertu0022 aria-
label=u0022Closeu0022u003cdivu003e\buttonu003eu0027,n
u0027u003cdivu003eu0027\n \].join(\u0027\u0027)\n\n
alertPlaceholder.append(wrapper)\n }\n\n if \u0027(alertTrigger)\n alertTrigger.addEventListener(\u0027clicku0027, \u0027() \u003e\n appendAlert(\u0027Nice, you triggered this alert message!\u0027,\n \u0027successu0027)\n }\n\n \u0027\u0027 Checks u0026 Radios\n \u0027\u0027 Indeterminate checkbox example in docs and StackBlitz\n
document.querySelectorAll(\u0027.bd-example-indeterminate\n [type=u0022checkboxu0022]\u0027)\n .forEach((checkbox \u003e {\n if\n (checkbox.id.includes(\u0027Indeterminateu0027))\n checkbox.indeterminate = true\n }\n }\n\n \u0027\u0027 Links\n \u0027\u0027 Disable empty links in docs examples only\n
document.querySelectorAll(\u0027.bd-content\n [href=u0022#\u0022]\u0027)\n .forEach((link \u003e {\n link\n .addEventListener(\u0027clicku0027, event \u003e {\n event\n .preventDefault()\n }\n }\n\n \u0027\u0027 Modal\n \u0027\u0027 Modal u0027Varying modal contentu0027 example in docs and\n StackBlitz\n const exampleModal =\n document.getElementById(\u0027exampleModalu0027)\n if\n (exampleModal)\n exampleModal.addEventListener(\u0027show.bs.modalu0027, event\n \u003e {\n \u0027\u0027 Button that triggered the modal\n const button =\n event.relatedTarget\n \u0027\u0027 Extract info from data-bs-* attributes\n const\n recipient = button.getAttribute(\u0027data-bs-whateveru0027)\n\n \u0027\u0027\n Update the modalu0027s content\n const modalTitle =\n exampleModal.querySelector(\u0027.modal-titleu0027)\n const\n modalBodyInput = exampleModal.querySelector(\u0027.modal-body\n inputu0027)\n modalTitle.textContent = `New message to\n \${recipient}`\n modalBodyInput.value = recipient\n }\n }\n\n \u0027\u0027

```



```

<!-- Offcanvas components -->
<!-- Offcanvas components -->
example in docs only
const myOffcanvas =
document.querySelector('bd-example-offcanvas
.offcanvas')
if (myOffcanvas) {
myOffcanvas.forEach(offcanvas => {
offcanvas.addEventListener('show.bs.offcanvas', event => {
event.preventDefault()
}, false)
})
}) : null

```

```

const project = {
  files: {
    'index.html': markup,
    'index.js': jsSnippetContent
  },
  title: 'Bootstrap Example',
  description: `Official example from ${window.location.href}`,
  template: jsSnippet ? 'javascript' : 'html',
  tags: ['bootstrap']
}

```

```

StackBlitzSDK.openProject(project, { openFile: 'index.html' })
}

```

</script>

</body>

</html>

8. TESTING

8.1 Test Cases

News Tracker Application									
Test case	feature	component	Test scenario	Expected result	Actual result	status	comments	bug	Executed by
Sign in	Functional	Login page	Verify user can see the sign in option	can visible	Yes visible	pass	successful	-	HARIKRISHNAN
Sign up	Functional	Login page	Verify user has the option to sign up	Can visible	Yes visible	pass	Successful	-	KARTHIKEYAN
Forgot password	Functional	Login page	Verify user has the option to forgot password	Yes the option is available	Option is available	pass	Successful	-	BHARATH

Fetch news	Functional	Home page	Verify user can get the news	News will be feed to the app	404 error	Fail	unsuccessful	App integration problem	Ragul rathna, Ashwin
Types of news available in the fetch news page	Functional	Fetch news	Types of news available	Weather, Sport, Economy.	Hover buttons will be Shown.	Yes	successful	-	YUVARAJ, BHARATH, KARTHIKEYAN, HARI

Result:

News tracker application using cloud is developed and executed at the level of completed progress .

10. ADVANTAGES & DISADVANTAGES

Advantages:-

- ❖ In this app news is already categorization.
- ❖ Easily accessible and portable.
- ❖ Better user experience.
- ❖ Apps help you convert visitors to loyal readers.
- ❖ Minute by minute updates of news.
- ❖ This app helps you to get local news updates instantly.
- ❖ To explore and discover trending news and topics.
- ❖ News feeds for you based on your interest.

Disadvantages:-

- ❖ Some apps demand premium subscription from user.
- ❖ Occurance of Advertisement disturb the user.
- ❖ Sometimes the news gives brief information.
- ❖ Prevalance of fake and uncertain news can confuse the user lead to misconception.
- ❖ Fake news may mislead the readers.

11. CONCLUSION

We explored the feasibility of recognising patterns of news reading interactions and evaluated three adaptive interface designs for different news reader types. We show that from their interaction log, a specific user can be recognised as one of three kinds. The reader types emerging from the online survey are well defined and distinct. The evaluation of the three variant interfaces suggests that different news reader types need different user interfaces. We have demonstrated a method for monitoring users' news reading behaviour and inferring news reader type from it. In the future we will further explore the design of adaptive interfaces, in order to be in a position to demonstrate a complete adaptive mobile news framework providing automatic personalisation of news apps.

12. FUTURE SCOPE

In the future we will further explore the design of adaptive interfaces, in order to be in a position to demonstrate a complete adaptive mobile news framework providing automatic personalisation of news apps.

13. APPENDIX

Source Code:

Backend_

App.py

```
from dotenv import dotenv_values
from apiFetch import *
from flask import Flask
from flask_cors import CORS
from routes.register import Register
from routes.checkEmail import CheckEmail
from routes.verify import Verify
from routes.getnews import *
from routes.islogin import IsLogin
from routes.login import Login
from flask_restful import Api
from utils.apiFetch import apiRunner
app = Flask(__name__)
api = Api(app)
data = dotenv_values(".env")
app.config['SECRET_KEY'] = data["secret_key"]
app.config['SECURITY_PASSWORD_SALT'] =
data["secured_password_salt"]
apiRunner()
CORS(app, supports_credentials=True)
api.add_resource(Login, '/login')
api.add_resource(IsLogin, '/islogin')
api.add_resource(CheckEmail, '/register/check')
api.add_resource(Register, '/register')
api.add_resource(Verify, '/register/verify')
api.add_resource(Personal, '/news/recommended')
api.add_resource(News, '/news/<topic>')
```

Routes_

CheckEmail.py

```
from flask import request
from flask_restful import Resource
from utils.dbQuery import selectQuery
class CheckEmail(Resource):
    def post(self):
        data=request.json
        email=str(data["email"])
        res=selectQuery("SELECT email FROM USER WHERE
EMAIL=?", (email,))
        print(res)
        if(not res):
            return {"status":True},200
        return {"status":False},400
```

Getnews.py

```
from random import random
from flask_restful import Resource
from utils.cookieChecker import token_required
from utils.dbQuery import selectQuery
from utils.apiFetch import apiData
import random
from utils.testData import retArray
class Personal(Resource):
    @token_required
    def get(email, self):
        topicsArr = ["sport", "tech", "world", "finance", "politics", "business",
                    "economics", "entertainment", "beauty", "travel", "music", "food",
                    "science", "cricket"]
        fav = selectQuery("SELECT favourites from user where email=?",
(email,))[
    'FAVOURITES']
```

```

fav = fav.split(',')
for x in fav:
    topicsArr.remove(x)
retArr = []
favList = []
# favList = retArray
nonFavList = []
for x in fav:
    try:
        data = apiData(x)
    except:
        data=None
    if (data is not None):
        for y in data:
            favList.append(y)
try:
    random.shuffle(favList)
    favList = sorted(favList, key=lambda k: k['date'], reverse=True)
except:
    favList=[]
for x in topicsArr:
    try:
        data = apiData(x)
    except:
        data=None
    if(data is not None):
        for y in data:
            nonFavList.append(y)
try:
    random.shuffle(nonFavList)
    nonFavList = sorted(nonFavList, key=lambda k: k['date'], reverse=True)
except:
    nonFavList=[]
retArr = favList+nonFavList
return {"data": retArr}, 200
class News(Resource):
    @token_required

```

```

def get(email,self,topic):
    topicsArr = ["headline", "sport", "tech", "world", "finance", "politics",
"business",
                "economics", "entertainment", "beauty", "travel", "music", "food",
"science", "cricket"]
    if(topic not in topicsArr):
        return {"status": "Not a valid topic"}, 404
    try:
        retArr=apiData(topic)
        random.shuffle(retArr)
        retArr=sorted(retArr, key=lambda k: k['date'], reverse=True)
    except:
        retArr=[]
    return {"data": retArr}, 200

```

Islogin.py

```

from flask import request, after_this_request
from utils.password import checkPassword
from flask_restful import Resource
from utils.cookieChecker import token_required
class IsLogin(Resource):
    @token_required
    def get(email, self):
        return {"status": "Logged in"}, 200

```

login.py

```

from datetime import datetime
from flask_restful import Resource
from flask import request, after_this_request
from utils.password import checkPassword
from utils.dbQuery import *
from dateparser import parse
from utils.tokenener import generate_confirmation_token
from utils.emailSender import emailSender
import app
import jwt
class Login(Resource):
    def post(self):

```

```

data=request.json
ip=request.headers.get("ip")
email=data["email"]
password=data["password"]
queryRes=selectQuery("SELECT * from user where email=?", (email,))
res=checkPassword(password,queryRes["PASSWORD"])
if(not res):
    return {"status":"Wrong credentials"},400
if(not queryRes["VERIFIED"]):
    lastTime=parse(queryRes["RESEND_TIME"])
    currTime=datetime.now()
    diff=currTime-lastTime
    diff=diff.total_seconds()
    if(diff>3600):
        token=generate_confirmation_token(email)
        emailSender(email,token)
        insertQuery("UPDATE user set RESEND_TIME=? where
email=?", (datetime.now(),email))
        return {"status":"Not verified"},400
    @after_this_request
    def cookieSender(response):
        access_token=jwt.encode(
            {"email":email,"ip":ip},app.app.config['SECRET_KEY']
        )
        #
response.set_cookie("access_token",str(access_token),httponly=True,samesite=
None,path="/")
        #
response.set_cookie("email",str(email),httponly=True,samesite=None,path="/")
        response.headers.add('Set-Cookie',f'access_token={str(access_token)};
SameSite=None; Secure; HttpOnly; Path=/'
        response.headers.add('Set-Cookie',f'email={str(email)};
SameSite=None; Secure; HttpOnly; Path=/'
        return response
    return {"status":"Successfully Logged in"},200

```

Register.py

```

from datetime import datetime

```



```

from flask import request,after_this_request
from flask_restful import Resource
from utils.dbQuery import insertQuery
from utils.emailSender import newEmailSender
from utils.password import genHash
class Register(Resource):
    def post(self):
        req=request.json
        name=req['name']
        email=req['email']
        password=req['password']
        favourite=req['favourite']
        fav=', '.join(favourite)
        if(name==" or email==" or password==" or fav==" ):
            return {"status":"Missing data"},404
        password=genHash(password)
        t=(name,email,password,fav,datetime.now())
        res=insertQuery('INSERT INTO user
(name,email,password,favourites,resent_time) values (?,?,?,?,?)',t)
        if(not res):
            return {"status":"Error while registering"},400

        @after_this_request
        def emailer(response):
            newEmailSender(email)
            return response
        return {"status":"Successfully registered"},200

```

verify.py

```

from flask import request
from flask_restful import Resource
from utils.tokenener import confirm_token
from utils.dbQuery import insertQuery

class Verify(Resource):
    def post(self):
        data=request.json
        token=data["token"]
        email=confirm_token(token)
        if(not email):
            return {"status":"Couldn't verify"},400

```

```

        res=insertQuery("UPDATE user set verified=True where
email=?", (email,))
        if(not res):
            return {"status": "Couldn't Update"}, 400
        return {"status": "verified successfully"}, 200

```

Utils_

apiFetch.py

```

from datetime import datetime
from time import sleep
import warnings
from dotenv import dotenv_values
from threading import *
import requests
from dateparser import parse
class Api:
    warnings.simplefilter('ignore')
    __key = dotenv_values(".env")
    __key = __key["key"]
    __apiMap = {}
    __mainApiMap = {}
    __url = "https://newscatcher.p.rapidapi.com/v1/latest_headlines"
    __headers = {
        "X-RapidAPI-Key": str(__key),
        "X-RapidAPI-Host": "newscatcher.p.rapidapi.com"
    }
    def __newCatcherRunner(self, title):
        querystring = {"topic": title, "lang": "en",
            "media": "True", "country": "IN"}
        response = requests.request(
            "GET", url=self._url, headers=self._headers, params=querystring)
        response = response.json()
        retArr = []
        for x in response["articles"]:
            newJson = {}
            newJson["url"] = x["link"]
            newJson["title"] = x["title"]
            newJson["img"] = x["media"]
            newJson["topic"] = x["topic"]
            currTime = parse(x["published_date"])
            newJson["date"] = currTime.strftime("%d/%m/%Y")
            retArr.append(newJson)
        return retArr
    def __topHeadlinesFetcher(self):
        querystring = {"topic": "news", "lang": "en", "media": "True", "country": "IN"}

```

```

        response = requests.request("GET", url=self._url, headers=self._headers,
params=querystring)
        response = response.json()
        retArr = []
        for x in response["articles"]:
            newJson = {}
            newJson["url"] = x["link"]
            newJson["title"] = x["title"]
            newJson["img"] = x["media"]
            newJson["topic"] = x["topic"]
            currTime = parse(x["published_date"])
            newJson["date"] = currTime.strftime("%d/%m/%Y")
            retArr.append(newJson)
        self.__apiMap["headline"] = retArr
        print("headline fetched at "+str(datetime.now()))
def __newsCatcherApiFetcher(self):
    arr = ["sport", "tech", "world", "finance", "politics", "business",
        "economics", "entertainment", "beauty", "travel", "music", "food", "science"]
    for x in arr:
        self._apiMap[x] = self._newCatcherRunner(x)
    print("NewsCatcher fetched at "+str(datetime.now()))
def __cricketFetcher(self):
    url = "https://cricbuzz-cricket.p.rapidapi.com/news/v1/index"
    headers = {
        "X-RapidAPI-Key": self._key,
        "X-RapidAPI-Host": "cricbuzz-cricket.p.rapidapi.com"
    }
    response = requests.request("GET", url, headers=headers)
    response = response.json()
    response = response["storyList"]
    retArr = []
    for x in response:
        try:
            x = x["story"]
            newJson = {}
            newJson["url"] = f'https://www.cricbuzz.com/cricket-news/{x["id"]}/newsTrakcer'
            newJson["title"] = x["hline"]
            newJson["image"] =
f'https://www.cricbuzz.com/a/img/v1/500x500/i1/c/{x["id"]}/abc.jpg'
            currTime = datetime.fromtimestamp(int(x["pubTime"])/1e3)
            newJson["date"] = currTime.strftime("%d/%m/%Y")
            newJson["topic"] = "cricket"
            retArr.append(newJson)
        except:
            pass
    self.__apiMap["cricket"] = retArr
    print("Cricbuzz fetched at "+str(datetime.now()))
def newsCatcherThreader(self):

```

```

while True:
    print("NewsCatcher fetching. ...at "+str(datetime.now()))
    try:
        self.__newsCatcherApiFetcher()
        self._mainApiMap = self._apiMap
    except:
        print("Error NewsCatcher fetching. ... at "+str(datetime.now()))
        pass
    sleep(30*60)
def topHeadlinesThreader(self):
    while True:
        print("Headline fetching.....at "+str(datetime.now()))
        try:
            self._topHeadlinesFetcher()
            self._mainApiMap = self._apiMap
        except:
            print("Error headline fetching. ... at "+str(datetime.now()))
            pass
        sleep(30*60)
def cricbuzzThreader(self):
    while True:
        print("Cricbuzz fetching.....at "+str(datetime.now()))
        try:
            self._cricketFetcher()
            self._mainApiMap = self._apiMap
        except:
            print("Error Cricbuzz fetching. ... at "+str(datetime.now()))
            pass
        sleep(15*60)
def dataGetter(self, topic):
    return self._mainApiMap[str(topic)]
a = Api()
def apiRunner():
    t1 = Thread(target=a.topHeadlinesThreader)
    t2 = Thread(target=a.newsCatcherThreader)
    t3 = Thread(target=a.cricbuzzThreader)
    t1.daemon=True
    t2.daemon=True
    t3.daemon=True
    t1.start()
    t2.start()
    t3.start()
def apiData(topic):
    return a.dataGetter(topic)

```

CookieChecker.py

```

import app
from functools import wraps
import jwt
from flask import request,after_this_request
def token_required(f):
    @wraps(f)
    def decorated(*args, **kwargs):
        token = request.cookies.get("access_token")
        try:
            data = jwt.decode(token, app.app.config['SECRET_KEY'],algorithms=['HS256'])
            ip=request.headers.get("ip")
            cookieIp=data['ip']
            if(ip!=cookieIp):
                resp={"status":"not logged in"}
                @after_this_request
                def deleter(response):
                    response.delete_cookie("access_token",path="/")
                    response.delete_cookie("email",path="/")
                    return response
                return resp,401
        except:
            resp = { "status":"not logged in" }
            @after_this_request
            def deleter(response):
                response.delete_cookie("access_token",path="/")
                response.delete_cookie("email",path="/")
                return response
            return resp, 401
        return f(data['email'],*args, **kwargs)
    return decorated

```

dbConfig.py

```

from dotenv import dotenv_values
def getDbCred():
    data=dotenv_values(".env")
    dsn_hostname=data["ibm_host_name"]
    dsn_uid=data["ibm_user_id"]
    dsn_pwd=data["ibm_password"]
    dsn_driver=data["ibm_driver"]
    dsn_database=data["ibm_db_name"]
    dsn_port=data["ibm_port"]
    dsn_protocol=data["ibm_protocol"]
    dsn=(
        "DATABASE={1};"
        "HOSTNAME={2};"
        "PORT={3};"

```

```

        "PROTOCOL={4};"
        "UID={5};"
        "PWD={6};"
        "SECURITY=SSL").format(dsn_driver,dsn_database,dsn_hostname,dsn_p
ort,dsn_protocol,dsn_uid,dsn_pwd)
    return dsn

```

dbQuery.py

```

import ibm_db
from utils.dbConfig import getDbCred
conn=ibm_db.connect(getDbCred(),"","")
def selectQuery(query,params=None):
    try:
        stmt=ibm_db.prepare(conn,query)
        if(params==None):
            ibm_db.execute(stmt)
            data=ibm_db.fetch_assoc(stmt)
            return data
        ibm_db.execute(stmt,params)
        data=ibm_db.fetch_assoc(stmt)
        return data
    except:
        return False
def insertQuery(query,params):
    try:
        stmt=ibm_db.prepare(conn,query)
        ibm_db.execute(stmt,params)
        return True
    except:
        return False

```

emailSender.py

```

from __future__ import print_function
from utils.tokener import generate_confirmation_token
import sib_api_v3_sdk
import app
from sib_api_v3_sdk.rest import ApiException
from datetime import datetime
def emailSender(email, token):
    configuration = sib_api_v3_sdk.Configuration()

```

```

configuration.api_key['api-key'] = app.data['mail_api_key']
api_instance = sib_api_v3_sdk.TransactionalEmailsApi(
    sib_api_v3_sdk.ApiClient(configuration))
now = datetime.now()
dt_string = now.strftime("%d/%m/%Y %H:%M:%S")
msg = {}
msg['Subject'] = "Verfiy your NewsTracker Account"
msg['From'] = {"name": "News Tracker Dev Team",
               "email": "verify@newstracker.com"}
msg['To'] = [{"email": email}]
msg['Text']=f'Please click this <a
href="http://127.0.0.1:5500/frontend/pages/verify.html?token={token}">link</a
> to verify your account'
html = f"""\
<html>
  <head></head>
  <body>
    <p>👋, for joining NewsTracker 📧</p>
    <br>
    <p>Hurray , you just registerd at NewsTracker<br><br>
    Please click the following link to verify your account:<br>
    <a
href="http://127.0.0.1:5500/frontend/pages/verify.html?token={token}">Click
Here to Verify 📧</a>
    </p>
    <br>
    <p>    Note: This link expires within one hour from the time sent</p>
    <br><br>
    <p>Regrads,<br></p>
    <p><a href="https://localhost:5000">NewsTracker Dev Team</a></p>
    <br><br>
    <p>Email sent at {dt_string}</p>
  </body>
</html>
"""

send_smtp_email = sib_api_v3_sdk.SendSmtpEmail(
    to=msg['To'], html_content=html, sender=msg['From'],
subject=msg['Subject'],text_content=msg['Text'])
try:
    api_response = api_instance.send_transac_email(send_smtp_email)
    print(api_response)
except ApiException as e:

```

```

        print("Exception when calling SMTPApi->send_transac_email: %s\n" %
e)
def newEmailSender(email):
    token = generate_confirmation_token(email)
    emailSender(email, token)

```

password.py

```

import bcrypt

def genHash(password):
    salt=bcrypt.gensalt()
    bytes=password.encode('utf-8')
    hash=bcrypt.hashpw(bytes,salt)
    print(hash)
    return hash

def checkPassword(password,hash):
    hash=hash.encode('utf-8')
    bytes=password.encode('utf-8')
    res=bcrypt.checkpw(bytes,hash)
    return res

```

tokener.py

```

from itsdangerous import URLSafeTimedSerializer
import app

def generate_confirmation_token(email):
    serializer=URLSafeTimedSerializer(app.app.config['SECRET_KEY'])
    return
serializer.dumps(email,salt=app.app.config['SECURITY_PASSWORD_SALT']
)

def confirm_token(token,expiration=3600):
    serializer=URLSafeTimedSerializer(app.app.config['SECRET_KEY'])
    try:
        email=serializer.loads(
            token,
            salt=app.app.config['SECURITY_PASSWORD_SALT'],
            max_age=expiration

```



```
)  
except:  
    return False  
return email
```

Frontend_

Bookmarks.html

```
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
    <meta charset="UTF-8">  
  
    <meta http-equiv="X-UA-Compatible" content="IE=edge">  
  
    <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  
    <link rel="stylesheet" href="../css/bookmarks.css">  
  
    <title>Document</title>  
  
</head>  
  
<body>  
  
    <nav id="head_nav">  
  
        <div class="title_container">  
  
              
  
            <h1 id="app_name">News App</h1>  
  
            <!-- <div class="search_container">  
  
                <input type="text"  
  
                    id="search_box"  
  
                    placeholder="Search for topics, locations and resources"  
  
                >  
  
            </div> -->  
  
            
```

```
<div class="profile_div display_none">
    <a class="bookmarked_link" href="/bookmarks.html"><h3
class="bookmarked">Bookmarks</h3></a>
    <h3 class="logout">Logout</h3>
</div>
</div>
<div class="menu_container">
    <h3 class="nav_button selected_nav_item">Home</h3>
    <h3 class="nav_button">India</h3>
    <h3 class="nav_button">World</h3>
    <h3 class="nav_button">Technology</h3>
    <h3 class="nav_button">Entertainment</h3>
    <h3 class="nav_button">Sports</h3>
    <h3 class="nav_button">Science</h3>
    <h3 class="nav_button">Health</h3>
</div>
</nav>
<section id="home">
    <div class="news_wrapper">
        
        <a class="news_cont" href="/news.html">
            <div class="img_cont">
                
            </div>
            <div class="news_content">
                <h2 class="news_heading">JSV effect</h2>
```

<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Rerum eveniet quibusdam autem iste, eligendi nihil quod molestias facere incidunt quia officia atque distinctio consequuntur qui, suscipit voluptates quasi minus ipsum.</p>

</div>

</div>

</section>

<script src="../../js/main.js"></script>

</body>

</html>

Index.html

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link rel="stylesheet" href="../../css/index.css">

<title>Document</title>

</head>

<body>

<nav id="head_nav">

<div class="title_container">

<h1 id="app_name">News App</h1>

```

<!-- <div class="search_container">
    <input type="text"
        id="search_box"
        placeholder="Search for topics, locations and resources"
    >
</div> -->



<div class="profile_div display_none">
    <a class="bookmarked_link" href="/bookmarks.html"><h3
class="bookmarked">Bookmarks</h3></a>
    <h3 class="logout">Logout</h3>
</div>
</div>

<div class="menu_container">
    <h3 class="nav_button selected_nav_item">Home</h3>
    <h3 class="nav_button">India</h3>
    <h3 class="nav_button">World</h3>
    <h3 class="nav_button">Technology</h3>
    <h3 class="nav_button">Entertainment</h3>
    <h3 class="nav_button">Sports</h3>
    <h3 class="nav_button">Science</h3>
    <h3 class="nav_button">Health</h3>
</div>
</nav>

<section id="home">
    <div class="horizontal_content">
        <div class="news_wrapper">

```

```

```

```
<a class="news_cont" href="/news.html">
  <div class="img_cont">
    
```

```
</div>
```

```
<div class="news_content">
```

```
<h2 class="news_heading">JSV effect</h2>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<div class="news_wrapper">
```

```

```

```
<a class="news_cont" href="/news.html">
  <div class="img_cont">
    
```

```
</div>
```

```
<div class="news_content">
```

```
<h2 class="news_heading">JSV effect</h2>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<div class="news_wrapper">
```

```

```

```
<a class="news_cont" href="./news.html">
  <div class="img_cont">
    
  </div>
  <div class="news_content">
    <h2 class="news_heading">JSV effect</h2>
  </div>
</a>
</div>
<div class="news_wrapper">
  
  <a class="news_cont" href="./news.html">
    <div class="img_cont">
      
    </div>
    <div class="news_content">
      <h2 class="news_heading">JSV effect</h2>
    </div>
  </a>
</div>
</div>
<div class="news_wrapper">
  
  <a class="news_cont" href="./news.html">
```

```
<div class="img_cont">

</div>

<div class="news_content">

    <h2 class="news_heading">JSV effect</h2>

    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Rerum
eveniet quibusdam autem iste, eligendi nihil quod molestias facere incidunt quia
officia atque distinctio consequuntur qui, suscipit voluptates quasi minus
ipsum.</p>

</div>

</a>

</div>

</section>

<script src="../js/main.js"></script>

<script src="../js/index.js" type="module"></script>

</body>

</html>
```

Login.html

```
<!DOCTYPE html>

<html lang="en">

    <head>

        <meta charset="UTF-8">

        <meta http-equiv="X-UA-Compatible" content="IE=edge">

        <meta name="viewport" content="width=device-width, initial-scale=1.0">

        <title>Login and Sign Up Page</title>
```

```
<!--font awesome-->

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.2.0/css/all.min.css">

<!--custom css file link-->

<link rel="stylesheet" href="../css/login.css">

</head>

<body>

<div class="container" id="container">

  <div class="form-container sign-up-container">

    <form id="signup-form" onsubmit="return false;">

      <h1>Create Account</h1>

      <span>You can use your custom email</span>

      <input type="text" placeholder="NAME" class="box" required
autocomplete="name">

      <input type="email" placeholder="E-mail" class="box" required
autocomplete="email">

      <input type="password" placeholder="PASSWORD" class="box"
required autocomplete="current-password">

      <input type="password" placeholder="RE-ENTER PASSWORD"
class="box" required autocomplete="current-password">

      <button class="btn">Sign Up</button>

      <h2></h2>

    </form>

  </div>

  <div class="form-container sign-in-container">

    <form onsubmit="return false;">

      <h1>Sign In</h1>

      <span>Enter your sign in credentials</span>
```



```
<input type="email" placeholder="E-mail" class="box"
autocomplete="email">

<input type="password" placeholder="PASSWORD" class="box"
autocomplete="current-password">

<button class="btn">Sign In</button>

<h2></h2>

</form>

</div>

<div class="overlay-container">

  <div class="overlay">

    <div class="overlay-panel overlay-left">

      <div class="container-checkbox">

        <ul class="ks-cboxtags">

          <li><input type="checkbox" id="checkboxOne"
value="sport" checked><label for="checkboxOne">sport</label></li>

          <li><input type="checkbox" id="checkboxTwo"
value="tech" checked><label for="checkboxTwo">tech</label></li>

          <li><input type="checkbox" id="checkboxThree"
value="world"><label for="checkboxThree">world</label></li>

          <li><input type="checkbox" id="checkboxFour"
value="finance"><label for="checkboxFour">finance</label></li>

          <li><input type="checkbox" id="checkboxFive"
value="politics" checked><label for="checkboxFive">politics</label></li>

          <li><input type="checkbox" id="checkboxSix"
value="business"><label for="checkboxSix">business</label></li>

          <li><input type="checkbox" id="checkboxSeven"
value="economics"><label for="checkboxSeven">economics</label></li>

          <li><input type="checkbox" id="checkboxEight"
value="entertainment"><label
for="checkboxEight">entertainment</label></li>
```

```
        <li><input type="checkbox" id="checkboxNine"
value="beauty"><label for="checkboxNine">beauty</label></li>

        <li><input type="checkbox" id="checkboxTen"
value="travel"><label for="checkboxTen">travel</label></li>

        <li><input type="checkbox" id="checkboxEleven"
value="music"><label for="checkboxEleven">music</label></li>

        <li><input type="checkbox" id="checkboxTwelve"
value="food"><label for="checkboxTwelve">food</label></li>

        <li><input type="checkbox" id="checkboxThirteen"
value="science"><label for="checkboxThirteen">science</label></li>

        <li><input type="checkbox" id="checkboxFourteen"
value="cricket"><label for="checkboxFourteen">cricket</label></li>

    </ul>

</div>

<h1>Already registred ?</h1>

<button class="btn" id="signin">sign in</button>

</div>

<div class="overlay-panel overlay-right">

<h1>Welcome to latest world updates!</h1>

<button class="btn" id="signup">sign up</button>

</div>

</div>

</div>

</div>

<script src="../js/login.js" type="module"></script>

</body>

</html>
```

News.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link rel="stylesheet" href="../css/news.css">

  <title>Document</title>

</head>

<body>

  <nav id="head_nav">

    <div class="title_container">

      <h1 id="app_name">News App</h1>

      <!-- <div class="search_container">

        <input type="text"

          id="search_box"

          placeholder="Search for topics, locations and resources"

        >

      </div> -->

      <div class="profile_div display_none">

        <h3 class="logout">Logout</h3>

      </div>

    </div>

  </nav>

</body>

</html>
```

```
<div class="menu_container">
  <h3 class="selected_nav_item">Home</h3>
  <h3>India</h3>
  <h3>World</h3>
  <h3>Technology</h3>
  <h3>Entertainment</h3>
  <h3>Sports</h3>
  <h3>Science</h3>
  <h3>Health</h3>
</div>
</nav>
<iframe src="" frameborder="0">
  <!-- news API -->
</iframe>
<script src="../js/main.js"></script>
</body>
</html>
```

Verify.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <link rel="stylesheet" href="../css/verify.css" />
```

```
<title>Verify</title>
</head>
<body>
  <nav id="head_nav">
    <div class="title_container">
      <h1 id="app_name">News Tracker</h1>
    </div>
  </nav>
  <div class="status-cont">
    <div class="welcome-text">Please wait...🚧 </div>
  </div>
</body>

<script src="../js/verify.js" type="module"></script>
</html>
```

GitHub

[IBM-EPBL/IBM-Project-28761-1660116536](#)

Project demo link

<https://drive.google.com/file/d/1VVq7NCKkUCHP9KOoz36BKbKHEll6rvjl/view?usp=drivesdk>