Run The Application

TOPIC: All powered nutrition analyzer for fitness enthusiast

Team id: PNT2022TMID15781

- In Visual Studio open the integrated terminal.
- Now type the "python app.py" command.
- It will show the local host where your app is running on http://127.0.0.1.5000/
- Ctr+Click the URL. It does navigate to where you can view your web page.
- Enter the values, click on the predict button and see

th

e result/prediction on the web page.

Then it will run on localhost:5000

```
PS D:\IBM Proj\Nutrition Analyzer> python app.py
2022-11-18 89:30:57.921283: W tensorflow/stream_executor/platform/default/dso_loader.cc:64] Could not load dynamic library 'cudart64_110.dll'; dlerror: cudart64_110.dll
2022-11-18 89:30:57.922769: I tensorflow/stream_executor/cuda/cudart_stub.cc:29] Ignore above cudart dlerror if you do not have a GPU set up on your machine.
2022-11-18 89:31:01.134670: W tensorflow/stream_executor/platform/default/dso_loader.cc:64] Could not load dynamic library 'nvcuda.dll'; dlerror: nvcuda.dll not found
2022-11-18 89:31:01.135439: W tensorflow/stream_executor/cuda/cuda_driver.cc:326] failed call to cuInit: UNKNOWN ERROR (303)
2022-11-18 89:31:01.142146: I tensorflow/stream_executor/cuda/cuda_diagnostics.cc:169] retrieving CUDA diagnostic information for host: Ishwarya
2022-11-18 89:31:01.14304: I tensorflow/core/platform/cpu_feature_guard.cc:142] This Tensorflow binary is optimized with oneAPI Deep Neural Network Library (oneDNN) to
use the following CPU instructions in performance-critical operations: AVX AVX2
To enable them in other operations, rebuild Tensorflow with the appropriate compiler flags.
Loaded model from disk
* Serving Flask app 'app'
* Debug mode: off
MARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on http://127.0.0.1:5000
Press CTRL+C to quit

127.0.0.1 - - [18/Nov/2022 09:31:06] "GET / HTTP/1.1" 200 -
```

```
* Serving Flask app "app" (lazy loading)
* Environment: production
WARNING: This is a development server. Do not use it in a production deployment.
Use a production WSGI server instead.
* Debug mode: off
* Running on http://127.0.0.1:5000/ (Press CTRL+C to quit)
```

- Navigate to the localhost (http://127.0.0.1:5000/) where you can view your web page.
- Click on the classify button to see the result

Output screenshots:









