

## ASSIGNMENT 3

### PROGRAM FOR TRAFFIC LIGHT

Python Code:


```
void setup() {
  // put your setup code here, to run once:
  Serial1.begin(9600);
  pinMode(21, OUTPUT);
  pinMode(20, OUTPUT);
  pinMode(19, OUTPUT);
}

void loop() {
  // put your main code here, to run repeatedly:
  digitalWrite(21, HIGH);
  delay(3000); // this speeds up the simulation
  digitalWrite(21, LOW);
  digitalWrite(20, HIGH);
  delay(3000);
  digitalWrite(20, LOW);
  digitalWrite(19, HIGH);
  delay(3000);
  digitalWrite(19, LOW);
}
```

OUTPUT:

### Traffic Lights For Raspberry Pi

#### Blinking Red Light:



## Blinking Yellow Light:

Wokwi Arduino IDE interface showing a sketch for a blinking yellow light simulation.

```
1 void setup() {  
2   // put your setup code here, to run once:  
3   Serial1.begin(9600);  
4   pinMode(21, OUTPUT);  
5   pinMode(20, OUTPUT);  
6   pinMode(19, OUTPUT);  
7 }  
8  
9 void loop() {  
10  // put your main code here, to run repeatedly:  
11  digitalWrite(21, HIGH);  
12  delay(3000); // this speeds up the simulation  
13  digitalWrite(21, LOW);  
14  digitalWrite(20, HIGH);  
15  delay(3000);  
16  digitalWrite(20, LOW);  
17  digitalWrite(19, HIGH);  
18  delay(3000);  
19  digitalWrite(19, LOW);  
20 }  
21
```

The simulation shows a Raspberry Pi Pico connected to three LEDs (red, yellow, and green) via resistors. The yellow LED is currently lit, indicating the current state of the simulation.

## Blinking Green Light:

Wokwi Arduino IDE interface showing a sketch for a blinking green light simulation.

```
1 void setup() {  
2   // put your setup code here, to run once:  
3   Serial1.begin(9600);  
4   pinMode(21, OUTPUT);  
5   pinMode(20, OUTPUT);  
6   pinMode(19, OUTPUT);  
7 }  
8  
9 void loop() {  
10  // put your main code here, to run repeatedly:  
11  digitalWrite(21, HIGH);  
12  delay(3000); // this speeds up the simulation  
13  digitalWrite(21, LOW);  
14  digitalWrite(20, HIGH);  
15  delay(3000);  
16  digitalWrite(20, LOW);  
17  digitalWrite(19, HIGH);  
18  delay(3000);  
19  digitalWrite(19, LOW);  
20 }  
21
```

The simulation shows a Raspberry Pi Pico connected to three LEDs (red, yellow, and green) via resistors. The green LED is currently lit, indicating the current state of the simulation.

## BLINKING LED:

## PROGRAM FOR BLINKING LED:

### Python code:

```
void setup() {  
  // put your setup code here, to run once:  
  Serial.begin(9600);  
  pinMode(22, OUTPUT);  
}  
  
void loop() {  
  // put your main code here, to run repeatedly:  
  digitalWrite(22, HIGH);  
  Serial.println("LED ON");  
  delay(2000);  
  digitalWrite(22, LOW);  
  Serial.println("LED OFF");  
  delay(2000);  
}
```

### Output:

### Blinking LED For Raspberry pi:

