

Project Development Phase

SPRINT-03

Date	18 November 2022
Team ID	PNT2022TMID36087
Project Name	Machine Learning-Based Predictive Analytics for Aircraft Engine

AIRCRAFT ENGINE ANALAYSIS:

```
Imports Microsoft.VisualBasic
Imports System
Imports System.Data
Imports System.Data.Common
Imports System.Data.OleDb
Imports System.Configuration
Imports System.Collections.Specialized
Imports SampleApps.ValGnES.GlobalVariables
Imports System.Web.HttpContext
Imports System.Drawing
Imports System.IO
Imports System.Data.OracleClient
Imports System.Web
Imports System.Web.UI.WebControls
Imports System.Net.Sockets
Imports System.Net
Imports System.Configuration.ConfigurationManager
```

```
Namespace GL
    Public Class DAL
        Public Enum Transaction
            None
            Start
            Finish
        End Enum

        Public Enum QueryType
            SelectQuery
            InsertQuery
            UpdateQuery
            DeleteQuery
            Adapter
            UpdateDeleteAdapter
            spSelect spInsert
            spUpdate spDelete
        End Enum
    End Class
End Namespace
```

```

End Enum
Public Enum ReturnType
    None
    Scalar
    Field
    Collection
    Sortedlist
    ListItem
    Dataset
    Datarow RefCursor
    spCollection
    spSortedlist
    spDataset
    spOutPut
    spListItem
End Enum

```

```

#Region "Get Connection String From Session"
Public Shared Function ConString() As String
    Dim connectionString As String = ""
    'ConnectionString = ConfigurationSettings.AppSettings("ConnStr") '
    ConnectionString =
System.Configuration.ConfigurationManager.AppSettings("tamConnectionString1")
    ConnectionString =
System.Configuration.ConfigurationManager.ConnectionStrings("CString").ConnectionString

```

```

        'ConnectionString = "Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=GLPGDMDB"
        'ConnectionString = "Provider=Microsoft.Jet.OLEDB.4.0;Data
Source=C:\tamil\tam.mdb"
        'ConnectionString = "Provider=Microsoft.Jet.OLEDB.4.0;Data
Source=E:\tam.mdb"
        'ConnectionString = "Provider=Microsoft.Jet.OLEDB.6.0;Data
Source=E:\tam.mdb"

        'ConnectionString = "Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=pubs"
        Return ConnectionString
    End Function
#End Region

```

```

#Region "Get Connection Instance"
Protected Shared Function CreateOleDbConnection(ByVal provFlag As Integer) As
ConObject
    Dim conObj As ConObject = New ConObject
    Dim cmd As OleDbCommand = New OleDbCommand
    Dim Conn As OleDbConnection = New OleDbConnection
    Try
        Dim ConnString As String = ConString()
        Dim ErrMsg As String = ""
        Conn = Nothing
        If provFlag = 0 Then
            Conn = New OleDbConnection(ConnString)
        Else

```

```

        Dim provInd As Integer = ConnString.ToLower().IndexOf("provider=")
        If provInd <> -1 Then
            ConnString = "Provider=OraOLEDB.Oracle.1" &
ConnString.Substring(ConnString.ToLower().IndexOf(";", provInd))
        End If
        Conn = New OleDbConnection(ConnString)
    End If
    If Conn Is Nothing Then
        Throw New Exception("Error in connection")
    End If
    Conn.Open()
    Cmd.Connection = Conn
    Return New ConObject(Cmd, Conn, ErrMsg)
Catch ex As Exception
    Return New ConObject(Cmd, Conn, ex.Message) End
Try
End Function
#End Region

#Region "ExecuteQuery"
    Public Overloads Shared Sub ExecuteQuery(ByVal QueryStr() As String, Optional
ByVal TransStart As Transaction = Transaction.None, Optional ByVal TransFinish As
Transaction = Transaction.None, Optional ByVal conFlag As Integer = 0, Optional ByVal
oracleFlag As Integer = 0)
        Dim conObj As ConObject = GetConnection(conFlag, oracleFlag)
        Dim ErrMsg As String = conObj.ErrMsg
        If ErrMsg <> "" Then
            Throw New Exception(ErrMsg) : Exit Sub
        ElseIf conObj.Conn Is Nothing And conObj.Conn0 Is Nothing Then
            Throw New Exception("Oracle Connection can not be Established.Please
Check Network/ Oracle Connectivity") : Exit Sub
        End If
        Dim QryStr As String
        Try
            If TransStart = Transaction.Start Then
                If Not conObj.Cmd Is Nothing Then conObj.Cmd.Transaction
                    =
conObj.Cmd.Connection.BeginTransaction Else
                    conObj.Cmd0.Transaction =
conObj.Cmd0.Connection.BeginTransaction
                End If
            End If
            If QueryStr.Length > 0 Then For
                Each QryStr In QueryStr
                    If Not QryStr = "" Then
                        If Not conObj.Cmd Is Nothing Then conObj.Cmd.CommandText
                            = QryStr conObj.Cmd.ExecuteNonQuery()
                        Else conObj.Cmd0.CommandText = QryStr
                            conObj.Cmd0.ExecuteNonQuery() End If
                    End If
                Next
            End If
            If TransFinish = Transaction.Finish Then
                If Not conObj.Cmd Is Nothing Then conObj.Cmd.Transaction.Commit()
                Else conObj.Cmd0.Transaction.Commit()
                End If
            End If
        Catch en As OleDbException

```

```

        HttpContext.Current.Session("ErrorMsg") = en.ErrorCode g_Save_Failed
        = ""
        If HttpContext.Current.Session("ErrorMsg") = -2147217900 Then
            g_Save_Failed = "Attempt to Save Record Failed due to One or more
errors occurred during " + _
            "processing of command. ORA-00933 SQL command not properly ended." Else g_Save_Failed
            = "Attempt to Save Record Failed due to "
            g_Save_Failed = g_Save_Failed &
HttpContext.Current.Session("ErrorMsg")
        End If

        If TransStart Then
            If Not conObj.Cmd Is Nothing Then
                conObj.Cmd.Transaction.Rollback()
            ElseIf Not conObj.Cmd0 Is Nothing Then
                conObj.Cmd0.Transaction.Rollback()
            End If
        End If
        Throw New Exception(en.ToString)

    Finally
        DestroyConObj(conObj)
    End Try
End Sub
#End Region

```

#Region "DestroyConObj"

```

Protected Shared Sub DestroyConObj(ByVal argConObj As ConObject)
    If Not argConObj Is Nothing Then
        If Not argConObj.Cmd Is Nothing Then
            Try argConObj.Cmd.Dispose()
            Catch ex As Exception

        End Try
        End If

        If Not argConObj.Conn Is Nothing Then
            Try
                If Not argConObj.Conn.State = ConnectionState.Closed Then
                    argConObj.Conn.Close() End If
                    argConObj.Conn.Dispose() Catch
                ex As Exception

            End Try
        End If
    End If
End Sub
#End Region

```

```

Public Shared Function GetConnection(Optional ByVal oracleFlag As Integer = 0,
Optional ByVal oracleClientFlag As Integer = 0) As ConObject
    Dim conObj As ConObject = New ConObject()
    Dim ErrMsg As String = ""
    Try
        If oracleClientFlag = 0 Then conObj =
        CreateOleDbConnection(oracleFlag) Else

```

```

        ' conObj = CreateOracleConnection() End
    If
    Catch en As Exception
        If en.Message.Contains("ORA-12560") = True Or
en.Message.Contains("ORA-12571") = True Then
            ErrMsg = "Oracle is not Connected.Either Network is disconnected
or Oracle Listener Problem!(" & en.Message & ")"
            ElseIf en.Message.Contains("The ConnectionString property has not been
initialized") = True Or en.Message.ToUpper.Contains("TIMEOUT") = True Then
                Try
                    For I As Integer = 0 To 1
                        Try
                            If oracleClientFlag = 0 Then conObj =
                                CreateOleDbConnection(oracleFlag)
                            Else
                                ' conObj = CreateOracleConnection()
                            End If
                            Catch ex1 As OleDbException
                                If ex1.Message.Contains("ORA-12560") = True Or
ex1.Message.Contains("ORA-12571") = True Then
                                    ErrMsg = "Oracle is not Connected.Either Network
is disconnected or Oracle Listener Problem!(" & ex1.Message & ")"
                                    ElseIf ex1.Message.ToUpper.Contains("TIMEOUT") = True
Then
                                        ErrMsg = "Oracle Connection Timeout"
                                    Else
                                        ErrMsg = ex1.Message
                                    End If
                                    Catch ex1 As Exception ErrMsg
                                        = ex1.Message
                                    End Try
                                Next
                                Catch ex As OleDbException
                                    If ex.Message.Contains("ORA-12560") = True Or
ex.Message.Contains("ORA-12571") = True Then
                                        ErrMsg = "Oracle is not Connected.Either Network is
disconnected or Oracle Listener Problem!(" & en.Message & ")"
                                        ElseIf ex.Message.ToUpper.Contains("TIMEOUT") = True Then
                                            ErrMsg = "Oracle Connection Timeout"
                                        Else
                                            ErrMsg = ex.Message
                                        End If
                                        Catch ex As Exception ErrMsg
                                            = ex.Message
                                        End Try
                                    Else
                                        ErrMsg = en.Message
                                    End If End
                                Try
                                    Return conObj
                                End Function

```

#Region "ExecuteQueryForReturnType"

```

    Public Overloads Shared Function ExecuteQuery(ByVal QueryStr As String, ByVal
QryType As QueryType, Optional ByVal RetType As ReturnType = ReturnType.None, Optional

```

```

ByVal TransStart As Transaction = Transaction.None, Optional ByVal TransFinish As
Transaction = Transaction.None, Optional ByVal TName As String = Nothing, Optional
ByVal key As Boolean = False, Optional ByVal ds As DataSet = Nothing, Optional ByVal
conFlag As Integer = 0, Optional ByVal oracleFlag As Integer = 0) As Object
    Dim Sortedorder As Boolean = key
    Dim conObj As ConObject = Nothing
    Dim ErrMsg As String
    Try conObj = GetConnection(conFlag, oracleFlag)
        ErrMsg = conObj.ErrMsg
        If ErrMsg <> "" Then
            Throw New Exception(ErrMsg) : Exit Function
        ElseIf conObj.Conn Is Nothing And conObj.Conn0 Is Nothing Then
            Throw New Exception("Oracle Connection can not be
Established.Please Check Network/ Oracle Connectivity") : Exit Function
        End If
        If TransStart = Transaction.Start Then
            If Not conObj.Cmd Is Nothing Then conObj.Cmd.Transaction =
                conObj.Conn.BeginTransaction
            ElseIf Not conObj.Cmd0 Is Nothing Then
                conObj.Cmd0.Transaction = conObj.Conn0.BeginTransaction End
            If
        End If
        Select Case QryType
            Case QueryType.SelectQuery
                If QueryStr = "" Then
                    Exit Select
                Else
                    If Not conObj.Cmd Is Nothing Then conObj.Cmd.CommandText =
                        QueryStr
                        Return (ExecuteSelect(RetType, TName, conObj.Cmd))
                    ElseIf Not conObj.Cmd0 Is Nothing Then
                        conObj.Cmd0.CommandText = QueryStr
                        Return (ExecuteSelect(RetType, TName, conObj.Cmd0))
                    End If
                End If
            Case QueryType.InsertQuery, QueryType.UpdateQuery,
QueryType.DeleteQuery
                If Not conObj.Cmd Is Nothing Then conObj.Cmd.CommandText =
QueryStr
                conObj.Cmd.ExecuteNonQuery()
                ElseIf Not conObj.Cmd0 Is Nothing Then conObj.Cmd0.CommandText = QueryStr
                conObj.Cmd0.ExecuteNonQuery()
                End If

            Case QueryType.Adapter

                If Not conObj.Cmd Is Nothing Then

                    Dim adapter As New OleDbDataAdapter(QueryStr, conObj.Conn)

                    adapter.Update(ds, ds.Tables(0).TableName)
                    adapter.Dispose()
                ElseIf Not conObj.Cmd0 Is Nothing Then ds = New DataSet
                Dim adapter As New OracleDataAdapter(QueryStr, conObj.Conn0)
                    adapter.Update(ds, ds.Tables(0).TableName)
                    adapter.Dispose()
                End If
            Case QueryType.UpdateDeleteAdapter
                If QueryStr = "" Then

```

```

        If Not conObj.Cmd Is Nothing Then ds
            = New DataSet
            Dim adapter As New OleDbDataAdapter("", conObj.Conn)
            adapter.Update(ds) adapter.Dispose()
        ElseIf Not conObj.Cmd0 Is Nothing Then ds
            = New DataSet
            Dim adapter As New OracleDataAdapter("", conObj.Conn0)
            adapter.Update(ds)
            adapter.Dispose() End
        If
    End If
End Select
If TransFinish = Transaction.Finish Then
    conObj.Cmd.Transaction.Commit()
End If
Catch en As OleDbException

    If TransStart Then
        If Not conObj.Cmd Is Nothing Then
            conObj.Cmd.Transaction.Rollback()
        ElseIf Not conObj.Cmd0 Is Nothing Then
            conObj.Cmd0.Transaction.Rollback() End If
        End If
        Throw en
    Finally
        DestroyConObj(conObj)
    End Try
    Return Nothing
End Function
#End Region

```

```

Public Overloads Shared Function GetRecordsetFromSQL(ByRef sSQL As String) As
Data.DataTable
    'Public Function GetRecordsetFromSQL(ByRef sSQL As String) As
Data.DataTable
        Dim oDT As New Data.DataTable
        Dim oCmd As OleDbCommand
        Dim oDA As OleDbDataAdapter
        Dim DBConn As OleDbConnection
        ' DBConn = New OleDbConnection("Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=pubs")
        DBConn = New OleDbConnection("Provider=Microsoft.Jet.OLEDB.4.0;Data
Source=C:\tamil\tam.mdb")

        oDA = New OleDbDataAdapter(sSQL, DBConn)
        'Dim conObj As ConObject = Nothing

        'conObj = GetConnection(0, 0)

        'If conObj Is Nothing Then
            ' 'As got the error in HRESULT - COM exception while executing
ERR.RAISE
            ' 'In order to achieve the same functionality in ported as like
baseline...introduced VB6.0 interop to raise the error message to COM
            ' 'ManagedCOMError.GetManagedErrorInfo(vbObjectError +
ppErrorCodes.ppDALErrNoOpenConnection, "ProPrimaDAL.DataAccess.GetRecordsetFromSQL",
"No Connection Open")
            ' 'Err.Raise(vbObjectError + ppErrorCodes.ppDALErrNoOpenConnection,

```

```

"ProPrimaDAL.DataAccess.GetRecordsetFromSQL", "No Connection Open")
' 'PGC Migration ID:002 to fix warning Null Reference Exception
' GetRecordsetFromSQL = Nothing
'Else
' conObj.Cmd.Transaction = conObj.Conn.BeginTransaction
' oCmd = New OleDbCommand(sSQL, conObj.Conn)

' ' Dim adapter As New OleDbDataAdapter(QueryStr, conObj.Conn)
' oCmd.CommandType = Data.CommandType.Text
' oDA = New OleDbDataAdapter(oCmd)
oDA.Fill(oDT) ' oCmd.Dispose() oCmd =
Nothing
oDA = Nothing
GetRecordsetFromSQL = oDT
' End If
End Function

Public Overloads Shared Function UpdateData(ByVal dt As DataTable, ByVal
TableName As String) As Boolean
    Dim oCmd As OleDbCommand = Nothing
    Dim oDataAdap As OleDbDataAdapter = Nothing
    Dim oCmdBuilder As OleDbCommandBuilder = Nothing
    'Dim oDA As OleDbDataAdapter
    Dim DBConn As OleDbConnection
    DBConn = New OleDbConnection("Provider=SQLOLEDB;Data Source=(local);User
ID=sa;pwd=sa;Initial Catalog=pubs")
    '*****

    ' If moConnection Is Nothing Then
    'As got the error in HRESULT - COM exception while executing ERR.Raise
    'In order to achieve the same functionality in ported as like
baseline...introduced VB6.0 interop to raise the error message to COM
    'ManagedCOMError.GetManagedErrorInfo(vbObjectError +
ppErrorCodes.ppDALErrNoOpenConnection, "ProPrimaDAL.DataAccess.UpdateData", "No
Connection Open")
    ' Err.Raise(vbObjectError + ppErrorCodes.ppDALErrNoOpenConnection,
"ProPrimaDAL.DataAccess.UpdateData", "No Connection Open")
    ' Else
    ' oCmd = New OleDbCommand("Select * from " & TableName, DBConn, trn)
    DBConn.Open()
oCmd = New OleDbCommand("Select * from " & TableName, DBConn,
DBConn.BeginTransaction) oCmd.Connection = DBConn oDataAdap =
New OleDbDataAdapter(oCmd) oCmdBuilder = New
OleDbCommandBuilder(oDataAdap)
oCmdBuilder.QuotePrefix = "["
oCmdBuilder.QuoteSuffix = "]"
oDataAdap.TableMappings.Add("Table", TableName)
dt.TableName = TableName oDataAdap.Update(dt)
oCmd.Transaction.Commit() oCmdBuilder.Dispose()
oCmdBuilder = Nothing oDataAdap.Dispose()
oDataAdap = Nothing oCmd.Dispose() oCmd =
Nothing Return True
Exit Function

End Function

```


WEB PAGE OUTPUT

Process Exit

Engine manufacture

Engine model

Power

Power type

Fuel injection type

Propeller type

Save

Engine Manufacture	Engine Model	Power	Power Type	Fuel Injection Type	Propeller Type
2si	480-L50	50	HP	CARB	FIXP
2si	67L-70	70	HP	CARB	FIXP
a	IO-550-B4F	300	HP	FINJ	CONP
a/o	O-320-H2AD	160	HP	CARB	FIXP
aero engines	IO-360-B1F6	180	HP	FINJ	FIXP
aero engines	IO-360-L2A	180	HP	CARB	FIXP
aero engines	MP14-PXDK	360	HP	CARB	FIXP
aero engines	O-200	100	HP	CARB	FIXP
aero engines	O-360-D3G	160	HP	CARB	FIXP
aero engines	O-470	230	HP	CARB	CONP