


SPRINT 3


Date	13 November 2022
Team ID	PNT2022TMID39992
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and Notification

NODE - RED

Connections



Codes in Node's



Node-RED interface showing the "Edit function node" dialog. The node is named "function" and is enabled. The code in the "On Message" tab is:

```
1 var name = msg.payload.name
2 var lat = msg.payload.lat
3 var lon = msg.payload.lon
4 global.set('latitude', lat)
5 global.set('longitude', lon)
6 global.set('name', name)
7 return msg;
```

The right sidebar shows the "info" panel with a search bar and a list of flows (Flow 1, Flow 2) and subflows. The node information panel shows the node ID "76ec77ccd270c2c7" and type "function".

Node-RED interface showing the "Edit function node" dialog. The node is named "function" and is enabled. The code in the "On Message" tab is:

```
1 msg.payload={
2   'name':global.get('name'),
3   'lat':global.get('latitude'),
4   'lon': global.get('longitude')
5 }
6 return msg;
```

The right sidebar shows the "info" panel with a search bar and a list of flows (Flow 1, Flow 2) and subflows. The node information panel shows the node ID "77b707bf262aa6f4" and type "function".

Node-RED interface showing the "Edit geofence node" dialog. The node is named "geofence" and is enabled. The map shows a geofence area (purple circle) centered on a location. The right sidebar shows the "info" panel with a search bar and a list of flows (Flow 1, Flow 2) and subflows. The node information panel shows the node ID "ee4695a46b4858f1" and type "geofence".

Node-RED interface showing the configuration of a **worldmap** node.

Edit worldmap node

Properties

- Start**: Latitude: 17.4219272, Longitude: 78.5400783, Zoom: 16
- Map list**: 1 selected
- Base map**: ESRI Satellite
- Overlays**: 5 selected
- Cluster when**: zoom level is less than 0 (0, off - 19)
- Max age**: Remove markers after 600 seconds
- User menu**: Show
- Layer menu**: Hide
- Lock map**: False
- Lock zoom**: False
- Enabled**: ☐

Info

Flows: Flow 1, Flow 2, Subflows, Global Configuration Nodes

worldmap

Node: "5ed11e914b5614ea"
Type: worldmap

The map can be found [here](#).

Node-RED interface showing the configuration of a **function** node.

Edit function node

Properties

Name: Name

Setup | **On Start** | **On Message** | **On Stop**

```
1 msg.payload=msg.location.inarea
2 return msg;
```

Info

Flows: Flow 1, Flow 2, Subflows, Global Configuration Nodes

function: 3585a4ac8098085f

Node: "3585a4ac8098085f"
Type: function

Node-RED interface showing the configuration of a **switch** node.

Edit switch node

Properties

Name: Name

Property: msg. payload

- is false → 1
- is true → 2

Info

Flows: Flow 1, Flow 2, Subflows, Global Configuration Nodes

switch

Node: "16b63596382b4cc6"
Type: switch

Node-RED interface showing the Edit function node configuration. The node is named "function" and is configured to run on the "On Message" event. The code defines a function that calculates a timestamp and returns a message object with fields: message, Time, name, lat, and lon.

```
1 var d = new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1
4 newDate = new Date(utc + (3600000*offset));
5 msg.payload = {
6   "message": "Entry",
7   "Time": newDate.toLocaleString(),
8   "name": global.get('name'),
9   "lat": global.get('latitude'),
10  "lon": global.get('longitude')
11 };
12 return msg;
```

The right sidebar shows the "info" panel with a search bar and a list of flows (Flow 1, Flow 2, Subflows, Global Configuration Nodes). The node details section shows the node ID "322663c3205cc798" and the type "function".

Node-RED interface showing the Edit function node configuration. The node is named "function" and is configured to run on the "On Message" event. The code defines a function that calculates a timestamp and returns a message object with fields: message, Time, name, lat, and lon.

```
1 var d = new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1
4 newDate = new Date(utc + (3600000*offset));
5 msg.payload = {
6   "message": "Entry",
7   "Time": newDate.toLocaleString(),
8   "name": global.get('name'),
9   "lat": global.get('latitude'),
10  "lon": global.get('longitude')
11 };
12 return msg;
```

The right sidebar shows the "info" panel with a search bar and a list of flows (Flow 1, Flow 2, Subflows, Global Configuration Nodes). The node details section shows the node ID "dfef78abe1ae2fd4" and the type "function".

Node-RED interface showing the Edit function node configuration. The node is named "function" and is configured to run on the "On Message" event. The code defines a function that calculates a timestamp and returns a message object with fields: message, Time, name, lat, and lon.

```
1 var d = new Date();
2 var utc = d.getTime() + (d.getTimezoneOffset() * 60000);
3 var offset = 5.5; // This is the offset for UTC+3, in your case (UTC+1
4 newDate = new Date(utc + (3600000*offset));
5 msg.payload = {
6   "message": "Entry",
7   "Time": newDate.toLocaleString(),
8   "name": global.get('name'),
9   "lat": global.get('latitude'),
10  "lon": global.get('longitude')
11 };
12 return msg;
```

The right sidebar shows the "info" panel with a search bar and a list of flows (Flow 1, Flow 2, Subflows, Global Configuration Nodes). The node details section shows the node ID "36df960d0bd4f874" and the type "function".

Node-RED

Flow 1

filter nodes

audio out

notification

ui control

template

worldmap

location

geofence

worldmap

worldmap in

tracks

convex - hull

IBM IoT

connected

function

function

geofence

function

switch

rbt

Edit http request node

Delete Cancel Done

Properties

Method GET

URL https://www.fast2sms.com/dev/wallet?authorizati

Payload Ignore

☐ Enable secure (SSL/TLS) connection

☐ Use authentication

☐ Enable connection keep-alive

☐ Use proxy

☐ Only send non-2xx responses to Catch node

Return a UTF-8 string

☐ Enabled

info

Search flows

Flows

Flow 1

Flow 2

Subflows

Global Configuration Nodes

http request

Node "a43ddb0b4716e38d"

Type http request

show more

Node-RED

Flow 1

filter nodes

audio out

notification

ui control

template

worldmap

location

geofence

worldmap

worldmap in

tracks

convex - hull

IBM IoT

connected

function

function

geofence

function

switch

rbt

Edit notification node

Delete Cancel Done

Properties

Layout OK / Cancel Dialog

☐ Send to all browser sessions.

☒ Default action label OK

☒ Secondary action label (optional label for Cancel button)

☐ Accept raw HTML/JavaScript input in msg.payload to format popup.

Class [msg.className]

Topic [msg.topic]

Name show dialogue

☐ Enabled

info

Search flows

Flows

Flow 1

Flow 2

Subflows

Global Configuration Nodes

show dialogue

Node "388bcb2648d1348b"

Type ui_toast

show more

Node-RED

Flow 1

filter nodes

audio out

notification

ui control

template

worldmap

location

geofence

worldmap

worldmap in

tracks

convex - hull

IBM IoT

connected

function

function

geofence

function

switch

rbt

Edit cloudant out node

Delete Cancel Done

Properties

Service Cloudant-pn-99850

Database noderedapqzh20221108

Operation insert

☐ Only store msg.payload object?

Name child

☐ Enabled

info

Search flows

Flows

Flow 1

Flow 2

Subflows

Global Configuration Nodes

child

Node "7f199a311bbfac36"

Type cloudant out

show more