

# Project Title : Analytics for Hospitals' Health-Care Data

Team ID : PNT2022TMID12276

```
In [ ]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
from pandas.api.types import is_numeric_dtype
sns.set()
from sklearn.model_selection import train_test_split
from sklearn.preprocessing import LabelEncoder
from sklearn.preprocessing import StandardScaler
sns.set_style("darkgrid")
from sklearn.linear_model import LinearRegression
from sklearn.svm import SVR
from sklearn.tree import DecisionTreeRegressor

from sklearn import metrics
%matplotlib inline
```

LOAD THE DATASET

```
In [2]: abalone = pd.read_csv('abalone.csv', sep=',')
```

```
In [3]: abalone.head()
```

```
Out[3]:
```

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.150	15
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.070	7
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.210	9
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.155	10
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.055	7

□

## UNIVARIATE ANALYSIS

In [4]:

```
rows = 2
cols = 2
i = 0

plt.figure(figsize=(cols * 5, rows * 5))

i += 1
plt.subplot(rows, cols, i)
plt.xticks(range(0, 31, 4))
plt.xlim(0, 30)
_ = sns.distplot(abalone['Rings'], kde=False, bins=range(0, 31, 2))




i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Rings'])

i += 1
plt.subplot(rows, cols, i)
plt.xticks(range(0, 31, 4))
plt.xlim(0, 30)
_ = sns.boxplot(abalone['Rings'])
```

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms). warnings.warn(msg, FutureWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.

FutureWarning



```

In [5]: abalone = abalone[abalone['Height'] < 0.4]

plt.figure(figsize=(15, 15))

colors = sns.color_palette()

lines = 3
rows = 3
i = 0

i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Length'], color=colors[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Diameter'], color=colors[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Height'], color=colors[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Length'], kde=False, bins=np.arange(0.0, 0.9, 0.05), color=colors[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Diameter'], kde=False, bins=np.arange(0.0, 0.7, 0.05), color=colors[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.distplot(abalone['Height'], kde=False, bins=10, color=colors[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.boxplot(abalone['Length'], color=sns.color_palette()[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.boxplot(abalone['Diameter'], color=colors[i % 3])

i += 1
plt.subplot(lines, rows, i)
_ = sns.boxplot(abalone['Height'], color=colors[i % 3])

```

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

```

rams). warnings.warn(msg, FutureWarning)usr/local/lib/python3.7/dist-
packages/seaborn/distributions.py:2619: FutureWarning: `distplot` is a
deprecated function and will be removed in a future version. Please adapt
your code to use either `displot` (a figure-level function with similar
flexibility) or `histplot` (an axes-level function for histograms).
warnings.warn(msg, FutureWarning)
/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms). warnings.warn(msg, FutureWarning)
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
FutureWarning
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
FutureWarning
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
FutureWarning

```



```

In [6]: plt.figure(figsize=(20, 15))

colors = sns.color_palette()

rows = 3
cols = 4
i = 0

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Whole weight'], color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Shucked weight'], color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Viscera weight'], color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Shell weight'], color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Whole weight'], kde=False, bins=14, color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Shucked weight'], kde=False, bins=14, color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Viscera weight'], kde=False, bins=16, color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.distplot(abalone['Shell weight'], kde=False, bins=20, color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Whole weight'], color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Shucked weight'], color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Viscera weight'], color=colors[i % cols])

i += 1
plt.subplot(rows, cols, i)
_ = sns.boxplot(abalone['Shell weight'], color=colors[i % cols])


```

```

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-
level function with similar flexibility) or `histplot` (an axes-level
function for histograms). warnings.warn(msg, FutureWarning)
/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-
level function with similar flexibility) or `histplot` (an axes-level
function for histograms). warnings.warn(msg, FutureWarning)
/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-
level function with similar flexibility) or `histplot` (an axes-level
function for histograms).
    warnings.warn(msg, FutureWarning)
/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-
level function with similar flexibility) or `histplot` (an axes-level
function for histograms). warnings.warn(msg, FutureWarning)
/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619:
FutureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-
level function with similar flexibility) or `histplot` (an axes-level
function for histograms).
    warnings.warn(msg, FutureWarning)
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
FutureWarning: Pass the following variable as a keyword arg: x. From
version 0.12, the only valid positional argument will be `data`, and
passing other arguments without an explicit keyword will result in an error
or misinterpretation. FutureWarning
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
FutureWarning: Pass the following variable as a keyword arg: x. From
version 0.12, the only valid positional argument will be `data`, and
passing other arguments without an explicit keyword will result in an error
or misinterpretation. FutureWarning
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
FutureWarning: Pass the following variable as a keyword arg: x. From
version 0.12, the only valid positional argument will be `data`, and
passing other arguments without an explicit keyword will result in an error
or misinterpretation. FutureWarning
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43:
FutureWarning: Pass the following variable as a keyword arg: x. From
version 0.12, the only valid positional argument will be `data`, and
passing other arguments without an explicit keyword will result in an error
or misinterpretation.
    FutureWarning

```






In

```
[7]: plt.figure(figsize=(5,5))  
_ = sns.countplot(abalone.Sex)
```


/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation.  
FutureWarning



In


## BIVARATE ANALYSIS

```
[8]: plt.figure(figsize=(7, 7))  
_ = sns.boxplot(data=abalone, x='Sex', y='Rings')
```



```
[9]: plt.figure(figsize=(7, 7))  
_ = sns.boxplot(data=abalone, x='Sex', y='Height')
```

In




In

```
[10]: g = sns.FacetGrid(abalone, col='Sex', margin_titles=True, size=5)  
_ = g.map(sns.distplot, 'Height', kde=False, bins=10)
```


/usr/local/lib/python3.7/dist-packages/seaborn/axisgrid.py:337: UserWarning:  
The `size` parameter has been renamed to `height`; please update your code.  
warnings.warn(msg, UserWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619:  
FutureWarning: `distplot` is a deprecated function and will be removed in a  
future version. Please adapt your code to use either `displot` (a figure-  
level function with similar flexibility) or `histplot` (an axes-level  
function for histograms). warnings.warn(msg, FutureWarning)



In


```
[11]: plt.figure(figsize=(7, 7))
      _ = sns.boxplot(data=abalone, x='Sex', y='Shell weight')
```




```
[12]: g = sns.FacetGrid(abalone, col='Sex', margin_titles=True, size=5)
      _ = g.map(sns.distplot, 'Height', kde=False, bins=10)
```

/usr/local/lib/python3.7/dist-packages/seaborn/axisgrid.py:337: UserWarning: The `size` parameter has been renamed to `height`; please update your code.  
warnings.warn(msg, UserWarning)

/usr/local/lib/python3.7/dist-packages/seaborn/distributions.py:2619: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).  
warnings.warn(msg, FutureWarning)




```
[13]: plt.figure(figsize=(10, 10))  
      corr = abalone.corr()  
      _ = sns.heatmap(corr, annot=True)
```




In

```
[14]: plt.figure(figsize=(20, 5))  
  
_ = sns.jointplot(data=abalone, x='Rings', y='Height', kind='reg')  
_ = sns.jointplot(data=abalone, x='Rings', y='Shell weight', kind='reg')
```

&lt;Figure size 1440x360 with 0 Axes&gt;







DESCRIPTIVE STATISTICS

```
In [15]: abalone.describe().T
```

Out[15]:

	count	mean	std	min	25%	50%	75%	max
Length	4175.0	0.523965	0.120084	0.0750	0.45000	0.5450	0.61500	0.8150
Diameter	4175.0	0.407856	0.099230	0.0550	0.35000	0.4250	0.48000	0.6500
Height	4175.0	0.139189	0.038489	0.0000	0.11500	0.1400	0.16500	0.2500
Whole weight	4175.0	0.828468	0.490027	0.0020	0.44150	0.7995	1.15300	2.8255
Shucked weight	4175.0	0.359195	0.221713	0.0010	0.18600	0.3360	0.50175	1.4880
Viscera weight	4175.0	0.180536	0.109534	0.0005	0.09325	0.1710	0.25275	0.7600
Shell weight	4175.0	0.238791	0.139162	0.0015	0.13000	0.2340	0.32875	1.0050
Rings	4175.0	9.934132	3.224802	1.0000	8.00000	9.0000	11.00000	29.0000

□

HANDLING WITH MISSING DATA

Out[16]:

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	False	False	False	False	False	False	False	False	False
1	False	False	False	False	False	False	False	False	False
2	False	False	False	False	False	False	False	False	False

```
In [16]: df = pd.DataFrame(abalone)
df.isnull()
In [17]: .boxplot(df[ 'Length' ],data=df)
```

sus

3	False	False	False	False	False	False	False	False	False
4	False	False	False	False	False	False	False	False	False
...	...	...	...	...	...	...	...	...	...
4172	False	False	False	False	False	False	False	False	False
4173	False	False	False	False	False	False	False	False	False
4174	False	False	False	False	False	False	False	False	False
4175	False	False	False	False	False	False	False	False	False
4176	False	False	False	False	False	False	False	False	False

4175 rows x 9 columns



```
In [17]: df.fillna(0)
```

Out[17]:


	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings
0	M	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.1500	15
1	M	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.0700	7
2	F	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.2100	9
3	M	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.1550	10
4	I	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.0550	7
...	...	...	...	...	...	...	...	...	...
4172	F	0.565	0.450	0.165	0.8870	0.3700	0.2390	0.2490	11
4173	M	0.590	0.440	0.135	0.9660	0.4390	0.2145	0.2605	10
4174	M	0.600	0.475	0.205	1.1760	0.5255	0.2875	0.3080	9
4175	F	0.625	0.485	0.150	1.0945	0.5310	0.2610	0.2960	10
4176	M	0.710	0.555	0.195	1.9485	0.9455	0.3765	0.4950	12

4175 rows x 9 columns



OUTLIERS IN EACH ATTRIBUTES /usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation. FutureWarning


Out[18]: <matplotlib.axes.\_subplots.AxesSubplot at 0x7efc658ae4d0>



```
In [19]: sns.boxplot(df['Diameter'],data=df)
```

/usr/local/lib/python3.7/dist-packages/seaborn/\_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation. FutureWarning

Out[19]: <matplotlib.axes.\_subplots.AxesSubplot at 0x7efc63c9f190>




In

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a
```

```
[20]: sns.boxplot(df['Height'],data=df)
```

n explicit keyword will result in an error or misinterpretation.  
FutureWarning

```
Out[20]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc65679450>
```




```
In [21]: sns.boxplot(df['Whole weight'],data=df)
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a n explicit keyword will result in an error or misinterpretation. FutureWarning
```

```
Out[21]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc65661610>
```

In


```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a
```



```
[22]: sns.boxplot(df['Shucked weight'],data=df)
```

n explicit keyword will result in an error or misinterpretation.  
FutureWarning

```
Out[22]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc6563a350>
```




```
In [23]: sns.boxplot(df['Viscera weight'],data=df)
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a  
n explicit keyword will result in an error or misinterpretation. FutureWarning
```

```
Out[23]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc6565a2d0>
```

In


```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a
```



```
[24]: sns.boxplot(df['Shell weight'], data=df)
```

n explicit keyword will result in an error or misinterpretation.  
FutureWarning

```
Out[24]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc65a26290>
```




In

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning:
Pass the following variable as a keyword arg: x. From version 0.12, the only
valid positional argument will be `data`, and passing other arguments without a
```

```
[25]: sns.boxplot(df['Rings'],data=df)
```

```
n explicit keyword will result in an error or misinterpretation.
FutureWarning
```

```
Out[25]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc661856d0>
```



```
In [26]: Q1 = abalone.quantile(0.25)
Q3 = abalone.quantile(0.75)
IQR = Q3-Q1
print(IQR)
```

```
Length          0.16500
Diameter        0.13000
Height          0.05000
Whole weight    0.71150
Shucked weight  0.31575
Viscera weight  0.15950
Shell weight    0.19875 Rings
3.00000 dtype: float64
```

```
In [27]: abalone = abalone[~((abalone < (Q1 - 1.5 * IQR)) |(abalone > (Q3 + 1.5 * IQR)))]
abalone.shape
```

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1: FutureWarning:
Automatic reindexing on DataFrame vs Series comparisons is deprecated and will
raise ValueError in a future version. Do `left, right = left.align(right, axis
=1, copy=False)` before e.g. `left == right`
"""Entry point for launching an IPython kernel.
```

In


```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a
```

```
Out[27]: (3781, 9)
```

```
[28]: sns.boxplot(abalone['Rings'],data=abalone)
```

n explicit keyword will result in an error or misinterpretation.  
FutureWarning

```
Out[28]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc6592e290>
```






In

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a
```

```
[29]: sns.boxplot(abalone['Length'],data=abalone)
```

```
n explicit keyword will result in an error or misinterpretation.
FutureWarning
```


```
Out[29]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc658a63d0>
```



```
In [30]: sns.boxplot(abalone['Height'],data=abalone)
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a
n explicit keyword will result in an error or misinterpretation.  FutureWarning
```

```
Out[30]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc65975710>
```




In

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without a
```

```
[31]: sns.boxplot(abalone['Diameter'],data=abalone)
```

n explicit keyword will result in an error or misinterpretation.  
FutureWarning

```
Out[31]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc6377bb10>
```



In


```
sns.boxplot(abalone[
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
```

```
FutureWarning
```

```
[32]: 'Whole weight'],data=abalone)
```

```
Out[32]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc6555d210>
```



```
In [33]: sns.boxplot(abalone['Shucked weight'],data=abalone)
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation. FutureWarning
```


```
Out[33]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc63b167d0>
```

In

```
sns.boxplot(abalone[
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
```


```
FutureWarning
```



[34] :

```
'Shell weight'],data=abalone)
```

```
Out[34]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc6568c250>
```



In


```
sns.boxplot(abalone[
```

```
/usr/local/lib/python3.7/dist-packages/seaborn/_decorators.py:43: FutureWarning: Pass the following variable as a keyword arg: x. From version 0.12, the only valid positional argument will be `data`, and passing other arguments without an explicit keyword will result in an error or misinterpretation.
```

```
FutureWarning
```

```
[35]: 'Viscera weight'],data=abalone)
```

```
Out[35]: <matplotlib.axes._subplots.AxesSubplot at 0x7efc63a00a10>
```



## LABEL ENCODING FOR CATEGORICAL DATA

In [36]:

```
le=LabelEncoder()  
abalone['Sex']=le.fit_transform(abalone['Sex'])
```

```
/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:2: SettingWithCopyWarning:
```

```
A value is trying to be set on a copy of a slice from a DataFrame.
```

```
Try using .loc[row_indexer,col_indexer] = value instead
```

See the caveats in the documentation: [https://pandas.pydata.org/pandas-docs/stable/user\\_guide/indexing.html#returning-a-view-versus-a-copy](https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy) ([https://pandas.pydata.org/pandas-docs/stable/user\\_guide/indexing.html#returning-a-view-versus-a-copy](https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy))

In

[37]: abalone

Out[37]:

	Sex	Length	Diameter	Height	Whole weight	Shucked weight	Viscera weight	Shell weight	Rings										
				0	2	0.455	0.365	0.095	0.5140	0.2245	0.1010	0.1500	15						
				1	2	0.350	0.265	0.090	0.2255	0.0995	0.0485	0.0700	7						
				2	0	0.530	0.420	0.135	0.6770	0.2565	0.1415	0.2100	9						
3	2	0.440	0.365	0.125	0.5160	0.2155	0.1140	0.1550	10	4	1	0.330	0.255	0.080	0.2050	0.0895	0.0395	0.0550	7
	...	...	...	...	...	...	...	...	...	...	...	...	...						
4172	0	0.565	0.450	0.165	0.8870	0.3700	0.2390	0.2490	11										
4173	2	0.590	0.440	0.135	0.9660	0.4390	0.2145	0.2605	10										
4174	2	0.600	0.475	0.205	1.1760	0.5255	0.2875	0.3080	9										
4175	0	0.625	0.485	0.150	1.0945	0.5310	0.2610	0.2960	10										
4176	2	0.710	0.555	0.195	1.9485	0.9455	0.3765	0.4950	12										

3781 rows x 9 columns

=

### ##Splitting the Data into dependent and Independent Variables

```
In [38]: X = abalone.iloc[:, :-1].values
y = abalone.iloc[:, -1].values
```

### ##Scaling independent variables

```
In [39]: scaler = StandardScaler()
scaler.fit(abalone)
```

Out[39]: StandardScaler()

### ##Splitting training and test data

```
In [40]: train_X, val_X, train_y, val_y = train_test_split(X, y, test_size = 0.2, random_stat
```

```
In [41]: print("Shape of Training X :", train_X.shape)
print("Shape of Validation X :", val_X.shape)
```

```
Shape of Training X : (3024, 8)
Shape of Validation X : (757, 8)
```

In

```
[42]: print("Shape of Training y :",train_y.shape)
      print("Shape of Validation y :",val_y.shape)
```

```
Shape of Training y : (3024,)
Shape of Validation y : (757,)
```

### ##LINEAR REGRESSION

```
In [43]: lr = LinearRegression()
      lr.fit(train_X,train_y)
```

```
Out[43]: LinearRegression()
```

```
In [44]: %%time y_pred_val_lr =
      lr.predict(val_X)
      print('MAE on Validation set :',metrics.mean_absolute_error(val_y, y_pred_val_lr))
      print("\n")
      print('MSE on Validation set :',metrics.mean_squared_error(val_y, y_pred_val_lr))
      print("\n")
      print('RMSE on Validation set :',np.sqrt(metrics.mean_squared_error(val_y, y_pred_val_lr)))
      print("\n")
      print('R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_lr))
      print("\n")
```

```
MAE on Validation set : 1.2719689486359298
```

```
MSE on Validation set : 2.7606215450501024
```

```
RMSE on Validation set : 1.127816008325795
```

```
R2 Score on Validation set : 0.5119499107890585
```

```
CPU times: user 5.67 ms, sys: 859 µs, total: 6.53 ms Wall
time: 6.14 ms
```

### ##SUPPORT VECTOR MACHINE

```
In [45]: svm = SVR()
      svm.fit(train_X,train_y)
```

```
Out[45]: SVR()
```

```
[46]: %%time y_pred_val_svm =
      svm.predict(val_X)
      print('MAE on Validation set :',metrics.mean_absolute_error(val_y, y_pred_val_svm))
      print("\n")
```

In

```
print('MSE on Validation set :',metrics.mean_squared_error(val_y, y_pred_val_svm))
print("\n")
print('RMSE on Validation set :',np.sqrt(metrics.mean_absolute_error(val_y, y_pre
print("\n")
print('R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_svm))
print("\n")
```

MAE on Validation set : 1.2208952787270895

MSE on Validation set : 2.7012620714060267

RMSE on Validation set : 1.1049413010323623

R2 Score on Validation set : 0.5224440679687887

CPU times: user 146 ms, sys: 0 ns, total: 146 ms  
Wall time: 145 ms

### ##DECISION TREE REGRESSOR

```
In [47]: dc = DecisionTreeRegressor(random_state = 0)
dc.fit(train_X,train_y)
```

```
Out[47]: DecisionTreeRegressor(random_state=0)
```

```
[48]: %%time y_pred_val_dc =
dc.predict(val_X)
print('MAE on Validation set :',metrics.mean_absolute_error(val_y, y_pred_val_dc)
print("\n")
print('MSE on Validation set :',metrics.mean_squared_error(val_y, y_pred_val_dc))
print("\n")
print('RMSE on Validation set :',np.sqrt(metrics.mean_absolute_error(val_y, y_pre
print("\n")
print('R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_dc))
print("\n")
```

MAE on Validation set : 1.6393659180977542

MSE on Validation set : 4.88110964332893

RMSE on Validation set : 1.2803772561623212

R2 Score on Validation set : 0.13706896870869845



In

CPU times: user 10.1 ms, sys: 1.1 ms, total: 11.2 ms Wall  
time: 24.9 ms

## ##OVERVIEW OF R2 SCORES OF ALL MODELS

```
In [49]: print('Logistic Regression R2 Score on Validation set :',metrics.r2_score(val_y,  
print('SVR R2 Score on Validation set :',metrics.r2_score(val_y, y_pred_val_svm))  
print('Decision Tree Regressor R2 Score on Validation set :',metrics.r2_score(val
```

Logistic Regression R2 Score on Validation set : 0.5119499107890585

SVR R2 Score on Validation set : 0.5224440679687887

Decision Tree Regressor R2 Score on Validation set : 0.13706896870869845