#### PROJECT DEVELOPMENT PHASE

#### **SPRINT-1 SOURCE CODE**

Date	01 November 2022
Team ID	PNT2022TMID38915
Project Name	Intelligent vehicle damage assessment & cost estimator for insurance companies.
Maximum Marks	8 Marks

## **Index.php**

```
<?php
  session_start();
  if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php");
    die();
  }
  include 'config.php';
  smsg = "";
  if (isset($_GET['verification'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['verification']}'")) > 0) {
       $query = mysqli_query($conn, "UPDATE users1 SET code=" WHERE
code='{$_GET['verification']}'");
      if ($query) {
         $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";
       }
     } else {
       header("Location: index.php");
```

```
}
  if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $sql = "SELECT * FROM users1 WHERE email='{$email}' AND password='{$password}'";
    $result = mysqli_query($conn, $sql);
    if (mysqli_num_rows($result) === 1) {
       $row = mysqli_fetch_assoc($result);
      if (empty($row['code'])) {
         $_SESSION['SESSION_EMAIL'] = $email;
         header("Location: welcome.php");
       } else {
         $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";
       }
    } else {
       $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";
    }
  }
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - Damage Detection</title>
  <!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
  <meta name="keywords"
    content="Login Form" />
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
       <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
              <span class="fa fa-close"></span>
           </div>
           <div class="w3l_form align-self">
              <div class="left_grid_info">
```

```
<img src="images/bsi1.png" alt="">
              </div>
           </div>
           <div class="content-wthree">
              <h2>Login Now</h2>
              <?php echo $msg; ?>
              <form action="" method="post">
                <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
required>
                <input type="password" class="password" name="password" placeholder="Enter Your</pre>
Password" style="margin-bottom: 2px;" required>
                <a href="forgot-password.php" style="margin-bottom: 15px; display: block; text-
align: right;">Forgot Password?</a>
                <button name="submit" name="submit" class="btn" type="submit">Login</button>
              </form>
              <div class="social-icons">
                Create Account! <a href="register.php">Register</a>.
              </div>
           </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
```

```
$('.main-mockup').remove();
             });
          });
        });
      </script>
   </body>
</html>
   logout.php
   <?php
   session_start();
   session_unset();
   session_destroy();
   header("Location: index.php");.php
   Register.php
<?php
  //Import PHPMailer classes into the global namespace
 //These must be at the top of your script, not inside a function
  use PHPMailer\PHPMailer\PHPMailer;
  use PHPMailer\PHPMailer\SMTP;
  use PHPMailer\PHPMailer\Exception;
  session_start();
  if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php");
    die();
  }
  //Load Composer's autoloader
  require 'vendor/autoload.php';
  include 'config.php';
```

\$msg = "";

```
if (isset($_POST['submit'])) {
    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
    $code = mysqli_real_escape_string($conn, md5(rand()));
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{$email}'")) >
0) {
      $msg = "<div class='alert alert-danger'>{$email} - This email address has been already
exists.</div>";
    } else {
      if ($password === $confirm_password) {
         $sql = "INSERT INTO users1 (name, email, password, code) VALUES ('{$name}', '{$email}',
'{$password}', '{$code}')";
         $result = mysqli_query($conn, $sql);
         if ($result) {
           echo "<div style='display: none;'>";
           //Create an instance; passing `true` enables exceptions
           $mail = new PHPMailer(true);
           try {
             //Server settings
              $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                                          //Enable verbose debug
output
              $mail->isSMTP();
                                                        //Send using SMTP
                                                            //Set the SMTP server to send through
              $mail->Host
                             = 'smtp.gmail.com';
              $mail->SMTPAuth = true;
                                                            //Enable SMTP authentication
              $mail->Username = 'damagedetectionanalysis@gmail.com';
                                                                                   //SMTP username
              $mail->Password = 'sgmdgfpxacgtinlv';
                                                                      //SMTP password
              $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                              //Enable implicit TLS
encryption
              $mail->Port
                                                        //TCP port to connect to; use 587 if you have set
                             = 465:
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
              //Recipients
              $mail->setFrom('damagedetectionanalysis@gmail.com');
              $mail->addAddress($email);
              //Content
                                                      //Set email format to HTML
              $mail->isHTML(true);
              $mail->Subject = 'DAMAGE DETECTION';
              $mail->Body = 'Here is the verification link <b><a
href="http://localhost/login1/?verification='.$code.'"> Link </a></b>';
              $mail->send();
              echo 'Message has been sent';
            } catch (Exception $e) {
              echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
```

```
echo "</div>";
           $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
         } else {
           $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
       } else {
         $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
    }
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - Damage Detection</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
  <meta name="keywords"
    content="Login Form" />
  <!-- //Meta tag Keywords -->
  <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"</pre>
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
       <div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
              <span class="fa fa-close"></span>
           <div class="w3l_form align-self">
              <div class="left_grid_info">
                <img src="images/ss20.png" alt="">
              </div>
```

```
</div>
            <div class="content-wthree">
              <h2>Register Now</h2>
              <?php echo $msg; ?>
              <form action="" method="post">
                <input type="text" class="name" name="name" placeholder="Enter Your Name"</pre>
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
                <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
                <input type="password" class="password" name="password" placeholder="Enter Your</pre>
Password" required>
                <input type="password" class="confirm-password" name="confirm-password"</pre>
placeholder="Enter Your Confirm Password" required>
                <button name="submit" class="btn" type="submit">Register</button>
              </form>
              <div class="social-icons">
                 Have an account! <a href="index.php">Login</a>.
              </div>
           </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
    $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
           $('.main-mockup').remove();
         });
       });
    });
  </script>
</body>
</html>
```

## Welcome.php

?>

```
<?php
  session_start();
  if (!isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: index.php");
    die();
  }
  include 'config.php';
  $query = mysqli_query($conn, "SELECT * FROM users1 WHERE
email='{$_SESSION['SESSION_EMAIL']}'");
  if (mysqli_num_rows($query) > 0) {
    $row = mysqli_fetch_assoc($query);
    echo "Welcome" . $row['name'] . " <a href='logout.php'>Logout</a>";
Forgot password.php
<?php
session_start();
if (isset($_SESSION['SESSION_EMAIL'])) {
  header("Location: welcome.php");
  die();
}
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
```

```
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
use PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader
require 'vendor/autoload.php';
include 'config.php';
$msg = "";
if (isset($_POST['submit'])) {
  $email = mysqli_real_escape_string($conn, $_POST['email']);
  $code = mysqli_real_escape_string($conn, md5(rand()));
  if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{$email}'")) >
0) {
    $query = mysqli_query($conn, "UPDATE users1 SET code='{$code}' WHERE email='{$email}'");
    if ($query) {
      echo "<div style='display: none;'>";
      //Create an instance; passing `true` enables exceptions
       $mail = new PHPMailer(true);
      try {
         //Server settings
         $mail->SMTPDebug = SMTP::DEBUG_SERVER;
                                                                    //Enable verbose debug
output
         $mail->isSMTP();
                                                  //Send using SMTP
                        = 'smtp.gmail.com';
         $mail->Host
                                                      //Set the SMTP server to send through
         $mail->SMTPAuth = true:
                                                      //Enable SMTP authentication
         $mail->Username = 'damagedetectionanalysis@gmail.com';
                                                                            //SMTP username
```

```
$mail->Password = 'sgmdgfpxacgtinlv';
                                                                 //SMTP password
         $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;
                                                                          //Enable implicit TLS
encryption
         $mail->Port
                        =465;
                                                   //TCP port to connect to; use 587 if you have set
`SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`
         //Recipients
         $mail->setFrom('damagedetectionanalysis@gmail.com');
         $mail->addAddress($email);
         //Content
         $mail->isHTML(true);
                                                  //Set email format to HTML
         $mail->Subject = 'DAMAGE DETECTION';
         $mail->Body = 'Here is the verification link <b><a href="http://localhost/login1/change-
password.php?reset='.$code.'">Reset-Password</a></b>';
         $mail->send();
         echo 'Message has been sent';
       } catch (Exception $e) {
         echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
       }
       echo "</div>";
       $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
    }
  } else {
    $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";
  }
}
```

```
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>Login Form - Damage Detection</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
  <meta name="keywords"
    content="Login Form" />
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  link rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
       <!-- /form -->
```

```
<div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
              <span class="fa fa-close"></span>
           </div>
           <div class="w3l_form align-self">
              <div class="left_grid_info">
                <img src="images/bsi1.png" alt="">
              </div>
           </div>
           <div class="content-wthree">
              <h2>Forgot Password</h2>
              <?php echo $msg; ?>
              <form action="" method="post">
                <input type="email" class="email" name="email" placeholder="Enter Your Email"</pre>
required>
                <button name="submit" class="btn" type="submit">Send Reset Link</button>
              </form>
              <div class="social-icons">
                Back to! <a href="index.php">Login</a>.
              </div>
           </div>
         </div>
       </div>
       <!-- //form -->
    </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
```

```
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                 $('.main-mockup').remove();
            });
       });
    });
    </script>
</body>
</html>
```

# **Change Password**

```
<?php
smsg = "";
include 'config.php';
if (isset($_GET['reset'])) {
  if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='\{\$\_GET['reset']\}''')>0\}
    if (isset($_POST['submit'])) {
       $password = mysqli_real_escape_string($conn, md5($_POST['password']));
       $confirm password = mysqli real escape string($conn, md5($ POST['confirm-password']));
       if ($password === $confirm password) {
         $query = mysqli_query($conn, "UPDATE users1 SET password='{$password}', code="WHERE
code='{$ GET['reset']}'");
         if ($query) {
           header("Location: index.php");
         }
       } else {
         $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
       }
     }
  } else {
    $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
```

```
} else {
  header("Location: forgot-password.php");
?>
<!DOCTYPE html>
<html lang="zxx">
<head>
  <title>DAMAGE DETECTION</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta charset="UTF-8"/>
  <meta name="keywords"
    content="Login Form" />
  <!-- //Meta tag Keywords -->
  k href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
  <!--/Style-CSS -->
  k rel="stylesheet" href="css/style.css" type="text/css" media="all" />
  <!--//Style-CSS -->
  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>
</head>
<body>
  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
         <div class="main-mockup">
           <div class="alert-close">
             <span class="fa fa-close"></span>
           </div>
           <div class="w3l_form align-self">
             <div class="left_grid_info">
                <img src="images/bsi1.png" alt="">
             </div>
           </div>
           <div class="content-wthree">
             <h2>Change Password</h2>
             <?php echo $msg; ?>
             <form action="" method="post">
                <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
```

```
<input type="password" class="confirm-password" name="confirm-password"</pre>
placeholder="Enter Your Confirm Password" required>
                 <button name="submit" class="btn" type="submit">Change Password</button>
              </form>
              <div class="social-icons">
                 Back to! <a href="index.php">Login</a>.
            </div>
         </div>
       </div>
       <!-- //form -->
     </div>
  </section>
  <!-- //form section start -->
  <script src="js/jquery.min.js"></script>
  <script>
     $(document).ready(function (c) {
       $('.alert-close').on('click', function (c) {
         $('.main-mockup').fadeOut('slow', function (c) {
            $('.main-mockup').remove();
          });
       });
     });
  </script>
</body>
</html>
    Style.css
html {
  scroll-behavior: smooth;
}
body,
html {
  margin: 0;
  padding: 0;
  font-family: 'Poppins', sans-serif;
}
  box-sizing: border-box;
```

.d-grid {

display: grid;

```
}
.d-flex {
  display: flex;
  display: -webkit-flex;
.text-center {
  text-align: center;
.text-left {
  text-align: left;
.text-right {
  text-align: right;
button,
input,
select {
  -webkit-appearance: none;
  outline: none;
  font-family: 'Poppins', sans-serif;
}
button,
.btn,
select {
  cursor: pointer;
}
a {
  text-decoration: none;
}
img {
  max-width: 100%;
}
ul {
  margin: 0;
  padding: 0
}
h1,
h2,
h3,
h4,
h5,
```

```
h6,
p {
  margin: 0;
  padding: 0
}
p {
  color: #666;
  font-size: 16px;
  line-height: 25px;
  opacity: .6;
.p-relative {
  position: relative;
.p-absolute {
  position: absolute;
.p-fixed {
  position: fixed;
.p-sticky {
  position: sticky;
.btn,
button,
.actionbg,
input {
  border-radius: 4px;
   -webkit-border-radius: 4px;
  -moz-border-radius: 4px;
  -o-border-radius: 4px;
   -ms-border-radius: 4px;
}
.btn:hover,
button:hover {
  transition: 0.5s ease;
   -webkit-transition: 0.5s ease;
   -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
   -moz-transition: 0.5s ease;
}
/*-- wrapper start --*/
.wrapper {
```

```
width: 100%;
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
}
@media (min-width: 576px) {
  .wrapper {
    max-width: 540px;
  }
}
@media (min-width: 768px) {
  .wrapper {
    max-width: 720px;
  }
}
@media (min-width: 992px) {
  .wrapper {
    max-width: 960px;
  }
}
@media (min-width: 1200px) {
  .wrapper {
     max-width: 1140px;
  }
}
.wrapper-full {
  width: 100%;
  padding-right: 15px;
  padding-left: 15px;
  margin-right: auto;
  margin-left: auto;
/*-- //wrapper start --*/
/*-- form styling --*/
.w3l-mockup-form {
  position: relative;
  min-height: 100vh;
  z-index: 0;
  background: rgba(99, 194, 110, 0.1);
  padding: 40px 40px;
}
.container {
```

```
max-width: 890px;
  margin: 0 auto;
}
.w3l_form {
  padding: 0px;
  flex-basis: 50%;
  -webkit-flex-basis: 50%;
  background:#007ac1;
  padding: 100px 50px;
  border-top-left-radius: 8px;
  border-bottom-left-radius: 8px;
  display: flex;
  justify-content: center;
  align-items: center;
.content-wthree {
  flex-basis: 60%;
  -webkit-flex-basis: 60%;
  box-sizing: border-box;
  padding: 3em 3.5em;
  background: #fff;
  box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
  border-top-right-radius: 8px;
  border-bottom-right-radius: 8px;
}
.w3l-workinghny-form .logo {
  text-align: center;
}
.w3l-mockup-form .main-mockup {
  position: relative;
  display: -webkit-box;
  display: -moz-box;
  display: -ms-flexbox;
  display: -webkit-flex;
  display: flex;
  margin: 40px 0;
}
.w3l-mockup-form .alert-close {
  cursor: pointer;
  height: 35px;
  width: 35px;
  line-height: 35px;
  position: absolute;
  right: -5px;
  top:
                   -5px;
  background: #005fc1;
```

```
border-radius: 50px;
  color: #fff;
  text-align: center;
}
.w3l-mockup-form form {
  margin-top: 30px;
  margin-bottom: 30px;
}
.social-icons {
  text-align: center;
.w3l-mockup-form h1 {
  text-align: center;
  font-size: 40px;
  font-weight: 500;
  color: #3b3663;
}
.w3l-mockup-form h2 {
  display: inline-block;
  font-size: 25px;
  line-height: 35px;
  margin-bottom: 5px;
  font-weight: 600;
  color: #3b3663;
}
.w3l-mockup-form input {
  outline: none;
  margin-bottom: 15px;
  font-size: 16px;
  color: #999;
  text-align: left;
  padding: 14px 20px;
  width: 100%;
  display: inline-block;
  box-sizing: border-box;
  border: none;
  outline: none;
  background: transparent;
  border: 1px solid #e5e5e5;
  transition: 0.3s all ease;
}
.w31-mockup-form input:focus {
  border-color: #005fc1;
}
```

```
.w3l-mockup-form button {
  font-size: 18px;
  color: #fff;
  width: 100%;
  background:#0056c1;
  border: none;
  padding: 14px 15px;
  font-weight: 500;
  transition: .3s ease;
  -webkit-transition: .3s ease;
  -moz-transition: .3s ease;
  -ms-transition: .3s ease;
  -o-transition: .3s ease;
}
.w3l-mockup-form button:hover {
  background: #005fc1;
.w3l-mockup-form .social-icons ul li {
  list-style: none;
  display: inline-block;
}
.w3l-mockup-form .social-icons ul li a {
  padding: 8px;
.w3l-mockup-form .social-icons ul li a:hover {
  opacity: 0.8;
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
.w31-mockup-form .social-icons ul span.fa {
  color: #696687;
  font-size: 18px;
  opacity: .8;
}
.w3l-mockup-form .social-icons ul li a.facebook span {
  color: #3b5998;
}
.w3l-mockup-form .social-icons ul li a.twitter span {
  color: #007ac1;
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span {
  color: #e60023;
.copyright p {
  text-align: center;
  font-size: 17px;
  line-height: 26px;
  color: #607863;
  opacity: 1;
p.copy-footer-29 a {
  color: #517856;
p.copy-footer-29 a:hover {
  color: #005fc1;
  transition: 0.5s ease;
  -webkit-transition: 0.5s ease;
  -o-transition: 0.5s ease;
  -ms-transition: 0.5s ease;
  -moz-transition: 0.5s ease;
}
.alert {
  padding: 1rem;
  border-radius: 5px;
  color: white;
  margin: 1rem 0;
}
.alert-success {
  background-color: #007ac1;
.alert-danger {
  background-color: #fc5555;
}
.alert-info {
  background-color: #2E9AFE;
}
.alert-warning {
  background-color: #ff9966;
}
/*-- responsive design --*/
```

```
@media (max-width:736px) {
  .w3l-mockup-form .main-mockup {
    flex-direction: column;
  .w31_form {
    order: 2;
    padding: 50px;
    border-radius: 0;
    border-bottom-left-radius: 8px;
    border-bottom-right-radius: 8px;
  .content-wthree {
    order: 1;
    border-radius: 0;
    border-top-left-radius: 8px;
    border-top-right-radius: 8px;
}
@media (max-width:568px) {
  .w3l-mockup-form h1 {
    font-size: 30px;
  .w3l-mockup-form .main-mockup {
    margin: 30px 0;
  .content-wthree {
    padding: 2.5em;
}
@media (max-width: 415px) {
  .w3l-mockup-form {
    padding: 40px 30px;
  }
}
@media (max-width:384px) {
  .w3l-mockup-form {
    padding: 30px 15px;
  }
  .content-wthree {
    padding: 2em;
```

```
.w3l-mockup-form h1 {
    font-size: 28px;
  .w3l-mockup-form h2 {
   font-size: 22px;
   line-height: 32px;
  .copyright p {
   font-size: 16px;
}
/*-- //responsive design --*/
/*-- //form styling --*/
   login.sql
    SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
    START TRANSACTION;
    SET time_zone = "+00:00";
    /*!40101 SET
   @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
    /*!40101 SET
   @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS*/;
    /*!40101 SET
   @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
    /*!40101 SET NAMES utf8mb4 */;
    -- Database: `login1`
```

```
-- Table structure for table `users1`
CREATE TABLE `users1` (
`id` int(11) NOT NULL,
 `name` varchar(255) NOT NULL,
 'email' varchar(255) NOT NULL,
 `password` varchar(255) NOT NULL,
 `code` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
-- Indexes for dumped tables
-- Indexes for table `users1`
ALTER TABLE `users1`
ADD PRIMARY KEY ('id');
-- AUTO_INCREMENT for dumped tables
```

```
-- AUTO_INCREMENT for table `users1`
--
ALTER TABLE `users1`
MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;

/*!40101 SET
CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET
CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET
COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```