## MODEL BUILDING- TRAIN THE MODEL

Team ID	PNT2022TMID13501
Project Name	Crude Oil Price Prediction

```
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
  In [2]: data=pd.read_excel("/content/Crude Oil Prices Daily.xlsx")
 In [3]: data.isnull().any()
 Out[3]: Date
Closing Value
dtype: bool
 In [4]: data.isnull().sum()
 Out[4]: Date
Closing Value
            dtype: int64
            data.dropna(axis=0,inplace=True)
            data.isnull().sum()
 Out[6]: Date
Closing Value
dtype: int64
            data_oil=data.reset_index()['Closing Value']
data_oil
                     25.56
26.00
26.53
25.85
25.87
 Out[7]: 0
                   73.89
74.19
73.05
73.78
73.93
           8211
           8212
           8213
           8214
8215
           Name: Closing Value, Length: 8216, dtype: float64
 In [8]:
            from sklearn.preprocessing import MinMaxScaler
            scaler=MinMaxScaler(feature_range=(0,1))
data_oil=scaler.fit_transform(np.array(data_oil).reshape(-1,1))
 In [9]: data_oil
[0.46497853],
                    [0.47038353],
[0.47149415]])
In [10]: plt.plot(data_oil)
Out[10]: []
            1.0
            0.8
```

0.6

0.0

4000

```
In [11]:
          training_size=int(len(data_oil)*0.65)
          test_size=len(data_oil)-training_size
          train\_data, test\_data=data\_oil[0:training\_size,:], data\_oil[training\_size:len(data\_oil),:1]
In [12]:
          training_size,test_size
Out[12]: (5340, 2876)
          train_data.shape
Out[13]: (5340, 1)
          def create_dataset(dataset,time_step=1):
            dataX,dataY=[],[]
            for i in range(len(dataset)-time_step-1):
              a=dataset[i:(i+time_step),0]
               dataX.append(a)
              dataY.append(dataset[i+time_step,0])
            return np.array(dataX),np.array(dataY)
In [15]:
          time_step=10
          x_train,y_train=create_dataset(train_data,time_step)
          x_test,y_test=create_dataset(test_data,time_step)
In [16]:
          print(x_train.shape),print(y_train.shape)
          (5329, 10)
          (5329,)
Out[16]: (None, None)
In [17]: print(x_test.shape),print(y_test.shape)
          (2865, 10)
           (2865,)
Out[17]: (None, None)
In [18]: x_train
\texttt{Out[18]: array([[0.11335703, 0.11661484, 0.12053902, \dots, 0.10980305, 0.1089886 \ ,}
                   0.11054346],
                  [0.11661484, 0.12053902, 0.11550422, ..., 0.1089886, 0.11054346,
                   0.10165852],
                  [0.12053902, 0.11550422, 0.1156523 , ..., 0.11054346, 0.10165852,
                   0.09906708],
                  [0.36731823, 0.35176958, 0.36080261, ..., 0.36391234, 0.37042796,
                   0.37042796],
                  [0.35176958, 0.36080261, 0.35354657, ..., 0.37042796, 0.37042796,
                  0.37879461],
[0.36080261, 0.35354657, 0.35295424, ..., 0.37042796, 0.37879461,
                   0.37916482]])
 In [19]:
            x_train=x_train.reshape(x_train.shape[0],x_train.shape[1],1)
            x_test=x_test.reshape(x_test.shape[0],x_test.shape[1],1)
            from tensorflow.keras.models import Sequential
            from tensorflow.keras.layers import Dense
            \textbf{from} \ \texttt{tensorflow}. \texttt{keras}. \texttt{layers} \ \textbf{import} \ \texttt{LSTM}
In [22]:
           model=Sequential()
In [23]:
           model.add(LSTM(50,return_sequences=True,input_shape=(10,1)))
            model.add(LSTM(50,return_sequences=True))
           model.add(LSTM(50))
```

```
model=Sequential()
        model.add(LSTM(50,return_sequences=True,input_shape=(10,1)))
model.add(LSTM(50,return_sequences=True))
        model.add(LSTM(50))
In [24]:
        model.add(Dense(1))
In [25]: model.summary()
        Model: "sequential_1"
        Layer (type)
                                Output Shape
                                                       Param #
        lstm (LSTM)
                                (None, 10, 50)
                                                       10400
        lstm_1 (LSTM)
                                (None, 10, 50)
                                                      20200
        lstm_2 (LSTM)
                                (None, 50)
                                                      20200
        dense (Dense)
                                                       51
                                (None, 1)
       Total params: 50,851
Trainable params: 50,851
Non-trainable params: 0
 In [26]:
          model.compile(loss='mean_squared_error',optimizer='adam')
 In [27]: model.fit(x_train,y_train,validation_data=(x_test,y_test),epochs=3,batch_size=64,verbose=1)
          Epoch 1/3
          84/84 [============] - 11s 48ms/step - loss: 0.0023 - val_loss: 0.0010
          Epoch 2/3
          84/84 [==============] - 2s 28ms/step - loss: 1.2599e-04 - val_loss: 8.0346e-04
          Epoch 3/3
          Out[27]:
```