```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8"/>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
k rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-icon.png">
 <link rel="icon" type="image/png" href="../assets/img/favicon.png">
 <title>
  NEWS Tracker
 </title>
<!-- Fonts and icons -->
<link rel="stylesheet" type="text/css"</pre>
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700,900|Roboto+Slab:400,700"
/>
<!-- Nucleo Icons -->
k href="../assets/css/nucleo-icons.css" rel="stylesheet" />
k href="../assets/css/nucleo-svg.css" rel="stylesheet" />
<!-- Font Awesome Icons -->
<script src="https://kit.fontawesome.com/42d5adcbca.js" crossorigin="anonymous"></script>
<!-- Material Icons -->
k href="https://fonts.googleapis.com/icon?family=Material+Icons+Round" rel="stylesheet">
<!-- CSS Files -->
d="pagestyle" href="../assets/css/material-dashboard.css?v=3.0.4" rel="stylesheet" />
</head>
<body class="bg-gray-200">
 <div class="container position-sticky z-index-sticky top-0">
  <div class="row">
   <div class="col-12">
    <!-- Navbar -->
```

```
<nav class="navbar navbar-expand-lg blur border-radius-xl top-0 z-index-3 shadow position-
absolute my-3 py-2 start-0 end-0 mx-4">
     <div class="container-fluid ps-2 pe-0">
      <a class="navbar-brand font-weight-bolder ms-lg-0 ms-3" href="../pages/dashboard.html">
       NEWS Tracker
      </a>
      <button class="navbar-toggler shadow-none ms-2" type="button" data-bs-toggle="collapse"
data-bs-target="#navigation" aria-controls="navigation" aria-expanded="false" aria-label="Toggle
navigation">
       <span class="navbar-toggler-icon mt-2">
        <span class="navbar-toggler-bar bar1"></span>
        <span class="navbar-toggler-bar bar2"></span>
        <span class="navbar-toggler-bar bar3"></span>
       </span>
      </button>
      <div class="collapse navbar-collapse" id="navigation">
       class="nav-item">
         <a class="nav-link d-flex align-items-center me-2 active" aria-current="page"
href="../pages/dashboard.html">
          <i class="fa fa-chart-pie opacity-6 text-dark me-1"></i>
          Dashboard
         </a>
        class="nav-item">
         <a class="nav-link me-2" href="../pages/profile.html">
          <i class="fa fa-user opacity-6 text-dark me-1"></i>
          Profile
         </a>
        cli class="nav-item">
         <a class="nav-link me-2" href="../pages/sign-up.html">
```

```
Sign Up
         </a>
        cli class="nav-item">
         <a class="nav-link me-2" href="../pages/sign-in.html">
          <i class="fas fa-key opacity-6 text-dark me-1"></i>
          Sign In
         </a>
        </div>
     </div>
    </nav>
    <!-- End Navbar -->
   </div>
  </div>
 </div>
 <main class="main-content mt-0">
  <div class="page-header align-items-start min-vh-100" style="background-image:</pre>
url('https://images.unsplash.com/photo-1595113316349-9fa4eb24f884?ixlib=rb-
4.0.3&ixid=MnwxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8&auto=format&fit=crop&w=87
2&q=80');">
   <span class="mask bg-gradient-dark opacity-6"></span>
   <div class="px-4 py-5 px-md-5 text-center">
    <div class="container d-flex justify-content-center align-items-center">
     <div class="row">
      <div class="col-lg-6 mb-5 mb-lg-0">
       <h1 class="my-5 display-3 fw-bold ls-tight">
        News Tracking <br />
        <span class="text-primary">Application</span>
       </h1>
```

<i class="fas fa-user-circle opacity-6 text-dark me-1"></i>

```
Lorem ipsum dolor sit amet consectetur adipisicing elit. Eveniet,
  itaque accusantium odio, soluta, corrupti aliquam quibusdam
  tempora at cupiditate quis eum maiores libero veritatis? Dicta
 facilis sint aliquid ipsum atque?
 </div>
<div class="col-lg-6 mb-5 mb-lg-0">
<div class="card">
  <div class="card-body py-5 px-md-5">
   <form>
    <!-- Email input -->
    <div class="form-outline mb-4 input-group input-group-outline">
     <input
      type="email"
      id="form3Example3"
      class="form-control"
      placeholder="E-mail Address"
    />
    </div>
    <!-- Password input -->
    <div class="form-outline mb-4 input-group input-group-outline">
     <input
      type="password"
      id="form3Example4"
      class="form-control"
      placeholder="Password"
    />
    </div>
```

```
<!-- Checkbox -->
          <div class="form-check d-flex justify-content-center mb-4">
           <input
           class="form-check-input me-2"
           type="checkbox"
           value=""
           id="form2Example33"
           checked
          />
           <label class="form-check-label" for="form2Example33">
            Remember me
           </label>
          </div>
          Don't have an account?
          <a href="../pages/sign-up.html" class="text-primary text-gradient font-weight-
bold">Sign up</a>
          <!-- Submit button -->
          <div class="d-grid gap-2">
           <button type="submit" class="btn btn-primary">
           Sign in
          </button>
          </div>
        </form>
       </div>
       </div>
     </div>
     </div>
    </div>
```

```
</div>
   </div> -->
  </div>
 </main>
 <!-- Core JS Files -->
 <script src="../assets/js/core/popper.min.js"></script>
 <script src="../assets/js/core/bootstrap.min.js"></script>
 <script src="../assets/js/plugins/perfect-scrollbar.min.js"></script>
 <script src="../assets/js/plugins/smooth-scrollbar.min.js"></script>
 <script>
  var win = navigator.platform.indexOf('Win') > -1;
  if (win && document.querySelector('#sidenav-scrollbar')) {
   var options = {
    damping: '0.5'
   }
   Scrollbar.init(document.querySelector('#sidenav-scrollbar'), options);
  }
 </script>
 <!-- Github buttons -->
 <script async defer src="https://buttons.github.io/buttons.js"></script>
 <!-- Control Center for Material Dashboard: parallax effects, scripts for the example pages etc -->
 <script src="../assets/js/material-dashboard.min.js?v=3.0.4"></script>
</body>
</html>
```