## **ASSIGNMENT-2**

**PROJECT NAME** : News tracker application

**TEAM ID** :PNT2022TMID40290

**REG NO** :513219106304

NAME :K.VIGNESH

### FLASK PROJECT

### **CREATE FLASK**

```
from \ flask \ import \ Flask
```

from flask\_sqlalchemy import SQLAlchemy

from flask\_login import LoginManager

create\_app():

app = Flask(\_\_name\_\_) # creates the Flask instance, \_\_name\_\_ is

# the name of the current Python module

app.config['SECRET\_KEY'] = 'secret-key-goes-here' # it is used

#by Flask and extensions to keep data safe

app.config['SQLALCHEMY\_DATABASE\_URI'] = 'sqlite:///db.sqlite'

```
#it is the path where the SQLite database file
#will be saved
```

app.config['SQLALCHEMY\_TRACK\_MODIFICATIONS'] = False

# deactivate Flask-SQLAlchemy track modifications

db.init\_app(app) # Initialiaze sqlite database

# The login manager contains the code that lets your application

# and Flask-Login work together

login\_manager = LoginManager() # Create a Login Manager instance

login\_manager.login\_view = 'auth.login' # define the redirection

# path when login required and we attempt

# to access without being logged in

login\_manager.init\_app(app) # configure it for login

from models import User

@login\_manager.user\_loader

def load user(user id): #reload user object from the user ID

#stored in the session

# since the user\_id is just the primary key of our user

# table, use it in the query for the user

return User.query.get(int(user\_id))

# blueprint for auth routes in our app

# blueprint allow you to orgnize your flask app

from auth import auth as auth blueprint

app.register\_blueprint(auth\_blueprint)

# blueprint for non-auth parts of app

from main import main as main\_blueprint

```
app.register_blueprint(main_blueprint)
return app
```

### ADD TEMPLATE

```
base.html
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Flask Auth Example</title>
    k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/bulma/0.7.2/css/bulma.min.css"
/>
</head>
<body>
<section class="hero is-fullheight" style="background-color:#C4FCEF;">
     <div class="hero-head">
         <nav class="navbar">
              <div class="container">
                   <div id="navbarMenuHeroA" class="navbar-menu">
                        <div class="navbar-end">
                             <a href="{{ url_for('main.index') }}" class="navbar-item">
                                  Home
```

```
<a href="{{ url_for('main.profile') }}" class="navbar-item">
                                    Profile
                              </a>
                              <a href="{{ url_for('auth.login') }}" class="navbar-item">
                                    Login
                              </a>
                              <a href="{{ url_for('auth.signup') }}" class="navbar-item">
                                   Sign Up
                              </a>
                              <a href="{{ url_for('auth.logout') }}" class="navbar-item">
                                    Logout
                              </a>
                         </div>
                    </div>
               </div>
          </nav>
     </div>
     <div class="hero-body">
          <div class="container has-text-centered">
               {% block content %}{% endblock %}
          </div>
     </div>
</section>
</body>
```

</a>

```
</html>
```

# index.html {% extends "base.html" %} {% block content %} <h1 class="title"> Flask Login Example </h1> <h2 class="subtitle"> Create a Login page using Flask:) </h2> {% endblock %} profile.html {% extends "base.html" %} {% block content %} <h1 class="title"> Welcome, Jean! </h1> {% endblock %}

# signup.html

```
{% extends "base.html" %}
{% block content %}
```

```
<div class="column is-4 is-offset-4">
     <h3 class="title">Sign Up</h3>
     <div class="box">
          <form method="POST" action="/signup">
               <div class="field">
                    <div class="control">
                         <input class="input is-large" type="email" name="email" placeholder="Email"
autofocus="">
                    </div>
               </div>
               <div class="field">
                    <div class="control">
                         <input class="input is-large" type="text" name="name" placeholder="Name"
autofocus="">
                    </div>
               </div>
               <div class="field">
                    <div class="control">
                         <input class="input is-large" type="password" name="password"
placeholder="Password">
                    </div>
               </div>
               <button class="button is-block is-info is-large is-fullwidth">Sign Up</button>
         </form>
     </div>
</div>
{% endblock %}
```

## login.html

```
{% extends "base.html" %}
{% block content %}
<div class="column is-4 is-offset-4">
     <h3 class="title">Login</h3>
     <div class="box">
          <form method="POST" action="/login">
               <div class="field">
                   <div class="control">
                        <input class="input is-large" type="email" name="email" placeholder="Your
Email" autofocus="">
                   </div>
               </div>
               <div class="field">
                   <div class="control">
                        <input class="input is-large" type="password" name="password"
placeholder="Your Password">
                   </div>
               </div>
               <div class="field">
                   <label class="checkbox">
                        <input type="checkbox">
                        Remember me
                   </label>
```

### ADD BOOSTRAP

```
<html>
<head>
<title>Python Flask Upload and display image</title>
k rel="stylesheet"
https:maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
<script
scr="https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js"></script>
</head>
<body>
<h1 align="center">Python Flask Upload and display image<h1>
<div class="container">
<div ciass="row">
<fore method="post" action="/" enctype="multipaet/form-data">
< dl >
>
<input type="file" name="file" class="form=control" autocomplete="off"</pre>
```

```
required>
</dl>
>
<input type="sudmit" valve="sudmit" class="btn btn-info">
</form>
</div>
</div>
</body>
</html>
<html>
<head>
<title>Python Flask Upload and display image</title>
k rel="stylesheet"
https:maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />
<script
scr="https://ajax.googleapis.com/ajax/libs/jquery/3.1.0/jquery.min.js"></script>
</head>
<body>
<h1 align="center">Python Flask Upload and display image<h1>
<div class="container">
<div ciass="row">
```

```
<fore method="post" action="/" enctype="multipaet/form-data">
< dl >
>
<input type="file" name="file" class="form=control" autocomplete="off"</pre>
required>
</dl>
>
<input type="sudmit" valve="sudmit" class="btn btn-info">
</form>
</div>
</div>
</body>
</html>
SIGN UP
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>SignUp</title>
   k rel="stylesheet"
```

```
href="{{url_for('static',filename='css/bootstrap.min.css')}}">
   <script src="{{url_for('static',filename='js/jquery.min.js')}}"></script>
</head>
<body>
   <nav class="navbar navbar-expand-md bg-success shadow">
       <a class="navbar-brand text-white" href="/">skills and job
recommendation</a>
   </nav>
   <div class="container" style="margin-top:100px">
       <div class="col-md-offset-5 col-md-4">
           <form action="/signup" method="post" autocomplete="off">
               <h3 class="page-header text-primary">SIGN UP</h3>
               <div class="form-group">
                   <label>Name</label>
                   <input type="text" name="name" placeholder="Enter your</pre>
Name" class="form-control" required>
               </div>
               <div class="form-group">
                   <label>Email</label>
                   <input type="email" name="email" placeholder="Enter your</pre>
Email" class="form-control" required>
               </div>
```

```
<div class="form-group">
                   <label>Contact</label>
                   <input type="text" name="contact" placeholder="Enter your</pre>
contact" class="form-control" required>
               </div>
               <div class="form-group">
                   <label>Password</label>
                   <input type="password" name="password"</pre>
placeholder="Create a password" class="form-control"
                       required>
               </div>
               <div class="form-group">
                   <label>Confirm-Password</label>
                   <input type="password" name="password1"</pre>
placeholder="Rewrite a password" class="form-control"
                       required>
               </div>
               <div class="form-group">
                   <input type="submit" value="Signup" class="btn</pre>
btn-success">
                   <input type="reset" value="Clear" class="btn btn-danger">
               </div>
           </form>
```

</html>