

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-icon.png">

  <link rel="icon" type="image/png" href="../assets/img/favicon.png">

  <title>

    News Tracker

  </title>

  <!-- Fonts and icons -->

  <link rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700,900|Roboto+Slab:400,700"
/>

  <!-- Nucleo Icons -->

  <link href="../assets/css/nucleo-icons.css" rel="stylesheet" />

  <link href="../assets/css/nucleo-svg.css" rel="stylesheet" />

  <!-- Font Awesome Icons -->

  <script src="https://kit.fontawesome.com/42d5adcbca.js" crossorigin="anonymous"></script>

  <!-- Material Icons -->

  <link href="https://fonts.googleapis.com/icon?family=Material+Icons+Round" rel="stylesheet">

  <!-- CSS Files -->

  <link id="pagestyle" href="../assets/css/material-dashboard.css?v=3.0.4" rel="stylesheet" />

</head>

<body class="g-sidenav-show bg-gray-200">

  <aside class="sidenav navbar navbar-vertical navbar-expand-xs border-0 border-radius-xl my-3
fixed-start ms-3 bg-gradient-dark" id="sidenav-main">

    <div class="sidenav-header">

      <i class="fas fa-times p-3 cursor-pointer text-white opacity-5 position-absolute end-0 top-0 d-
none d-xl-none" aria-hidden="true" id="iconSidenav"></i>
```

```

<a class="navbar-brand m-0" href=" https://demos.creative-tim.com/material-
dashboard/pages/dashboard " target="_blank">

  

  <span class="ms-1 font-weight-bold text-white">News Tracker</span>

</a>
</div>

<hr class="horizontal light mt-0 mb-2">

<div class="collapse navbar-collapse w-auto " id="sidenav-collapse-main">

  <ul class="navbar-nav">

    <li class="nav-item">

      <a class="nav-link text-white active" href="../pages/dashboard.html">

        <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

          <i class="material-icons opacity-10">dashboard</i>

        </div>

        <span class="nav-link-text ms-1">Dashboard</span>

      </a>

    </li>

    <a class="nav-link text-white " href="../pages/notifications.html">

      <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

        <i class="material-icons opacity-10">notifications</i>

      </div>

      <span class="nav-link-text ms-1">Notifications</span>

    </a>

    </li>

    <li class="nav-item mt-3">

      <h6 class="ps-4 ms-2 text-uppercase text-xs text-white font-weight-bolder opacity-8">Account
pages</h6>

    </li>

    <li class="nav-item">

      <a class="nav-link text-white bg-gradient-primary active" href="../pages/profile.html">

        <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

          <i class="material-icons opacity-10">person</i>

```

```

    </div>

    <span class="nav-link-text ms-1">Profile</span>

  </a>

</li>

<li class="nav-item">

  <a class="nav-link text-white " href="../pages/sign-in.html">

    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

      <i class="material-icons opacity-10">login</i>

    </div>

    <span class="nav-link-text ms-1">Sign In</span>

  </a>

</li>

<li class="nav-item">

  <a class="nav-link text-white " href="../pages/sign-up.html">

    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

      <i class="material-icons opacity-10">assignment</i>

    </div>

    <span class="nav-link-text ms-1">Sign Up</span>

  </a>

</li>

</ul>

</div>

<div class="sidenav-footer position-absolute w-100 bottom-0 ">

  <div class="mx-3">

    <a class="btn bg-gradient-primary mt-4 w-100" href="https://www.creative-
tim.com/product/material-dashboard-pro?ref=sidebarfree" type="button">Log out</a>

  </div>

</div>

</aside>

<div class="main-content position-relative max-height-vh-100 h-100">

  <!-- Navbar -->

```

```
<nav class="navbar navbar-main navbar-expand-lg px-0 mx-4 shadow-none border-radius-xl"
id="navbarBlur" data-scroll="true">
```

```
<div class="container-fluid py-1 px-3">
```

```
<nav aria-label="breadcrumb">
```

```
<ol class="breadcrumb bg-transparent mb-0 pb-0 pt-1 px-0 me-sm-6 me-5">
```

```
<li class="breadcrumb-item text-sm"><a class="opacity-5 text-dark"
href="javascript:;>Pages</a></li>
```

```
<li class="breadcrumb-item text-sm text-dark active" aria-current="page">Profile</li>
```

```
</ol>
```

```
<h6 class="font-weight-bolder mb-0">Profile</h6>
```

```
</nav>
```

```
<div class="collapse navbar-collapse mt-sm-0 mt-2 me-md-0 me-sm-4" id="navbar">
```

```
<div class="ms-md-auto pe-md-3 d-flex align-items-center">
```

```
<div class="input-group input-group-outline">
```

```
<label class="form-label">Type here...</label>
```

```
<input type="text" class="form-control">
```

```
</div>
```

```
</div>
```

```
<ul class="navbar-nav justify-content-end">
```

```
<li class="nav-item d-flex align-items-center">
```

```
<a href="../../pages/sign-in.html" class="nav-link text-body font-weight-bold px-0">
```

```
<i class="fa fa-user me-sm-1"></i>
```

```
<span class="d-sm-inline d-none">Sign In</span>
```

```
</a>
```

```
</li>
```

```
<li class="nav-item d-xl-none ps-3 d-flex align-items-center">
```

```
<a href="javascript:;" class="nav-link text-body p-0" id="iconNavbarSidenav">
```

```
<div class="sidenav-toggler-inner">
```

```
<i class="sidenav-toggler-line"></i>
```

```
<i class="sidenav-toggler-line"></i>
```

```
<i class="sidenav-toggler-line"></i>
```

```
</div>
```

```

    </a>
  </li>
  <li class="nav-item px-3 d-flex align-items-center">
    <a href="javascript:;" class="nav-link text-body p-0">
      <i class="fa fa-cog fixed-plugin-button-nav cursor-pointer"></i>
    </a>
  </li>
  <li class="nav-item dropdown pe-2 d-flex align-items-center">
    <a href="javascript:;" class="nav-link text-body p-0" id="dropdownMenuButton" data-bs-
toggle="dropdown" aria-expanded="false">
      <i class="fa fa-bell cursor-pointer"></i>
    </a>
    <ul class="dropdown-menu dropdown-menu-end px-2 py-3 me-sm-n4" aria-
labelledby="dropdownMenuButton">
      <li class="mb-2">
        <a class="dropdown-item border-radius-md" href="javascript:;">
          <div class="d-flex py-1">
            <div class="my-auto">
              
            </div>
            <div class="d-flex flex-column justify-content-center">
              <h6 class="text-sm font-weight-normal mb-1">
                <span class="font-weight-bold">New message</span> from Laur
              </h6>
              <p class="text-xs text-secondary mb-0">
                <i class="fa fa-clock me-1"></i>
                13 minutes ago
              </p>
            </div>
          </div>
        </li>
      </ul>
    </li>
  </div>
  </div>
  </a>
</li>

```

```

<li class="mb-2">

  <a class="dropdown-item border-radius-md" href="javascript:;">

    <div class="d-flex py-1">

      <div class="my-auto">

        

      </div>

      <div class="d-flex flex-column justify-content-center">

        <h6 class="text-sm font-weight-normal mb-1">

          <span class="font-weight-bold">New album</span> by Travis Scott

        </h6>

        <p class="text-xs text-secondary mb-0">

          <i class="fa fa-clock me-1"></i>

          1 day

        </p>

      </div>

    </div>

  </a>

</li>

<li>

  <a class="dropdown-item border-radius-md" href="javascript:;">

    <div class="d-flex py-1">

      <div class="avatar avatar-sm bg-gradient-secondary me-3 my-auto">

        <svg width="12px" height="12px" viewBox="0 0 43 36" version="1.1"
xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink">

          <title>credit-card</title>

          <g stroke="none" stroke-width="1" fill="none" fill-rule="evenodd">

            <g transform="translate(-2169.000000, -745.000000)" fill="#FFFFFF" fill-rule="nonzero">

              <g transform="translate(1716.000000, 291.000000)">

                <g transform="translate(453.000000, 454.000000)">

```

```
<path class="color-background" d="M43,10.7482083 L43,3.58333333
C43,1.60354167 41.3964583,0 39.4166667,0 L3.58333333,0 C1.60354167,0 0,1.60354167
0,3.58333333 L0,10.7482083 L43,10.7482083 Z" opacity="0.593633743"></path>

<path class="color-background" d="M0,16.125 L0,32.25 C0,34.2297917
1.60354167,35.8333333 3.58333333,35.8333333 L39.4166667,35.8333333
C41.3964583,35.8333333 43,34.2297917 43,32.25 L43,16.125 L0,16.125 Z M19.7083333,26.875
L7.16666667,26.875 L7.16666667,23.2916667 L19.7083333,23.2916667 L19.7083333,26.875 Z
M35.8333333,26.875 L28.6666667,26.875 L28.6666667,23.2916667 L35.8333333,23.2916667
L35.8333333,26.875 Z"></path>

</g>

</g>

</g>

</g>

</svg>

</div>

<div class="d-flex flex-column justify-content-center">

<h6 class="text-sm font-weight-normal mb-1">

Payment successfully completed

</h6>

<p class="text-xs text-secondary mb-0">

<i class="fa fa-clock me-1"></i>

2 days

</p>

</div>

</div>

</a>

</li>

</ul>

</li>

</ul>

</div>

</div>

</nav>
```

<!-- End Navbar -->

<div class="container-fluid px-2 px-md-4">

<div class="page-header min-height-300 border-radius-xl mt-4" style="background-image: url('https://images.unsplash.com/photo-1531512073830-ba890ca4eba2?ixid=MnwxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8&ixlib=rb-1.2.1&auto=format&fit=crop&w=1920&q=80');">

<span class="mask bg-gradient-primary opacity-6"></span>

</div>

<div class="card card-body mx-3 mx-md-4 mt-n6">

<div class="row gx-4 mb-2">

<div class="col-auto">

<div class="avatar avatar-xl position-relative">



</div>

</div>

<div class="col-auto my-auto">

<div class="h-100">

<h5 class="mb-1">

Richard Davis

</h5>

<p class="mb-0 font-weight-normal text-sm">

CEO / Co-Founder

</p>

</div>

</div>

</div>

<div class="row">

<div class="row">

<div class="mb-5 mb-lg-0">

<form>

<!-- 2 column grid layout with text inputs for the first and last names -->



```
<div class="row">

  <div class="col-md-6 mb-4">

    <div class="form-outline input-group input-group-outline">

      <input

        type="text"

        id="form3Example1"

        class="form-control"

        placeholder="First name"

      />

    </div>

  </div>

  <div class="col-md-6 mb-4">

    <div class="form-outline input-group input-group-outline">

      <input

        type="text"

        id="form3Example2"

        class="form-control"

        placeholder="Last name"

      />

    </div>

  </div>

<!-- Email -->

<div class="form-outline mb-4 input-group input-group-outline">

  <input

    type="email"

    id="form3Example3"

    class="form-control"

    placeholder="E-mail Address"

  />

</div>
```

```
<!-- Password -->
```

```
<div class="form-outline mb-4 input-group input-group-outline">
```

```
  <input
```

```
    type="password"
```

```
    id="form3Example4"
```

```
    class="form-control"
```

```
    placeholder="Password"
```

```
  />
```

```
</div>
```

```
<!-- Choose interest -->
```

```
<div class="mb-2">
```

```
  <p class="mb-4 font-weight-normal text-sm">
```

```
    Choose your interested topics
```

```
  </p>
```

```
<div class="row">
```

```
  <div class="col-md-6">
```

```
    <input type="checkbox" id="vehicle1" name="vehicle1" value="Bike">
```

```
    <label for="vehicle1"> NEWS</label><br>
```

```
    <input type="checkbox" id="vehicle2" name="vehicle2" value="Car">
```

```
    <label for="vehicle2"> Sports</label><br>
```

```
    <input type="checkbox" id="vehicle3" name="vehicle3" value="Boat">
```

```
    <label for="vehicle3"> Education</label><br><br>
```

```
  </div>
```

```
<div class="col-md-6">
```

```
  <input type="checkbox" id="vehicle4" name="vehicle1" value="Bike">
```

```
  <label for="vehicle1"> Finance</label><br>
```

```
  <input type="checkbox" id="vehicle5" name="vehicle1" value="Bike">
```

```
  <label for="vehicle1"> Entertainment</label><br>
```

```
  <input type="checkbox" id="vehicle5" name="vehicle1" value="Bike">
```

```
  <label for="vehicle1"> Local News</label><br>
```

```

    </div>

</div>

</div>

<!-- Drop down -->

<!-- <div class="form-outline mb-4 input-group input-group-outline">

    <select id="cars" name="cars" id="form3Example4"

    class="form-control">

        <option value="volvo">NEWS</option>

        <option value="saab">Sports</option>

        <option value="fiat">Education</option>

        <option value="audi">Finance</option>

    </select>

</div> -->

<!-- Image edit -->

<div class="input-group mb-2">

    <div class="row">

        <p class="font-weight-normal text-sm mb-4">

            Click to edit your Display Picture

        </p>

        <input

        type="file"

        name="filename"

        id="form3Example4"

        class="btn btn-primary mb-4 mx-3"

        />

    </div>

</div>

<!-- Submit button -->

<div class="d-grid gap-2">

    <button type="submit" class="btn btn-primary">

```

```
        Submit
    </button>
</div>
</form>
</div>
</div>
</div>
</div>
<!-- <div class="row">
<div class="row">
    <div class="col-12 col-xl-4">
        <div class="card card-plain h-100">
            <div class="card-header pb-0 p-3">
                <h6 class="mb-0">Platform Settings</h6>
            </div>
            <div class="card-body p-3">
                <h6 class="text-uppercase text-body text-xs font-weight-bolder">Account</h6>
                <ul class="list-group">
                    <li class="list-group-item border-0 px-0">
                        <div class="form-check form-switch ps-0">
                            <input class="form-check-input ms-auto" type="checkbox"
id="flexSwitchCheckDefault" checked>
                                <label class="form-check-label text-body ms-3 text-truncate w-80 mb-0"
for="flexSwitchCheckDefault">Email me when someone follows me</label>
                            </div>
                        </li>
                    <li class="list-group-item border-0 px-0">
                        <div class="form-check form-switch ps-0">
                            <input class="form-check-input ms-auto" type="checkbox"
id="flexSwitchCheckDefault1">
                                <label class="form-check-label text-body ms-3 text-truncate w-80 mb-0"
for="flexSwitchCheckDefault1">Email me when someone answers on my post</label>
                            </div>
                        </li>
                    </ul>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>
```

```
</li>

<li class="list-group-item border-0 px-0">

  <div class="form-check form-switch ps-0">

    <input class="form-check-input ms-auto" type="checkbox"
id="flexSwitchCheckDefault2" checked>

    <label class="form-check-label text-body ms-3 text-truncate w-80 mb-0"
for="flexSwitchCheckDefault2">Email me when someone mentions me</label>

  </div>

</li>

</ul>

<h6 class="text-uppercase text-body text-xs font-weight-bolder mt-4">Application</h6>

<ul class="list-group">

  <li class="list-group-item border-0 px-0">

    <div class="form-check form-switch ps-0">

      <input class="form-check-input ms-auto" type="checkbox"
id="flexSwitchCheckDefault3">

      <label class="form-check-label text-body ms-3 text-truncate w-80 mb-0"
for="flexSwitchCheckDefault3">New launches and projects</label>

    </div>

  </li>

  <li class="list-group-item border-0 px-0">

    <div class="form-check form-switch ps-0">

      <input class="form-check-input ms-auto" type="checkbox"
id="flexSwitchCheckDefault4" checked>

      <label class="form-check-label text-body ms-3 text-truncate w-80 mb-0"
for="flexSwitchCheckDefault4">Monthly product updates</label>

    </div>

  </li>

  <li class="list-group-item border-0 px-0 pb-0">

    <div class="form-check form-switch ps-0">

      <input class="form-check-input ms-auto" type="checkbox"
id="flexSwitchCheckDefault5">

      <label class="form-check-label text-body ms-3 text-truncate w-80 mb-0"
for="flexSwitchCheckDefault5">Subscribe to newsletter</label>
```

```

        </div>
    </li>
</ul>
</div>
</div>
</div>
<div class="col-12 col-xl-4">
    <div class="card card-plain h-100">
        <div class="card-header pb-0 p-3">
            <div class="row">
                <div class="col-md-8 d-flex align-items-center">
                    <h6 class="mb-0">Profile Information</h6>
                </div>
                <div class="col-md-4 text-end">
                    <a href="javascript:;">
                        <i class="fas fa-user-edit text-secondary text-sm" data-bs-toggle="tooltip" data-bs-
placement="top" title="Edit Profile"></i>
                    </a>
                </div>
            </div>
        </div>
        <div class="card-body p-3">
            <p class="text-sm">
                Hi, I'm Alec Thompson, Decisions: If you can't decide, the answer is no. If two equally
difficult paths, choose the one more painful in the short term (pain avoidance is creating an illusion
of equality).
            </p>
            <hr class="horizontal gray-light my-4">
            <ul class="list-group">
                <li class="list-group-item border-0 ps-0 pt-0 text-sm"><strong class="text-dark">Full
Name:</strong> &nbsp;   Alec M. Thompson</li>
                <li class="list-group-item border-0 ps-0 text-sm"><strong class="text-
dark">Mobile:</strong> &nbsp;   (44) 123 1234 123</li>

```

<li class="list-group-item border-0 ps-0 text-sm"><strong class="text-dark">Email:</strong> &nbsp; alecthompson@mail.com</li>

<li class="list-group-item border-0 ps-0 text-sm"><strong class="text-dark">Location:</strong> &nbsp; USA</li>

<li class="list-group-item border-0 ps-0 pb-0">

<strong class="text-dark text-sm">Social:</strong> &nbsp;

<a class="btn btn-facebook btn-simple mb-0 ps-1 pe-2 py-0" href="javascript:;">

<i class="fab fa-facebook fa-lg"></i>

</a>

<a class="btn btn-twitter btn-simple mb-0 ps-1 pe-2 py-0" href="javascript:;">

<i class="fab fa-twitter fa-lg"></i>

</a>

<a class="btn btn-instagram btn-simple mb-0 ps-1 pe-2 py-0" href="javascript:;">

<i class="fab fa-instagram fa-lg"></i>

</a>

</li>

</ul>

</div>

</div>

</div>

<div class="col-12 col-xl-4">

<div class="card card-plain h-100">

<div class="card-header pb-0 p-3">

<h6 class="mb-0">Conversations</h6>

</div>

<div class="card-body p-3">

<ul class="list-group">

<li class="list-group-item border-0 d-flex align-items-center px-0 mb-2 pt-0">

<div class="avatar me-3">



</div>

```
<div class="d-flex align-items-start flex-column justify-content-center">

  <h6 class="mb-0 text-sm">Sophie B.</h6>

  <p class="mb-0 text-xs">Hi! I need more information..</p>

</div>

<a class="btn btn-link pe-3 ps-0 mb-0 ms-auto w-25 w-md-auto"
href="javascript:;">Reply</a>

</li>

<li class="list-group-item border-0 d-flex align-items-center px-0 mb-2">

  <div class="avatar me-3">

    

  </div>

  <div class="d-flex align-items-start flex-column justify-content-center">

    <h6 class="mb-0 text-sm">Anne Marie</h6>

    <p class="mb-0 text-xs">Awesome work, can you..</p>

  </div>

  <a class="btn btn-link pe-3 ps-0 mb-0 ms-auto w-25 w-md-auto"
href="javascript:;">Reply</a>

</li>

<li class="list-group-item border-0 d-flex align-items-center px-0 mb-2">

  <div class="avatar me-3">

    

  </div>

  <div class="d-flex align-items-start flex-column justify-content-center">

    <h6 class="mb-0 text-sm">Ivanna</h6>

    <p class="mb-0 text-xs">About files I can..</p>

  </div>

  <a class="btn btn-link pe-3 ps-0 mb-0 ms-auto w-25 w-md-auto"
href="javascript:;">Reply</a>

</li>

<li class="list-group-item border-0 d-flex align-items-center px-0 mb-2">

  <div class="avatar me-3">

    
```



```
</div>

<div class="d-flex align-items-start flex-column justify-content-center">

  <h6 class="mb-0 text-sm">Peterson</h6>

  <p class="mb-0 text-xs">Have a great afternoon..</p>

</div>

<a class="btn btn-link pe-3 ps-0 mb-0 ms-auto w-25 w-md-auto"
href="javascript:;">Reply</a>

</li>

<li class="list-group-item border-0 d-flex align-items-center px-0">

  <div class="avatar me-3">

    

  </div>

  <div class="d-flex align-items-start flex-column justify-content-center">

    <h6 class="mb-0 text-sm">Nick Daniel</h6>

    <p class="mb-0 text-xs">Hi! I need more information..</p>

  </div>

  <a class="btn btn-link pe-3 ps-0 mb-0 ms-auto w-25 w-md-auto"
href="javascript:;">Reply</a>

  </li>

</ul>

</div>

</div>

<div class="col-12 mt-4">

  <div class="mb-5 ps-3">

    <h6 class="mb-1">Projects</h6>

    <p class="text-sm">Architects design houses</p>

  </div>

  <div class="row">

    <div class="col-xl-3 col-md-6 mb-xl-0 mb-4">

      <div class="card card-blog card-plain">

        <div class="card-header p-0 mt-n4 mx-3">
```

```
<a class="d-block shadow-xl border-radius-xl">

  

</a>

</div>

<div class="card-body p-3">

  <p class="mb-0 text-sm">Project #2</p>

  <a href="javascript:;">

    <h5>

      Modern

    </h5>

  </a>

  <p class="mb-4 text-sm">

    As Uber works through a huge amount of internal management turmoil.

  </p>

  <div class="d-flex align-items-center justify-content-between">

    <button type="button" class="btn btn-outline-primary btn-sm mb-0">View
Project</button>

    <div class="avatar-group mt-2">

      <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Elena Morison">

        

      </a>

      <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Ryan Milly">

        

      </a>

      <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Nick Daniel">

        

      </a>

      <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Peterson">
```

```

        
    </a>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="col-xl-3 col-md-6 mb-xl-0 mb-4">
    <div class="card card-blog card-plain">
        <div class="card-header p-0 mt-n4 mx-3">
            <a class="d-block shadow-xl border-radius-xl">
                
            </a>
        </div>
        <div class="card-body p-3">
            <p class="mb-0 text-sm">Project #1</p>
            <a href="javascript:;">
                <h5>
                    Scandinavian
                </h5>
            </a>
            <p class="mb-4 text-sm">
                Music is something that every person has his or her own specific opinion about.
            </p>
            <div class="d-flex align-items-center justify-content-between">
                <button type="button" class="btn btn-outline-primary btn-sm mb-0">View
Project</button>
                <div class="avatar-group mt-2">
                    <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Nick Daniel">
                        

```

</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Peterson">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Elena Morison">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Ryan Milly">



</a>

</div>

</div>

</div>

</div>

</div>

<div class="col-xl-3 col-md-6 mb-xl-0 mb-4">

<div class="card card-blog card-plain">

<div class="card-header p-0 mt-n4 mx-3">

<a class="d-block shadow-xl border-radius-xl">



</a>

</div>

<div class="card-body p-3">

<p class="mb-0 text-sm">Project #3</p>

<a href="javascript:;">

<h5>

Minimalist

</h5>

</a>

<p class="mb-4 text-sm">

Different people have different taste, and various types of music.

</p>

<div class="d-flex align-items-center justify-content-between">

<button type="button" class="btn btn-outline-primary btn-sm mb-0">View  
Project</button>

<div class="avatar-group mt-2">

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Peterson">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Nick Daniel">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Ryan Milly">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Elena Morison">



</a>

</div>

</div>

</div>

</div>

</div>

<div class="col-xl-3 col-md-6 mb-xl-0 mb-4">

<div class="card card-blog card-plain">

<div class="card-header p-0 mt-n4 mx-3">

<a class="d-block shadow-xl border-radius-xl">

![img-blur-shadow](https://images.unsplash.com/photo-1606744824163-985d376605aa?ixid=MnwxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8&ixlib=rb-1.2.1&auto=format&fit=crop&w=800&q=80)

</a>

</div>

<div class="card-body p-3">

<p class="mb-0 text-sm">Project #4</p>

<a href="javascript:;">

<h5>

Gothic

</h5>

</a>

<p class="mb-4 text-sm">

Why would anyone pick blue over pink? Pink is obviously a better color.

</p>

<div class="d-flex align-items-center justify-content-between">

<button type="button" class="btn btn-outline-primary btn-sm mb-0">View  
Project</button>

<div class="avatar-group mt-2">

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Peterson">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Nick Daniel">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Ryan Milly">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Elena Morison">

```

        
    </a>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div> -->
</div>
</div>
</div>
<div class="fixed-plugin">
    <a class="fixed-plugin-button text-dark position-fixed px-3 py-2">
        <i class="material-icons py-2">settings</i>
    </a>
    <div class="card shadow-lg">
        <div class="card-header pb-0 pt-3">
            <div class="float-start">
                <h5 class="mt-3 mb-0">NEWS Tracker Configurator</h5>
                <p>See our dashboard options.</p>
            </div>
            <div class="float-end mt-4">
                <button class="btn btn-link text-dark p-0 fixed-plugin-close-button">
                    <i class="material-icons">clear</i>
                </button>
            </div>
        <!-- End Toggle Button -->
    </div>

```

```

<hr class="horizontal dark my-1">

<div class="card-body pt-sm-3 pt-0">

  <!-- Sidebar Backgrounds -->

  <div>

    <h6 class="mb-0">Sidebar Colors</h6>

  </div>

  <a href="javascript:void(0)" class="switch-trigger background-color">

    <div class="badge-colors my-2 text-start">

      <span class="badge filter bg-gradient-primary active" data-color="primary"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-dark" data-color="dark"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-info" data-color="info"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-success" data-color="success"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-warning" data-color="warning"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-danger" data-color="danger"
onclick="sidebarColor(this)"></span>

    </div>

  </a>

  <!-- Sidenav Type -->

  <div class="mt-3">

    <h6 class="mb-0">Sidenav Type</h6>

    <p class="text-sm">Choose between 2 different sidenav types.</p>

  </div>

  <div class="d-flex">

    <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-gradient-dark"
onclick="sidebarType(this)">Dark</button>

    <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-transparent"
onclick="sidebarType(this)">Transparent</button>

    <button class="btn bg-gradient-dark px-3 mb-2 active" data-class="bg-white"
onclick="sidebarType(this)">White</button>

```



```

</div>

<p class="text-sm d-xl-none d-block mt-2">You can change the sidenav type just on desktop
view.</p>

<!-- Navbar Fixed -->

<div class="mt-3 d-flex">

  <h6 class="mb-0">Navbar Fixed</h6>

  <div class="form-check form-switch ps-0 ms-auto my-auto">

    <input class="form-check-input mt-1 ms-auto" type="checkbox" id="navbarFixed"
onlick="navbarFixed(this)">

  </div>

</div>

<hr class="horizontal dark my-3">

<div class="mt-2 d-flex">

  <h6 class="mb-0">Light / Dark</h6>

  <div class="form-check form-switch ps-0 ms-auto my-auto">

    <input class="form-check-input mt-1 ms-auto" type="checkbox" id="dark-version"
onlick="darkMode(this)">

  </div>

</div>

</div>

</div>

</div>

<!-- Core JS Files -->

<script src="../../assets/js/core/popper.min.js"></script>

<script src="../../assets/js/core/bootstrap.min.js"></script>

<script src="../../assets/js/plugins/perfect-scrollbar.min.js"></script>

<script src="../../assets/js/plugins/smooth-scrollbar.min.js"></script>

<script>

var win = navigator.platform.indexOf('Win') > -1;
if (win && document.querySelector('#sidenav-scrollbar')) {
  var options = {
    damping: '0.5'

```

```
}  
    Scrollbar.init(document.querySelector('#sidenav-scrollbar'), options);  
}  
</script>  
<!-- Github buttons -->  
<script async defer src="https://buttons.github.io/buttons.js"></script>  
<!-- Control Center for Material Dashboard: parallax effects, scripts for the example pages etc -->  
<script src="../../assets/js/material-dashboard.min.js?v=3.0.4"></script>  
</body>  
  
</html>
```