

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-icon.png">

  <link rel="icon" type="image/png" href="../assets/img/favicon.png">

  <title>

    News Tracker

  </title>

  <!-- Fonts and icons -->

  <link rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700,900|Roboto+Slab:400,700"
/>

  <!-- Nucleo Icons -->

  <link href="../assets/css/nucleo-icons.css" rel="stylesheet" />

  <link href="../assets/css/nucleo-svg.css" rel="stylesheet" />

  <!-- Font Awesome Icons -->

  <script src="https://kit.fontawesome.com/42d5adcbca.js" crossorigin="anonymous"></script>

  <!-- Material Icons -->

  <link href="https://fonts.googleapis.com/icon?family=Material+Icons+Round" rel="stylesheet">

  <!-- CSS Files -->

  <link id="pagestyle" href="../assets/css/material-dashboard.css?v=3.0.4" rel="stylesheet" />

</head>

<body class="g-sidenav-show bg-gray-200">

  <aside class="sidenav navbar navbar-vertical navbar-expand-xs border-0 border-radius-xl my-3
fixed-start ms-3 bg-gradient-dark" id="sidenav-main">

    <div class="sidenav-header">

      <i class="fas fa-times p-3 cursor-pointer text-white opacity-5 position-absolute end-0 top-0 d-
none d-xl-none" aria-hidden="true" id="iconSidenav"></i>
```

```

<a class="navbar-brand m-0" href=" https://demos.creative-tim.com/material-
dashboard/pages/dashboard " target="_blank">

    

    <span class="ms-1 font-weight-bold text-white">News Tracker</span>

</a>
</div>

<hr class="horizontal light mt-0 mb-2">

<div class="collapse navbar-collapse w-auto " id="sidenav-collapse-main">

    <ul class="navbar-nav">

        <li class="nav-item">

            <a class="nav-link text-white active" href="../pages/dashboard.html">

                <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

                    <i class="material-icons opacity-10">dashboard</i>

                </div>

                <span class="nav-link-text ms-1">Dashboard</span>

            </a>

        </li>

        </li>

        <li class="nav-item">

            <a class="nav-link text-white active bg-gradient-primary" href="../pages/notifications.html">

                <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

                    <i class="material-icons opacity-10">notifications</i>

                </div>

                <span class="nav-link-text ms-1">Notifications</span>

            </a>

        </li>

        <li class="nav-item mt-3">

            <h6 class="ps-4 ms-2 text-uppercase text-xs text-white font-weight-bolder opacity-8">Account
pages</h6>

            </li>

            <li class="nav-item">

                <a class="nav-link text-white " href="../pages/profile.html">

```

```

<div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
  <i class="material-icons opacity-10">person</i>
</div>
<a href="#">
  <span class="nav-link-text ms-1">Profile</span>
</a>
</li>
<li class="nav-item">
  <a class="nav-link text-white " href="../pages/sign-in.html">
    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
      <i class="material-icons opacity-10">login</i>
    </div>
    <span class="nav-link-text ms-1">Sign In</span>
  </a>
</li>
<li class="nav-item">
  <a class="nav-link text-white " href="../pages/sign-up.html">
    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
      <i class="material-icons opacity-10">assignment</i>
    </div>
    <span class="nav-link-text ms-1">Sign Up</span>
  </a>
</li>
</ul>
</div>
<div class="sidenav-footer position-absolute w-100 bottom-0 ">
  <div class="mx-3">
    <a class="btn bg-gradient-primary mt-4 w-100" href="https://www.creative-
tim.com/product/material-dashboard-pro?ref=sidebarfree" type="button">Log out</a>
  </div>
</div>
</aside>

```

```

<main class="main-content position-relative max-height-vh-100 h-100 border-radius-lg ">

<!-- Navbar -->

<nav class="navbar navbar-main navbar-expand-lg px-0 mx-4 shadow-none border-radius-xl"
id="navbarBlur" data-scroll="true">

  <div class="container-fluid py-1 px-3">

    <nav aria-label="breadcrumb">

      <ol class="breadcrumb bg-transparent mb-0 pb-0 pt-1 px-0 me-sm-6 me-5">

        <li class="breadcrumb-item text-sm"><a class="opacity-5 text-dark"
href="javascript:;">Pages</a></li>

        <li class="breadcrumb-item text-sm text-dark active" aria-current="page">Notifications</li>

      </ol>

      <h6 class="font-weight-bolder mb-0">Notifications</h6>

    </nav>

    <div class="collapse navbar-collapse mt-sm-0 mt-2 me-md-0 me-sm-4" id="navbar">

      <div class="ms-md-auto pe-md-3 d-flex align-items-center">

        <div class="input-group input-group-outline">

          <label class="form-label">Type here...</label>

          <input type="text" class="form-control">

        </div>

      </div>

      <ul class="navbar-nav justify-content-end">

        <li class="nav-item d-flex align-items-center">

          <a href="../pages/sign-in.html" class="nav-link text-body font-weight-bold px-0">

            <i class="fa fa-user me-sm-1"></i>

            <span class="d-sm-inline d-none">Sign In</span>

          </a>

        </li>

        <li class="nav-item d-xl-none ps-3 d-flex align-items-center">

          <a href="javascript:;" class="nav-link text-body p-0" id="iconNavbarSidenav">

            <div class="sidenav-toggler-inner">

              <i class="sidenav-toggler-line"></i>

              <i class="sidenav-toggler-line"></i>

            </div>

          </a>

        </li>

      </ul>

    </div>

  </div>

```

```
<i class="sidenav-toggler-line"></i>

</div>

</a>

</li>

<li class="nav-item px-3 d-flex align-items-center">

  <a href="javascript:;" class="nav-link text-body p-0">

    <i class="fa fa-cog fixed-plugin-button-nav cursor-pointer"></i>

  </a>

</li>

<li class="nav-item dropdown pe-2 d-flex align-items-center">

  <a href="javascript:;" class="nav-link text-body p-0" id="dropdownMenuButton" data-bs-
toggle="dropdown" aria-expanded="false">

    <i class="fa fa-bell cursor-pointer"></i>

  </a>

  <ul class="dropdown-menu dropdown-menu-end px-2 py-3 me-sm-n4" aria-
labelledby="dropdownMenuButton">

    <li class="mb-2">

      <a class="dropdown-item border-radius-md" href="javascript:;">

        <div class="d-flex py-1">

          <div class="my-auto">

            

          </div>

          <div class="d-flex flex-column justify-content-center">

            <h6 class="text-sm font-weight-normal mb-1">

              <span class="font-weight-bold">New message</span> from Laur

            </h6>

            <p class="text-xs text-secondary mb-0">

              <i class="fa fa-clock me-1"></i>

              13 minutes ago

            </p>

          </div>

        </div>

      </a>

    </li>

  </ul>

</li>

</div>
```

```

    </a>
  </li>
  <li class="mb-2">
    <a class="dropdown-item border-radius-md" href="javascript:;">
      <div class="d-flex py-1">
        <div class="my-auto">
          
        </div>
        <div class="d-flex flex-column justify-content-center">
          <h6 class="text-sm font-weight-normal mb-1">
            <span class="font-weight-bold">New album</span> by Travis Scott
          </h6>
          <p class="text-xs text-secondary mb-0">
            <i class="fa fa-clock me-1"></i>
            1 day
          </p>
        </div>
      </div>
    </a>
  </li>
  <li>
    <a class="dropdown-item border-radius-md" href="javascript:;">
      <div class="d-flex py-1">
        <div class="avatar avatar-sm bg-gradient-secondary me-3 my-auto">
          <svg width="12px" height="12px" viewBox="0 0 43 36" version="1.1"
            xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink">
            <title>credit-card</title>
            <g stroke="none" stroke-width="1" fill="none" fill-rule="evenodd">
              <g transform="translate(-2169.000000, -745.000000)" fill="#FFFFFF" fill-
                rule="nonzero">
                <g transform="translate(1716.000000, 291.000000)">

```

```
<g transform="translate(453.000000, 454.000000)">
  <path class="color-background" d="M43,10.7482083 L43,3.58333333
C43,1.60354167 41.3964583,0 39.4166667,0 L3.58333333,0 C1.60354167,0 0,1.60354167
0,3.58333333 L0,10.7482083 L43,10.7482083 Z" opacity="0.593633743"></path>

  <path class="color-background" d="M0,16.125 L0,32.25 C0,34.2297917
1.60354167,35.8333333 3.58333333,35.8333333 L39.4166667,35.8333333
C41.3964583,35.8333333 43,34.2297917 43,32.25 L43,16.125 L0,16.125 Z M19.7083333,26.875
L7.16666667,26.875 L7.16666667,23.2916667 L19.7083333,23.2916667 L19.7083333,26.875 Z
M35.8333333,26.875 L28.6666667,26.875 L28.6666667,23.2916667 L35.8333333,23.2916667
L35.8333333,26.875 Z"></path>
```

</g>

</g>

</g>

</g>

</svg>

</div>

<div class="d-flex flex-column justify-content-center">

<h6 class="text-sm font-weight-normal mb-1">

Payment successfully completed

</h6>

<p class="text-xs text-secondary mb-0">

<i class="fa fa-clock me-1"></i>

2 days

</p>

</div>

</div>

</div>

</div>

```

</nav>

<!-- End Navbar -->

<div class="container-fluid py-4">
  <div class="row">
    <div class="col-lg-8 col-md-10 mx-auto">
      <div class="card mt-4">
        <div class="card-header p-3">
          <h5 class="mb-0">Alerts</h5>
        </div>
        <div class="card-body p-3 pb-0">
          <div class="alert alert-primary alert-dismissible text-white" role="alert">
            <span class="text-sm">A simple primary alert with <a href="javascript:;" class="alert-link text-white">an example link</a>. Give it a click if you like.</span>
            <button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
          <div class="alert alert-secondary alert-dismissible text-white" role="alert">
            <span class="text-sm">A simple secondary alert with <a href="javascript:;" class="alert-link text-white">an example link</a>. Give it a click if you like.</span>
            <button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
          <div class="alert alert-success alert-dismissible text-white" role="alert">
            <span class="text-sm">A simple success alert with <a href="javascript:;" class="alert-link text-white">an example link</a>. Give it a click if you like.</span>
            <button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">
              <span aria-hidden="true">&times;</span>
            </button>
          </div>
        </div>
      </div>
    </div>
  </div>
</div>

```


</div>

<div class="alert alert-danger alert-dismissible text-white" role="alert">

A simple danger alert with an example link. Give it a click if you like.

<button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">

×

</button>

</div>

<div class="alert alert-warning alert-dismissible text-white" role="alert">

A simple warning alert with an example link. Give it a click if you like.

<button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">

×

</button>

</div>

<div class="alert alert-info alert-dismissible text-white" role="alert">

A simple info alert with an example link. Give it a click if you like.

<button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">

×

</button>

</div>

<div class="alert alert-light alert-dismissible text-white" role="alert">

A simple light alert with an example link. Give it a click if you like.

<button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">

×

</button>

</div>

<div class="alert alert-dark alert-dismissible text-white" role="alert">

```
    <span class="text-sm">A simple dark alert with <a href="javascript:;" class="alert-link text-white">an example link</a>. Give it a click if you like.</span>
```

```
    <button type="button" class="btn-close text-lg py-3 opacity-10" data-bs-dismiss="alert" aria-label="Close">
```

```
        <span aria-hidden="true">&times;</span>
```

```
    </button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="card mt-4">
```

```
    <div class="card-header p-3">
```

```
        <h5 class="mb-0">Notifications</h5>
```

```
        <p class="text-sm mb-0">
```

```
            Notifications on this page use Toasts from Bootstrap. Read more details <a href="https://getbootstrap.com/docs/5.0/components/toasts/" target="
```

 ">here.

```
        </p>
```

```
    </div>
```

```
<div class="card-body p-3">
```

```
    <div class="row">
```

```
        <div class="col-lg-3 col-sm-6 col-12">
```

```
            <button class="btn bg-gradient-success w-100 mb-0 toast-btn" type="button" data-target="successToast">Success</button>
```

```
        </div>
```

```
        <div class="col-lg-3 col-sm-6 col-12 mt-sm-0 mt-2">
```

```
            <button class="btn bg-gradient-info w-100 mb-0 toast-btn" type="button" data-target="infoToast">Info</button>
```

```
        </div>
```

```
        <div class="col-lg-3 col-sm-6 col-12 mt-lg-0 mt-2">
```

```
            <button class="btn bg-gradient-warning w-100 mb-0 toast-btn" type="button" data-target="warningToast">Warning</button>
```

```
        </div>
```

```
    </div class="col-lg-3 col-sm-6 col-12 mt-lg-0 mt-2">
```

```

        <button class="btn bg-gradient-danger w-100 mb-0 toast-btn" type="button" data-
target="dangerToast">Danger</button>

    </div>

</div>

</div>

</div>

</div>

</div>

<div class="position-fixed bottom-1 end-1 z-index-2">

    <div class="toast fade hide p-2 bg-white" role="alert" aria-live="assertive" id="successToast"
aria-atomic="true">

        <div class="toast-header border-0">

            <i class="material-icons text-success me-2">

check

</i>

            <span class="me-auto font-weight-bold">Material Dashboard </span>

            <small class="text-body">11 mins ago</small>

            <i class="fas fa-times text-md ms-3 cursor-pointer" data-bs-dismiss="toast" aria-
label="Close"></i>

        </div>

        <hr class="horizontal dark m-0">

        <div class="toast-body">

            Hello, world! This is a notification message.

        </div>

    </div>

</div>

<div class="toast fade hide p-2 mt-2 bg-gradient-info" role="alert" aria-live="assertive"
id="infoToast" aria-atomic="true">

    <div class="toast-header bg-transparent border-0">

        <i class="material-icons text-white me-2">

notifications

</i>

        <span class="me-auto text-white font-weight-bold">Material Dashboard </span>

```

```

        <small class="text-white">11 mins ago</small>

        <i class="fas fa-times text-md text-white ms-3 cursor-pointer" data-bs-dismiss="toast" aria-
label="Close"></i>

    </div>

    <hr class="horizontal light m-0">

    <div class="toast-body text-white">

        Hello, world! This is a notification message.

    </div>

</div>

<div class="toast fade hide p-2 mt-2 bg-white" role="alert" aria-live="assertive"
id="warningToast" aria-atomic="true">

    <div class="toast-header border-0">

        <i class="material-icons text-warning me-2">
travel_explore
        </i>

        <span class="me-auto font-weight-bold">Material Dashboard </span>

        <small class="text-body">11 mins ago</small>

        <i class="fas fa-times text-md ms-3 cursor-pointer" data-bs-dismiss="toast" aria-
label="Close"></i>

    </div>

    <hr class="horizontal dark m-0">

    <div class="toast-body">

        Hello, world! This is a notification message.

    </div>

</div>

<div class="toast fade hide p-2 mt-2 bg-white" role="alert" aria-live="assertive"
id="dangerToast" aria-atomic="true">

    <div class="toast-header border-0">

        <i class="material-icons text-danger me-2">
campaign
        </i>

        <span class="me-auto text-gradient text-danger font-weight-bold">Material Dashboard
        </span>

```

```
<small class="text-body">11 mins ago</small>

<i class="fas fa-times text-md ms-3 cursor-pointer" data-bs-dismiss="toast" aria-
label="Close"></i>

</div>

<hr class="horizontal dark m-0">

<div class="toast-body">

  Hello, world! This is a notification message.

</div>

</div>

</div>

</div>

</main>

<div class="fixed-plugin">

  <a class="fixed-plugin-button text-dark position-fixed px-3 py-2">

    <i class="material-icons py-2">settings</i>

  </a>

  <div class="card shadow-lg">

    <div class="card-header pb-0 pt-3">

      <div class="float-start">

        <h5 class="mt-3 mb-0">NEWS Tracker Configurator</h5>

        <p>See our dashboard options.</p>

      </div>

      <div class="float-end mt-4">

        <button class="btn btn-link text-dark p-0 fixed-plugin-close-button">

          <i class="material-icons">clear</i>

        </button>

      </div>

    <!-- End Toggle Button -->

  </div>

  <hr class="horizontal dark my-1">

  <div class="card-body pt-sm-3 pt-0">
```

```

<!-- Sidebar Backgrounds -->

<div>

  <h6 class="mb-0">Sidebar Colors</h6>

</div>

<a href="javascript:void(0)" class="switch-trigger background-color">

  <div class="badge-colors my-2 text-start">

    <span class="badge filter bg-gradient-primary active" data-color="primary"
onclick="sidebarColor(this)"></span>

    <span class="badge filter bg-gradient-dark" data-color="dark"
onclick="sidebarColor(this)"></span>

    <span class="badge filter bg-gradient-info" data-color="info"
onclick="sidebarColor(this)"></span>

    <span class="badge filter bg-gradient-success" data-color="success"
onclick="sidebarColor(this)"></span>

    <span class="badge filter bg-gradient-warning" data-color="warning"
onclick="sidebarColor(this)"></span>

    <span class="badge filter bg-gradient-danger" data-color="danger"
onclick="sidebarColor(this)"></span>

  </div>

</a>

<!-- Sidenav Type -->

<div class="mt-3">

  <h6 class="mb-0">Sidenav Type</h6>

  <p class="text-sm">Choose between 2 different sidenav types.</p>

</div>

<div class="d-flex">

  <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-gradient-dark"
onclick="sidebarType(this)">Dark</button>

  <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-transparent"
onclick="sidebarType(this)">Transparent</button>

  <button class="btn bg-gradient-dark px-3 mb-2 active" data-class="bg-white"
onclick="sidebarType(this)">White</button>

</div>

```

<p class="text-sm d-xl-none d-block mt-2">You can change the sidenav type just on desktop view.</p>

<!-- Navbar Fixed -->

<div class="mt-3 d-flex">

<h6 class="mb-0">Navbar Fixed</h6>

<div class="form-check form-switch ps-0 ms-auto my-auto">

<input class="form-check-input mt-1 ms-auto" type="checkbox" id="navbarFixed" onclick="navbarFixed(this)">

</div>

</div>

<hr class="horizontal dark my-3">

<div class="mt-2 d-flex">

<h6 class="mb-0">Light / Dark</h6>

<div class="form-check form-switch ps-0 ms-auto my-auto">

<input class="form-check-input mt-1 ms-auto" type="checkbox" id="dark-version" onclick="darkMode(this)">

</div>

</div>

</div>

</div>

</div>

<!-- Core JS Files -->

<script src="../../assets/js/core/popper.min.js"></script>

<script src="../../assets/js/core/bootstrap.min.js"></script>

<script src="../../assets/js/plugins/perfect-scrollbar.min.js"></script>

<script src="../../assets/js/plugins/smooth-scrollbar.min.js"></script>

<script>

var win = navigator.platform.indexOf('Win') > -1;

if (win && document.querySelector('#sidenav-scrollbar')) {

var options = {

damping: '0.5'

}

```
        Scrollbar.init(document.querySelector('#sidenav-scrollbar'), options);
    }
</script>
<!-- Github buttons -->
<script async defer src="https://buttons.github.io/buttons.js"></script>
<!-- Control Center for Material Dashboard: parallax effects, scripts for the example pages etc -->
<script src="../assets/js/material-dashboard.min.js?v=3.0.4"></script>
</body>

</html>
```