

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-icon.png">

  <link rel="icon" type="image/png" href="../assets/img/favicon.png">

  <title>

    News Tracker

  </title>

  <!-- Fonts and icons -->

  <link rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700,900|Roboto+Slab:400,700"
/>

  <!-- Nucleo Icons -->

  <link href="../assets/css/nucleo-icons.css" rel="stylesheet" />

  <link href="../assets/css/nucleo-svg.css" rel="stylesheet" />

  <!-- Font Awesome Icons -->

  <script src="https://kit.fontawesome.com/42d5adcbca.js" crossorigin="anonymous"></script>

  <!-- Material Icons -->

  <link href="https://fonts.googleapis.com/icon?family=Material+Icons+Round" rel="stylesheet">

  <!-- CSS Files -->

  <link id="pagestyle" href="../assets/css/material-dashboard.css?v=3.0.4" rel="stylesheet" />

</head>

<body class="g-sidenav-show bg-gray-200">

  <aside class="sidenav navbar navbar-vertical navbar-expand-xs border-0 border-radius-xl my-3
fixed-start ms-3 bg-gradient-dark" id="sidenav-main">

    <div class="sidenav-header">
```

```
<i class="fas fa-times p-3 cursor-pointer text-white opacity-5 position-absolute end-0 top-0 d-  
none d-xl-none" aria-hidden="true" id="iconSidenav"></i>
```

```
<a class="navbar-brand m-0" href=" https://demos.creative-tim.com/material-  
dashboard/pages/dashboard " target="_blank">
```

```

```

```
<span class="ms-1 font-weight-bold text-white">News Tracker</span>
```

```
</a>
```

```
</div>
```

```
<hr class="horizontal light mt-0 mb-2">
```

```
<div class="collapse navbar-collapse w-auto " id="sidenav-collapse-main">
```

```
<ul class="navbar-nav">
```

```
<li class="nav-item">
```

```
<a class="nav-link text-white active bg-gradient-primary" href="../../pages/dashboard.html">
```

```
<div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
```

```
<i class="material-icons opacity-10">dashboard</i>
```

```
</div>
```

```
<span class="nav-link-text ms-1">Dashboard</span>
```

```
</a>
```

```
</li>
```

```
<!-- <li class="nav-item">
```

```
<a class="nav-link text-white " href="../../pages/tables.html">
```

```
<div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
```

```
<i class="material-icons opacity-10">table_view</i>
```

```
</div>
```

```
<span class="nav-link-text ms-1">Tables</span>
```

```
</a>
```

```
</li> -->
```

```
<li class="nav-item">
```

```
<a class="nav-link text-white " href="../../pages/notifications.html">
```

```
<div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
```

```
<i class="material-icons opacity-10">notifications</i>
```

```
</div>
```

```
<span class="nav-link-text ms-1">Notifications</span>
</a>
</li>
<li class="nav-item mt-3">
  <h6 class="ps-4 ms-2 text-uppercase text-xs text-white font-weight-bolder opacity-8">Account
  pages</h6>
  </li>
  <li class="nav-item">
    <a class="nav-link text-white " href="../../pages/profile.html">
      <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
        <i class="material-icons opacity-10">person</i>
      </div>
      <span class="nav-link-text ms-1">Profile</span>
    </a>
  </li>
  <li class="nav-item">
    <a class="nav-link text-white " href="../../pages/sign-in.html">
      <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
        <i class="material-icons opacity-10">login</i>
      </div>
      <span class="nav-link-text ms-1">Sign In</span>
    </a>
  </li>
  <li class="nav-item">
    <a class="nav-link text-white " href="../../pages/sign-up.html">
      <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
        <i class="material-icons opacity-10">assignment</i>
      </div>
      <span class="nav-link-text ms-1">Sign Up</span>
    </a>
  </li>
```

```

    </ul>
</div>

<div class="sidenav-footer position-absolute w-100 bottom-0 ">

    <div class="mx-3">

        <a class="btn bg-gradient-primary mt-4 w-100" href="https://www.creative-
tim.com/product/material-dashboard-pro?ref=sidebarfree" type="button">Log out</a>

    </div>

</div>

</aside>

<main class="main-content position-relative max-height-vh-100 h-100 border-radius-lg ">

<!-- Navbar -->

    <nav class="navbar navbar-main navbar-expand-lg px-0 mx-4 shadow-none border-radius-xl"
id="navbarBlur" data-scroll="true">

        <div class="container-fluid py-1 px-3">

            <nav aria-label="breadcrumb">

                <ol class="breadcrumb bg-transparent mb-0 pb-0 pt-1 px-0 me-sm-6 me-5">

                    <li class="breadcrumb-item text-sm"><a class="opacity-5 text-dark"
href="javascript:;>Pages</a></li>

                    <li class="breadcrumb-item text-sm text-dark active" aria-current="page">Dashboard</li>

                </ol>

                <h6 class="font-weight-bolder mb-0">Dashboard</h6>

            </nav>

            <div class="collapse navbar-collapse mt-sm-0 mt-2 me-md-0 me-sm-4" id="navbar">

                <div class="ms-md-auto pe-md-3 d-flex align-items-center">

                    <div class="input-group input-group-outline">

                        <label class="form-label">Type here...</label>

                        <input type="text" class="form-control">

                    </div>

                </div>

                <ul class="navbar-nav justify-content-end">

                    <li class="nav-item d-flex align-items-center">

                        <a href="../../pages/sign-in.html" class="nav-link text-body font-weight-bold px-0">

```

```

        <i class="fa fa-user me-sm-1"></i>

        <span class="d-sm-inline d-none">Sign In</span>

    </a>

</li>

<li class="nav-item d-xl-none ps-3 d-flex align-items-center">

    <a href="javascript:;" class="nav-link text-body p-0" id="iconNavbarSidenav">

        <div class="sidenav-toggler-inner">

            <i class="sidenav-toggler-line"></i>

            <i class="sidenav-toggler-line"></i>

            <i class="sidenav-toggler-line"></i>

        </div>

    </a>

</li>

<li class="nav-item px-3 d-flex align-items-center">

    <a href="javascript:;" class="nav-link text-body p-0">

        <i class="fa fa-cog fixed-plugin-button-nav cursor-pointer"></i>

    </a>

</li>

<li class="nav-item dropdown pe-2 d-flex align-items-center">

    <a href="javascript:;" class="nav-link text-body p-0" id="dropdownMenuButton" data-bs-
toggle="dropdown" aria-expanded="false">

        <i class="fa fa-bell cursor-pointer"></i>

    </a>

    <ul class="dropdown-menu dropdown-menu-end px-2 py-3 me-sm-n4" aria-
labelledby="dropdownMenuButton">

        <li class="mb-2">

            <a class="dropdown-item border-radius-md" href="javascript:;">

                <div class="d-flex py-1">

                    <div class="my-auto">

                        

                    </div>

                    <div class="d-flex flex-column justify-content-center">

```

```
<h6 class="text-sm font-weight-normal mb-1">
  <span class="font-weight-bold">New message</span> from Laur
</h6>
<p class="text-xs text-secondary mb-0">
  <i class="fa fa-clock me-1"></i>
  13 minutes ago
</p>
</div>
</div>
</a>
</li>
<li class="mb-2">
  <a class="dropdown-item border-radius-md" href="javascript:;">
    <div class="d-flex py-1">
      <div class="my-auto">
        
      </div>
      <div class="d-flex flex-column justify-content-center">
        <h6 class="text-sm font-weight-normal mb-1">
          <span class="font-weight-bold">New album</span> by Travis Scott
        </h6>
        <p class="text-xs text-secondary mb-0">
          <i class="fa fa-clock me-1"></i>
          1 day
        </p>
      </div>
    </div>
  </a>
</li>
</li>
```

```

<a class="dropdown-item border-radius-md" href="javascript:;>

<div class="d-flex py-1">

  <div class="avatar avatar-sm bg-gradient-secondary me-3 my-auto">

    <svg width="12px" height="12px" viewBox="0 0 43 36" version="1.1"
xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink">

      <title>credit-card</title>

      <g stroke="none" stroke-width="1" fill="none" fill-rule="evenodd">

        <g transform="translate(-2169.000000, -745.000000)" fill="#FFFFFF" fill-
rule="nonzero">

          <g transform="translate(1716.000000, 291.000000)">

            <g transform="translate(453.000000, 454.000000)">

              <path class="color-background" d="M43,10.7482083 L43,3.58333333
C43,1.60354167 41.3964583,0 39.4166667,0 L3.58333333,0 C1.60354167,0 0,1.60354167
0,3.58333333 L0,10.7482083 L43,10.7482083 Z" opacity="0.593633743"></path>

              <path class="color-background" d="M0,16.125 L0,32.25 C0,34.2297917
1.60354167,35.8333333 3.58333333,35.8333333 L39.4166667,35.8333333
C41.3964583,35.8333333 43,34.2297917 43,32.25 L43,16.125 L0,16.125 Z M19.7083333,26.875
L7.16666667,26.875 L7.16666667,23.2916667 L19.7083333,23.2916667 L19.7083333,26.875 Z
M35.8333333,26.875 L28.6666667,26.875 L28.6666667,23.2916667 L35.8333333,23.2916667
L35.8333333,26.875 Z"></path>

            </g>

          </g>

        </g>

      </g>

    </svg>

  </div>

  <div class="d-flex flex-column justify-content-center">

    <h6 class="text-sm font-weight-normal mb-1">

      Payment successfully completed

    </h6>

    <p class="text-xs text-secondary mb-0">

      <i class="fa fa-clock me-1"></i>

      2 days

    </p>

```

```
        </div>
    </div>
</a>
</li>
</ul>
</li>
</ul>
</div>
</div>
</nav>
<!-- End Navbar -->
<div class="container-fluid py-4">
    <div class="row">
        <div class="col-xl-3 col-sm-6 mb-xl-0 mb-4">
            <div class="card">
                <div class="card-header p-3 pt-2">
                    <div class="icon icon-lg icon-shape bg-gradient-dark shadow-dark text-center border-radius-
xl mt-n4 position-absolute">
                        <i class="material-icons opacity-10">weekend</i>
                    </div>
                    <div class="text-end pt-1">
                        <p class="text-sm mb-0 text-capitalize">Today's Money</p>
                        <h4 class="mb-0">$53k</h4>
                    </div>
                </div>
                <div class="card-footer p-3">
                    <p class="mb-0"><span class="text-success text-sm font-weight-bolder">+55% </span>than
last week</p>
                </div>
            </div>
        </div>
    </div>
</div>
```



```
<div class="col-xl-3 col-sm-6 mb-xl-0 mb-4">

  <div class="card">

    <div class="card-header p-3 pt-2">

      <div class="icon icon-lg icon-shape bg-gradient-primary shadow-primary text-center border-radius-xl mt-n4 position-absolute">

        <i class="material-icons opacity-10">person</i>

      </div>

      <div class="text-end pt-1">

        <p class="text-sm mb-0 text-capitalize">Today's Users</p>

        <h4 class="mb-0">2,300</h4>

      </div>

    </div>

    <hr class="dark horizontal my-0">

    <div class="card-footer p-3">

      <p class="mb-0"><span class="text-success text-sm font-weight-bolder">+3% </span>than last month</p>

    </div>

  </div>

</div>

<div class="col-xl-3 col-sm-6 mb-xl-0 mb-4">

  <div class="card">

    <div class="card-header p-3 pt-2">

      <div class="icon icon-lg icon-shape bg-gradient-success shadow-success text-center border-radius-xl mt-n4 position-absolute">

        <i class="material-icons opacity-10">person</i>

      </div>

      <div class="text-end pt-1">

        <p class="text-sm mb-0 text-capitalize">New Clients</p>

        <h4 class="mb-0">3,462</h4>

      </div>

    </div>

    <hr class="dark horizontal my-0">

  </div>

</div>
```

```
<div class="card-footer p-3">

  <p class="mb-0"><span class="text-danger text-sm font-weight-bolder">-2%</span> than
yesterday</p>

</div>

</div>

</div>

<div class="col-xl-3 col-sm-6">

  <div class="card">

    <div class="card-header p-3 pt-2">

      <div class="icon icon-lg icon-shape bg-gradient-info shadow-info text-center border-radius-xl
mt-n4 position-absolute">

        <i class="material-icons opacity-10">weekend</i>

      </div>

      <div class="text-end pt-1">

        <p class="text-sm mb-0 text-capitalize">Sales</p>

        <h4 class="mb-0">$103,430</h4>

      </div>

    </div>

    <hr class="dark horizontal my-0">

    <div class="card-footer p-3">

      <p class="mb-0"><span class="text-success text-sm font-weight-bolder">+5% </span>than
yesterday</p>

    </div>

  </div>

</div>

</div>

<div class="row mt-4">

  <div class="col-lg-4 col-md-6 mt-4 mb-4">

    <div class="card z-index-2 ">

      <div class="card-header p-0 position-relative mt-n4 mx-3 z-index-2 bg-transparent">

        <div class="bg-gradient-primary shadow-primary border-radius-lg py-3 pe-1">

          <div class="chart">
```

```

        <canvas id="chart-bars" class="chart-canvas" height="170"></canvas>
    </div>
</div>
</div>
<div class="card-body">
    <h6 class="mb-0 ">Website Views</h6>
    <p class="text-sm ">Last Campaign Performance</p>
    <hr class="dark horizontal">
    <div class="d-flex ">
        <i class="material-icons text-sm my-auto me-1">schedule</i>
        <p class="mb-0 text-sm"> campaign sent 2 days ago </p>
    </div>
</div>
</div>
</div>
<div class="col-lg-4 col-md-6 mt-4 mb-4">
    <div class="card z-index-2 ">
        <div class="card-header p-0 position-relative mt-n4 mx-3 z-index-2 bg-transparent">
            <div class="bg-gradient-success shadow-success border-radius-lg py-3 pe-1">
                <div class="chart">
                    <canvas id="chart-line" class="chart-canvas" height="170"></canvas>
                </div>
            </div>
        </div>
        <div class="card-body">
            <h6 class="mb-0 "> Daily Sales </h6>
            <p class="text-sm "> (<span class="font-weight-bolder">+15%</span>) increase in today
sales. </p>
            <hr class="dark horizontal">
            <div class="d-flex ">
                <i class="material-icons text-sm my-auto me-1">schedule</i>

```

```
<p class="mb-0 text-sm"> updated 4 min ago </p>
</div>
</div>
</div>
</div>
<div class="col-lg-4 mt-4 mb-3">
  <div class="card z-index-2 ">
    <div class="card-header p-0 position-relative mt-n4 mx-3 z-index-2 bg-transparent">
      <div class="bg-gradient-dark shadow-dark border-radius-lg py-3 pe-1">
        <div class="chart">
          <canvas id="chart-line-tasks" class="chart-canvas" height="170"></canvas>
        </div>
      </div>
    </div>
    </div>
    <div class="card-body">
      <h6 class="mb-0 ">Completed Tasks</h6>
      <p class="text-sm ">Last Campaign Performance</p>
      <hr class="dark horizontal">
      <div class="d-flex ">
        <i class="material-icons text-sm my-auto me-1">schedule</i>
        <p class="mb-0 text-sm">just updated</p>
      </div>
    </div>
  </div>
</div>
</div>
</div>
<div class="row mb-4">
  <div class="col-lg-8 col-md-6 mb-md-0 mb-4">
    <div class="card">
      <div class="card-header pb-0">
        <div class="row">
```

```

<div class="col-lg-6 col-7">

  <h6>Projects</h6>

  <p class="text-sm mb-0">

    <i class="fa fa-check text-info" aria-hidden="true"></i>

    <span class="font-weight-bold ms-1">30 done</span> this month

  </p>

</div>

<div class="col-lg-6 col-5 my-auto text-end">

  <div class="dropdown float-lg-end pe-4">

    <a class="cursor-pointer" id="dropdownTable" data-bs-toggle="dropdown" aria-
expanded="false">

      <i class="fa fa-ellipsis-v text-secondary"></i>

    </a>

    <ul class="dropdown-menu px-2 py-3 ms-sm-n4 ms-n5" aria-
labelledby="dropdownTable">

      <li><a class="dropdown-item border-radius-md" href="javascript:;">Action</a></li>

      <li><a class="dropdown-item border-radius-md" href="javascript:;">Another
action</a></li>

      <li><a class="dropdown-item border-radius-md" href="javascript:;">Something else
here</a></li>

    </ul>

  </div>

</div>

</div>

</div>

<div class="card-body px-0 pb-2">

  <div class="table-responsive">

    <table class="table align-items-center mb-0">

      <thead>

        <tr>

          <th class="text-uppercase text-secondary text-xxs font-weight-bolder opacity-
7">Companies</th>

```

```
<th class="text-uppercase text-secondary text-xxs font-weight-bolder opacity-7 ps-2">Members</th>
```

```
<th class="text-center text-uppercase text-secondary text-xxs font-weight-bolder opacity-7">Budget</th>
```

```
<th class="text-center text-uppercase text-secondary text-xxs font-weight-bolder opacity-7">Completion</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<tr>
```

```
<td>
```

```
<div class="d-flex px-2 py-1">
```

```
<div>
```

```

```

```
</div>
```

```
<div class="d-flex flex-column justify-content-center">
```

```
<h6 class="mb-0 text-sm">Material XD Version</h6>
```

```
</div>
```

```
</div>
```

```
</td>
```

```
<td>
```

```
<div class="avatar-group mt-2">
```

```
<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Ryan Tompson">
```

```

```

```
</a>
```

```
<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Romina Hadid">
```

```

```

```
</a>
```

```
<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip" data-bs-placement="bottom" title="Alexander Smith">
```

```

        
    </a>

    <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Jessica Doe">

        
    </a>
</div>
</td>

<td class="align-middle text-center text-sm">

    <span class="text-xs font-weight-bold"> $14,000 </span>
</td>

<td class="align-middle">

    <div class="progress-wrapper w-75 mx-auto">

        <div class="progress-info">

            <div class="progress-percentage">

                <span class="text-xs font-weight-bold">60%</span>
            </div>
        </div>

        <div class="progress">

            <div class="progress-bar bg-gradient-info w-60" role="progressbar" aria-
valuenow="60" aria-valuemin="0" aria-valuemax="100"></div>
        </div>
    </div>
</td>
</tr>
<tr>
<td>

    <div class="d-flex px-2 py-1">

        <div>

            
        </div>

```

```

        <div class="d-flex flex-column justify-content-center">

            <h6 class="mb-0 text-sm">Add Progress Track</h6>

        </div>

    </div>

</td>

<td>

    <div class="avatar-group mt-2">

        <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Romina Hadid">

            

        </a>

        <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Jessica Doe">

            

        </a>

    </div>

</td>

<td class="align-middle text-center text-sm">

    <span class="text-xs font-weight-bold"> $3,000 </span>

</td>

<td class="align-middle">

    <div class="progress-wrapper w-75 mx-auto">

        <div class="progress-info">

            <div class="progress-percentage">

                <span class="text-xs font-weight-bold">10%</span>

            </div>

        </div>

        <div class="progress">

            <div class="progress-bar bg-gradient-info w-10" role="progressbar" aria-
valuenow="10" aria-valuemin="0" aria-valuemax="100"></div>

        </div>

    </div>

</td>

```



```

</td>
</tr>
<tr>
<td>
<div class="d-flex px-2 py-1">
<div>

</div>
<div class="d-flex flex-column justify-content-center">
<h6 class="mb-0 text-sm">Fix Platform Errors</h6>
</div>
</div>
</td>
<td>
<div class="avatar-group mt-2">
<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Romina Hadid">

</a>
<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Jessica Doe">

</a>
</div>
</td>
<td class="align-middle text-center text-sm">
<span class="text-xs font-weight-bold"> Not set </span>
</td>
<td class="align-middle">
<div class="progress-wrapper w-75 mx-auto">
<div class="progress-info">

```

```

        <div class="progress-percentage">
            <span class="text-xs font-weight-bold">100%</span>
        </div>
    </div>
    <div class="progress">
        <div class="progress-bar bg-gradient-success w-100" role="progressbar" aria-
valuenow="100" aria-valuemin="0" aria-valuemax="100"></div>
    </div>
</div>
</td>
</tr>
<tr>
    <td>
        <div class="d-flex px-2 py-1">
            <div>
                
            </div>
            <div class="d-flex flex-column justify-content-center">
                <h6 class="mb-0 text-sm">Launch our Mobile App</h6>
            </div>
        </div>
    </td>
    <td>
        <div class="avatar-group mt-2">
            <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Ryan Tompson">
                
            </a>
            <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Romina Hadid">
                
            </a>
        </div>
    </td>
</tr>
</tbody>
</table>

```

```

        </a>

        <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Alexander Smith">

            

        </a>

        <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Jessica Doe">

            

        </a>
    </div>
</td>

<td class="align-middle text-center text-sm">

    <span class="text-xs font-weight-bold"> $20,500 </span>

</td>

<td class="align-middle">

    <div class="progress-wrapper w-75 mx-auto">

        <div class="progress-info">

            <div class="progress-percentage">

                <span class="text-xs font-weight-bold">100%</span>

            </div>

        </div>

        <div class="progress">

            <div class="progress-bar bg-gradient-success w-100" role="progressbar" aria-
valuenow="100" aria-valuemin="0" aria-valuemax="100"></div>

        </div>

    </div>

</td>
</tr>
<tr>
<td>

    <div class="d-flex px-2 py-1">

        <div>

```

```

        alt="jira">
            
        <div class="d-flex flex-column justify-content-center">
            <h6 class="mb-0 text-sm">Add the New Pricing Page</h6>
        </div>
    </div>
</td>
<td>
    <div class="avatar-group mt-2">
        <a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
        data-bs-placement="bottom" title="Ryan Thompson">
            
        </a>
    </div>
</td>
<td class="align-middle text-center text-sm">
    <span class="text-xs font-weight-bold"> $500 </span>
</td>
<td class="align-middle">
    <div class="progress-wrapper w-75 mx-auto">
        <div class="progress-info">
            <div class="progress-percentage">
                <span class="text-xs font-weight-bold">25%</span>
            </div>
        </div>
        <div class="progress">
            <div class="progress-bar bg-gradient-info w-25" role="progressbar" aria-
            valuenow="25" aria-valuemin="0" aria-valuemax="25"></div>
        </div>
    </div>
</td>

```

```
</tr>

<tr>

<td>

<div class="d-flex px-2 py-1">

<div>



</div>

<div class="d-flex flex-column justify-content-center">

<h6 class="mb-0 text-sm">Redesign New Online Shop</h6>

</div>

</div>

</td>

<td>

<div class="avatar-group mt-2">

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Ryan Tompson">



</a>

<a href="javascript:;" class="avatar avatar-xs rounded-circle" data-bs-toggle="tooltip"
data-bs-placement="bottom" title="Jessica Doe">



</a>

</div>

</td>

<td class="align-middle text-center text-sm">

<span class="text-xs font-weight-bold"> $2,000 </span>

</td>

<td class="align-middle">

<div class="progress-wrapper w-75 mx-auto">

<div class="progress-info">

<div class="progress-percentage">
```

```

        <span class="text-xs font-weight-bold">40%</span>
      </div>
    </div>
    <div class="progress">
      <div class="progress-bar bg-gradient-info w-40" role="progressbar" aria-
valuenow="40" aria-valuemin="0" aria-valuemax="40"></div>
    </div>
  </div>
</td>
</tr>
</tbody>
</table>
</div>
</div>
</div>
</div>
<div class="col-lg-4 col-md-6">
  <div class="card h-100">
    <div class="card-header pb-0">
      <h6>Orders overview</h6>
      <p class="text-sm">
        <i class="fa fa-arrow-up text-success" aria-hidden="true"></i>
        <span class="font-weight-bold">24%</span> this month
      </p>
    </div>
    <div class="card-body p-3">
      <div class="timeline timeline-one-side">
        <div class="timeline-block mb-3">
          <span class="timeline-step">
            <i class="material-icons text-success text-gradient">notifications</i>
          </span>

```

```
<div class="timeline-content">

  <h6 class="text-dark text-sm font-weight-bold mb-0">$2400, Design changes</h6>

  <p class="text-secondary font-weight-bold text-xs mt-1 mb-0">22 DEC 7:20 PM</p>

</div>

</div>

<div class="timeline-block mb-3">

  <span class="timeline-step">

    <i class="material-icons text-danger text-gradient">code</i>

  </span>

  <div class="timeline-content">

    <h6 class="text-dark text-sm font-weight-bold mb-0">New order #1832412</h6>

    <p class="text-secondary font-weight-bold text-xs mt-1 mb-0">21 DEC 11 PM</p>

  </div>

</div>

<div class="timeline-block mb-3">

  <span class="timeline-step">

    <i class="material-icons text-info text-gradient">shopping_cart</i>

  </span>

  <div class="timeline-content">

    <h6 class="text-dark text-sm font-weight-bold mb-0">Server payments for April</h6>

    <p class="text-secondary font-weight-bold text-xs mt-1 mb-0">21 DEC 9:34 PM</p>

  </div>

</div>

<div class="timeline-block mb-3">

  <span class="timeline-step">

    <i class="material-icons text-warning text-gradient">credit_card</i>

  </span>

  <div class="timeline-content">

    <h6 class="text-dark text-sm font-weight-bold mb-0">New card added for order
#4395133</h6>

    <p class="text-secondary font-weight-bold text-xs mt-1 mb-0">20 DEC 2:20 AM</p>
```

```
</div>

</div>

<div class="timeline-block mb-3">

  <span class="timeline-step">

    <i class="material-icons text-primary text-gradient">key</i>

  </span>

  <div class="timeline-content">

    <h6 class="text-dark text-sm font-weight-bold mb-0">Unlock packages for development</h6>

    <p class="text-secondary font-weight-bold text-xs mt-1 mb-0">18 DEC 4:54 AM</p>

  </div>

</div>

<div class="timeline-block">

  <span class="timeline-step">

    <i class="material-icons text-dark text-gradient">payments</i>

  </span>

  <div class="timeline-content">

    <h6 class="text-dark text-sm font-weight-bold mb-0">New order #9583120</h6>

    <p class="text-secondary font-weight-bold text-xs mt-1 mb-0">17 DEC</p>

  </div>

</div>

</div>

</div>

</div>

</div>

</main>

<div class="fixed-plugin">

  <a class="fixed-plugin-button text-dark position-fixed px-3 py-2">

    <i class="material-icons py-2">settings</i>
```



```

</a>
<div class="card shadow-lg">
  <div class="card-header pb-0 pt-3">
    <div class="float-start">
      <h5 class="mt-3 mb-0">NEWS Tracker Configurator</h5>
      <p>See our dashboard options.</p>
    </div>
    <div class="float-end mt-4">
      <button class="btn btn-link text-dark p-0 fixed-plugin-close-button">
        <i class="material-icons">clear</i>
      </button>
    </div>
    <!-- End Toggle Button -->
  </div>
  <hr class="horizontal dark my-1">
  <div class="card-body pt-sm-3 pt-0">
    <!-- Sidebar Backgrounds -->
    <div>
      <h6 class="mb-0">Sidebar Colors</h6>
      </div>
      <a href="javascript:void(0)" class="switch-trigger background-color">
        <div class="badge-colors my-2 text-start">
          <span class="badge filter bg-gradient-primary active" data-color="primary"
onclick="sidebarColor(this)"></span>
          <span class="badge filter bg-gradient-dark" data-color="dark"
onclick="sidebarColor(this)"></span>
          <span class="badge filter bg-gradient-info" data-color="info"
onclick="sidebarColor(this)"></span>
          <span class="badge filter bg-gradient-success" data-color="success"
onclick="sidebarColor(this)"></span>
          <span class="badge filter bg-gradient-warning" data-color="warning"
onclick="sidebarColor(this)"></span>

```

```

        <span class="badge filter bg-gradient-danger" data-color="danger"
onclick="sidebarColor(this)"></span>

    </div>

</a>

<!-- Sidenav Type -->

<div class="mt-3">

    <h6 class="mb-0">Sidenav Type</h6>

    <p class="text-sm">Choose between 2 different sidenav types.</p>

</div>

<div class="d-flex">

    <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-gradient-dark"
onclick="sidebarType(this)">Dark</button>

    <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-transparent"
onclick="sidebarType(this)">Transparent</button>

    <button class="btn bg-gradient-dark px-3 mb-2 active" data-class="bg-white"
onclick="sidebarType(this)">White</button>

</div>

<p class="text-sm d-xl-none d-block mt-2">You can change the sidenav type just on desktop
view.</p>

<!-- Navbar Fixed -->

<div class="mt-3 d-flex">

    <h6 class="mb-0">Navbar Fixed</h6>

    <div class="form-check form-switch ps-0 ms-auto my-auto">

        <input class="form-check-input mt-1 ms-auto" type="checkbox" id="navbarFixed"
onclick="navbarFixed(this)">

    </div>

</div>

<hr class="horizontal dark my-3">

<div class="mt-2 d-flex">

    <h6 class="mb-0">Light / Dark</h6>

    <div class="form-check form-switch ps-0 ms-auto my-auto">

        <input class="form-check-input mt-1 ms-auto" type="checkbox" id="dark-version"
onclick="darkMode(this)">

```

```

        </div>
    </div>
</div>
</div>
</div>
<!-- Core JS Files -->
<script src="../../assets/js/core/popper.min.js"></script>
<script src="../../assets/js/core/bootstrap.min.js"></script>
<script src="../../assets/js/plugins/perfect-scrollbar.min.js"></script>
<script src="../../assets/js/plugins/smooth-scrollbar.min.js"></script>
<script src="../../assets/js/plugins/chartjs.min.js"></script>
<script>
    var ctx = document.getElementById("chart-bars").getContext("2d");

    new Chart(ctx, {
        type: "bar",
        data: {
            labels: ["M", "T", "W", "T", "F", "S", "S"],
            datasets: [{
                label: "Sales",
                tension: 0.4,
                borderWidth: 0,
                borderRadius: 4,
                borderSkipped: false,
                backgroundColor: "rgba(255, 255, 255, .8)",
                data: [50, 20, 10, 22, 50, 10, 40],
                maxBarThickness: 6
            }, ],
        },
        options: {
            responsive: true,

```

```
maintainAspectRatio: false,

plugins: {
  legend: {
    display: false,
  }
},

interaction: {
  intersect: false,
  mode: 'index',
},

scales: {
  y: {
    grid: {
      drawBorder: false,
      display: true,
      drawOnChartArea: true,
      drawTicks: false,
      borderDash: [5, 5],
      color: 'rgba(255, 255, 255, .2)'
    },
    ticks: {
      suggestedMin: 0,
      suggestedMax: 500,
      beginAtZero: true,
      padding: 10,
      font: {
        size: 14,
        weight: 300,
        family: "Roboto",
        style: 'normal',
        lineHeight: 2
```

```
    },  
    color: "#fff"  
  },  
},  
x: {  
  grid: {  
    drawBorder: false,  
    display: true,  
    drawOnChartArea: true,  
    drawTicks: false,  
    borderDash: [5, 5],  
    color: 'rgba(255, 255, 255, .2)'  
  },  
  ticks: {  
    display: true,  
    color: '#f8f9fa',  
    padding: 10,  
    font: {  
      size: 14,  
      weight: 300,  
      family: "Roboto",  
      style: 'normal',  
      lineHeight: 2  
    },  
  },  
}  
},  
},  
},  
});
```

```

var ctx2 = document.getElementById("chart-line").getContext("2d");

new Chart(ctx2, {
  type: "line",
  data: {
    labels: ["Apr", "May", "Jun", "Jul", "Aug", "Sep", "Oct", "Nov", "Dec"],
    datasets: [{
      label: "Mobile apps",
      tension: 0,
      borderWidth: 0,
      pointRadius: 5,
      pointBackgroundColor: "rgba(255, 255, 255, .8)",
      pointBorderColor: "transparent",
      borderColor: "rgba(255, 255, 255, .8)",
      borderColor: "rgba(255, 255, 255, .8)",
      borderWidth: 4,
      backgroundColor: "transparent",
      fill: true,
      data: [50, 40, 300, 320, 500, 350, 200, 230, 500],
      maxBarThickness: 6

    }],
  },
  options: {
    responsive: true,
    maintainAspectRatio: false,
    plugins: {
      legend: {
        display: false,
      }
    }
  },

```

```
interaction: {
  intersect: false,
  mode: 'index',
},
scales: {
  y: {
    grid: {
      drawBorder: false,
      display: true,
      drawOnChartArea: true,
      drawTicks: false,
      borderDash: [5, 5],
      color: 'rgba(255, 255, 255, .2)'
    },
    ticks: {
      display: true,
      color: '#f8f9fa',
      padding: 10,
      font: {
        size: 14,
        weight: 300,
        family: "Roboto",
        style: 'normal',
        lineHeight: 2
      },
    },
  },
  x: {
    grid: {
      drawBorder: false,
      display: false,
```

```

        drawOnChartArea: false,

        drawTicks: false,

        borderDash: [5, 5]
    },
    ticks: {
        display: true,
        color: '#f8f9fa',
        padding: 10,
        font: {
            size: 14,
            weight: 300,
            family: "Roboto",
            style: 'normal',
            lineHeight: 2
        },
    }
},
},
},
});

```

```

var ctx3 = document.getElementById("chart-line-tasks").getContext("2d");

```

```

new Chart(ctx3, {
    type: "line",
    data: {
        labels: ["Apr", "May", "Jun", "Jul", "Aug", "Sep", "Oct", "Nov", "Dec"],
        datasets: [{
            label: "Mobile apps",
            tension: 0,
            borderWidth: 0,

```



```
    pointRadius: 5,  
    pointBackgroundColor: "rgba(255, 255, 255, .8)",  
    pointBorderColor: "transparent",  
    borderColor: "rgba(255, 255, 255, .8)",  
    borderWidth: 4,  
    backgroundColor: "transparent",  
    fill: true,  
    data: [50, 40, 300, 220, 500, 250, 400, 230, 500],  
    maxBarThickness: 6
```

```
  }],
```

```
  },
```

```
  options: {
```

```
    responsive: true,
```

```
    maintainAspectRatio: false,
```

```
    plugins: {
```

```
      legend: {
```

```
        display: false,
```

```
      }  
    },
```

```
  },
```

```
  interaction: {
```

```
    intersect: false,
```

```
    mode: 'index',
```

```
  },
```

```
  scales: {
```

```
    y: {
```

```
      grid: {
```

```
        drawBorder: false,
```

```
        display: true,
```

```
        drawOnChartArea: true,
```

```
        drawTicks: false,
```

```
borderDash: [5, 5],
color: 'rgba(255, 255, 255, .2)'
},
ticks: {
  display: true,
  padding: 10,
  color: '#f8f9fa',
  font: {
    size: 14,
    weight: 300,
    family: "Roboto",
    style: 'normal',
    lineHeight: 2
  },
}
},
x: {
  grid: {
    drawBorder: false,
    display: false,
    drawOnChartArea: false,
    drawTicks: false,
    borderDash: [5, 5]
  },
  ticks: {
    display: true,
    color: '#f8f9fa',
    padding: 10,
    font: {
      size: 14,
      weight: 300,
```

```

        family: "Roboto",
        style: 'normal',
        lineHeight: 2
    },
}
},
},
},
});
</script>
<script>
    var win = navigator.platform.indexOf('Win') > -1;
    if (win && document.querySelector('#sidenav-scrollbar')) {
        var options = {
            damping: '0.5'
        }
        Scrollbar.init(document.querySelector('#sidenav-scrollbar'), options);
    }
</script>
<!-- Github buttons -->
<script async defer src="https://buttons.github.io/buttons.js"></script>
<!-- Control Center for Material Dashboard: parallax effects, scripts for the example pages etc -->
<script src="../../assets/js/material-dashboard.min.js?v=3.0.4"></script>
</body>

</html>

```