

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="utf-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

  <link rel="apple-touch-icon" sizes="76x76" href="../assets/img/apple-icon.png">

  <link rel="icon" type="image/png" href="../assets/img/favicon.png">

  <title>

    News Tracker

  </title>

  <!-- Fonts and icons -->

  <link rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Roboto:300,400,500,700,900|Roboto+Slab:400,700"
/>

  <!-- Nucleo Icons -->

  <link href="../assets/css/nucleo-icons.css" rel="stylesheet" />

  <link href="../assets/css/nucleo-svg.css" rel="stylesheet" />

  <!-- Font Awesome Icons -->

  <script src="https://kit.fontawesome.com/42d5adcbca.js" crossorigin="anonymous"></script>

  <!-- Material Icons -->

  <link href="https://fonts.googleapis.com/icon?family=Material+Icons+Round" rel="stylesheet">

  <!-- CSS Files -->

  <link id="pagestyle" href="../assets/css/material-dashboard.css?v=3.0.4" rel="stylesheet" />

</head>

<body class="g-sidenav-show bg-gray-200">

  <aside class="sidenav navbar navbar-vertical navbar-expand-xs border-0 border-radius-xl my-3
fixed-start ms-3 bg-gradient-dark" id="sidenav-main">

    <div class="sidenav-header">

      <i class="fas fa-times p-3 cursor-pointer text-white opacity-5 position-absolute end-0 top-0 d-
none d-xl-none" aria-hidden="true" id="iconSidenav"></i>
```

```

<a class="navbar-brand m-0" href=" https://demos.creative-tim.com/material-
dashboard/pages/dashboard " target="_blank">

    <span class="ms-1 font-weight-bold text-white">News Tracker</span>

</a>
</div>

<hr class="horizontal light mt-0 mb-2">

<div class="collapse navbar-collapse w-auto " id="sidenav-collapse-main">

    <ul class="navbar-nav">

        <li class="nav-item">

            <a class="nav-link text-white " href="../pages/dashboard.html">

                <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

                    <i class="material-icons opacity-10">dashboard</i>

                </div>

                <span class="nav-link-text ms-1">Dashboard</span>

            </a>

        </li>

        <li class="nav-item">

            <a class="nav-link text-white active bg-gradient-primary" href="../pages/tables.html">

                <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

                    <i class="material-icons opacity-10">table_view</i>

                </div>

                <span class="nav-link-text ms-1">Tables</span>

            </a>

        </li>

        <li class="nav-item">

            <a class="nav-link text-white " href="../pages/billing.html">

                <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">

                    <i class="material-icons opacity-10">receipt_long</i>

                </div>

                <span class="nav-link-text ms-1">Billing</span>

            </a>

        </li>

    </ul>

</div>

```

```

</a>
</li>
<li class="nav-item">
  <a class="nav-link text-white " href="../../pages/virtual-reality.html">
    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
      <i class="material-icons opacity-10">view_in_ar</i>
    </div>
    <span class="nav-link-text ms-1">Virtual Reality</span>
  </a>
</li>
<li class="nav-item">
  <a class="nav-link text-white " href="../../pages/rtl.html">
    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
      <i class="material-icons opacity-10">format_textdirection_r_to_l</i>
    </div>
    <span class="nav-link-text ms-1">RTL</span>
  </a>
</li>
<li class="nav-item">
  <a class="nav-link text-white " href="../../pages/notifications.html">
    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
      <i class="material-icons opacity-10">notifications</i>
    </div>
    <span class="nav-link-text ms-1">Notifications</span>
  </a>
</li>
<li class="nav-item mt-3">
  <h6 class="ps-4 ms-2 text-uppercase text-xs text-white font-weight-bolder opacity-8">Account
pages</h6>
</li>
<li class="nav-item">

```

```
<a class="nav-link text-white " href="../pages/profile.html">
  <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
    <i class="material-icons opacity-10">person</i>
  </div>
  <span class="nav-link-text ms-1">Profile</span>
</a>
</li>
<li class="nav-item">
  <a class="nav-link text-white " href="../pages/sign-in.html">
    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
      <i class="material-icons opacity-10">login</i>
    </div>
    <span class="nav-link-text ms-1">Sign In</span>
  </a>
</li>
<li class="nav-item">
  <a class="nav-link text-white " href="../pages/sign-up.html">
    <div class="text-white text-center me-2 d-flex align-items-center justify-content-center">
      <i class="material-icons opacity-10">assignment</i>
    </div>
    <span class="nav-link-text ms-1">Sign Up</span>
  </a>
</li>
</ul>
</div>
<div class="sidenav-footer position-absolute w-100 bottom-0 ">
  <div class="mx-3">
    <a class="btn bg-gradient-primary mt-4 w-100" href="https://www.creative-
tim.com/product/material-dashboard-pro?ref=sidebarfree" type="button">Upgrade to pro</a>
  </div>
</div>
```

</aside>

<main class="main-content position-relative max-height-vh-100 h-100 border-radius-lg ">

<!-- Navbar -->

<nav class="navbar navbar-main navbar-expand-lg px-0 mx-4 shadow-none border-radius-xl" id="navbarBlur" data-scroll="true">

<div class="container-fluid py-1 px-3">

<nav aria-label="breadcrumb">

<ol class="breadcrumb bg-transparent mb-0 pb-0 pt-1 px-0 me-sm-6 me-5">

<li class="breadcrumb-item text-sm"><a class="opacity-5 text-dark" href="javascript:;">Pages</a></li>

<li class="breadcrumb-item text-sm text-dark active" aria-current="page">Tables</li>

</ol>

<h6 class="font-weight-bolder mb-0">Tables</h6>

</nav>

<div class="collapse navbar-collapse mt-sm-0 mt-2 me-md-0 me-sm-4" id="navbar">

<div class="ms-md-auto pe-md-3 d-flex align-items-center">

<div class="input-group input-group-outline">

<label class="form-label">Type here...</label>

<input type="text" class="form-control">

</div>

</div>

<ul class="navbar-nav justify-content-end">

<li class="nav-item d-flex align-items-center">

<a class="btn btn-outline-primary btn-sm mb-0 me-3" target="\_blank" href="https://www.creative-tim.com/builder/material?ref=navbar-dashboard">Online Builder</a>

</li>

<li class="nav-item d-flex align-items-center">

<a href="../pages/sign-in.html" class="nav-link text-body font-weight-bold px-0">

<i class="fa fa-user me-sm-1"></i>

<span class="d-sm-inline d-none">Sign In</span>

</a>

</li>

```

<li class="nav-item d-xl-none ps-3 d-flex align-items-center">
  <a href="javascript:;" class="nav-link text-body p-0" id="iconNavbarSidenav">
    <div class="sidenav-toggler-inner">
      <i class="sidenav-toggler-line"></i>
      <i class="sidenav-toggler-line"></i>
      <i class="sidenav-toggler-line"></i>
    </div>
  </a>
</li>
<li class="nav-item px-3 d-flex align-items-center">
  <a href="javascript:;" class="nav-link text-body p-0">
    <i class="fa fa-cog fixed-plugin-button-nav cursor-pointer"></i>
  </a>
</li>
<li class="nav-item dropdown pe-2 d-flex align-items-center">
  <a href="javascript:;" class="nav-link text-body p-0" id="dropdownMenuButton" data-bs-toggle="dropdown" aria-expanded="false">
    <i class="fa fa-bell cursor-pointer"></i>
  </a>
  <ul class="dropdown-menu dropdown-menu-end px-2 py-3 me-sm-n4" aria-labelledby="dropdownMenuButton">
    <li class="mb-2">
      <a class="dropdown-item border-radius-md" href="javascript:;">
        <div class="d-flex py-1">
          <div class="my-auto">
            
          </div>
          <div class="d-flex flex-column justify-content-center">
            <h6 class="text-sm font-weight-normal mb-1">
              <span class="font-weight-bold">New message</span> from Laur
            </h6>
            <p class="text-xs text-secondary mb-0">

```

```
        <i class="fa fa-clock me-1"></i>

        13 minutes ago

    </p>

</div>

</div>

</a>

</li>

<li class="mb-2">

    <a class="dropdown-item border-radius-md" href="javascript:;">

        <div class="d-flex py-1">

            <div class="my-auto">

            </div>

            <div class="d-flex flex-column justify-content-center">

                <h6 class="text-sm font-weight-normal mb-1">

                    <span class="font-weight-bold">New album</span> by Travis Scott

                </h6>

                <p class="text-xs text-secondary mb-0">

                    <i class="fa fa-clock me-1"></i>

                    1 day

                </p>

            </div>

        </div>

    </a>

</li>

<li>

    <a class="dropdown-item border-radius-md" href="javascript:;">

        <div class="d-flex py-1">

            <div class="avatar avatar-sm bg-gradient-secondary me-3 my-auto">

                <svg width="12px" height="12px" viewBox="0 0 43 36" version="1.1"
xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink">
```

```
<title>credit-card</title>

<g stroke="none" stroke-width="1" fill="none" fill-rule="evenodd">

  <g transform="translate(-2169.000000, -745.000000)" fill="#FFFFFF" fill-
rule="nonzero">

    <g transform="translate(1716.000000, 291.000000)">

      <g transform="translate(453.000000, 454.000000)">

        <path class="color-background" d="M43,10.7482083 L43,3.58333333
C43,1.60354167 41.3964583,0 39.4166667,0 L3.58333333,0 C1.60354167,0 0,1.60354167
0,3.58333333 L0,10.7482083 L43,10.7482083 Z" opacity="0.593633743"></path>

        <path class="color-background" d="M0,16.125 L0,32.25 C0,34.2297917
1.60354167,35.8333333 3.58333333,35.8333333 L39.4166667,35.8333333
C41.3964583,35.8333333 43,34.2297917 43,32.25 L43,16.125 L0,16.125 Z M19.7083333,26.875
L7.16666667,26.875 L7.16666667,23.2916667 L19.7083333,23.2916667 L19.7083333,26.875 Z
M35.8333333,26.875 L28.6666667,26.875 L28.6666667,23.2916667 L35.8333333,23.2916667
L35.8333333,26.875 Z"></path>

      </g>

    </g>

  </g>

</g>

</div>

<div class="d-flex flex-column justify-content-center">

  <h6 class="text-sm font-weight-normal mb-1">

    Payment successfully completed

  </h6>

  <p class="text-xs text-secondary mb-0">

    <i class="fa fa-clock me-1"></i>

    2 days

  </p>

</div>

</div>

</a>

</li>

</ul>
```



```

        </li>
    </ul>
</div>
</div>
</nav>
<!-- End Navbar -->
<div class="container-fluid py-4">
    <div class="row">
        <div class="col-12">
            <div class="card my-4">
                <div class="card-header p-0 position-relative mt-n4 mx-3 z-index-2">
                    <div class="bg-gradient-primary shadow-primary border-radius-lg pt-4 pb-3">
                        <h6 class="text-white text-capitalize ps-3">Authors table</h6>
                    </div>
                </div>
                <div class="card-body px-0 pb-2">
                    <div class="table-responsive p-0">
                        <table class="table align-items-center mb-0">
                            <thead>
                                <tr>
                                    <th class="text-uppercase text-secondary text-xxs font-weight-bolder opacity-7">Author</th>
                                    <th class="text-uppercase text-secondary text-xxs font-weight-bolder opacity-7 ps-2">Function</th>
                                    <th class="text-center text-uppercase text-secondary text-xxs font-weight-bolder opacity-7">Status</th>
                                    <th class="text-center text-uppercase text-secondary text-xxs font-weight-bolder opacity-7">Employed</th>
                                    <th class="text-secondary opacity-7"></th>
                                </tr>
                            </thead>
                            <tbody>

```

```
<tr>

<td>

<div class="d-flex px-2 py-1">

  <div>

  </div>

  <div class="d-flex flex-column justify-content-center">

    <h6 class="mb-0 text-sm">John Michael</h6>

    <p class="text-xs text-secondary mb-0">john@creative-tim.com</p>

  </div>

</div>

</td>

<td>

  <p class="text-xs font-weight-bold mb-0">Manager</p>

  <p class="text-xs text-secondary mb-0">Organization</p>

</td>

<td class="align-middle text-center text-sm">

  <span class="badge badge-sm bg-gradient-success">Online</span>

</td>

<td class="align-middle text-center">

  <span class="text-secondary text-xs font-weight-bold">23/04/18</span>

</td>

<td class="align-middle">

  <a href="javascript:;" class="text-secondary font-weight-bold text-xs" data-
toggle="tooltip" data-original-title="Edit user">

    Edit

  </a>

</td>

</tr>

<tr>

<td>
```

```
<div class="d-flex px-2 py-1">

  <div>

  </div>

  <div class="d-flex flex-column justify-content-center">

    <h6 class="mb-0 text-sm">Alexa Liras</h6>

    <p class="text-xs text-secondary mb-0">alex@creative-tim.com</p>

  </div>

</div>

</td>

<td>

  <p class="text-xs font-weight-bold mb-0">Programator</p>

  <p class="text-xs text-secondary mb-0">Developer</p>

</td>

<td class="align-middle text-center text-sm">

  <span class="badge badge-sm bg-gradient-secondary">Offline</span>

</td>

<td class="align-middle text-center">

  <span class="text-secondary text-xs font-weight-bold">11/01/19</span>

</td>

<td class="align-middle">

  <a href="javascript:;" class="text-secondary font-weight-bold text-xs" data-
toggle="tooltip" data-original-title="Edit user">
    Edit
  </a>

</td>

</tr>

<tr>

  <td>

    <div class="d-flex px-2 py-1">

      <div>
```

```
alt="user3">
    
    <div class="d-flex flex-column justify-content-center">
        <h6 class="mb-0 text-sm">Laurent Perrier</h6>
        <p class="text-xs text-secondary mb-0">laurent@creative-tim.com</p>
    </div>
</div>
</td>
<td>
    <p class="text-xs font-weight-bold mb-0">Executive</p>
    <p class="text-xs text-secondary mb-0">Projects</p>
</td>
<td class="align-middle text-center text-sm">
    <span class="badge badge-sm bg-gradient-success">Online</span>
</td>
<td class="align-middle text-center">
    <span class="text-secondary text-xs font-weight-bold">19/09/17</span>
</td>
<td class="align-middle">
    <a href="javascript:;" class="text-secondary font-weight-bold text-xs" data-
toggle="tooltip" data-original-title="Edit user">
        Edit
    </a>
</td>
</tr>
<tr>
<td>
    <div class="d-flex px-2 py-1">
        <div>
            
```

```

    </div>

    <div class="d-flex flex-column justify-content-center">

        <h6 class="mb-0 text-sm">Michael Levi</h6>

        <p class="text-xs text-secondary mb-0">michael@creative-tim.com</p>

    </div>

</div>

</td>

<td>

    <p class="text-xs font-weight-bold mb-0">Programator</p>

    <p class="text-xs text-secondary mb-0">Developer</p>

</td>

<td class="align-middle text-center text-sm">

    <span class="badge badge-sm bg-gradient-success">Online</span>

</td>

<td class="align-middle text-center">

    <span class="text-secondary text-xs font-weight-bold">24/12/08</span>

</td>

<td class="align-middle">

    <a href="javascript:;" class="text-secondary font-weight-bold text-xs" data-
toggle="tooltip" data-original-title="Edit user">
        Edit
    </a>

</td>

</tr>

<tr>

<td>

    <div class="d-flex px-2 py-1">

        <div>

        </div>

        <div class="d-flex flex-column justify-content-center">

```

```
<h6 class="mb-0 text-sm">Richard Gran</h6>

<p class="text-xs text-secondary mb-0">richard@creative-tim.com</p>

</div>

</div>

</td>

<td>

  <p class="text-xs font-weight-bold mb-0">Manager</p>

  <p class="text-xs text-secondary mb-0">Executive</p>

</td>

<td class="align-middle text-center text-sm">

  <span class="badge badge-sm bg-gradient-secondary">Offline</span>

</td>

<td class="align-middle text-center">

  <span class="text-secondary text-xs font-weight-bold">04/10/21</span>

</td>

<td class="align-middle">

  <a href="javascript:;" class="text-secondary font-weight-bold text-xs" data-
toggle="tooltip" data-original-title="Edit user">
    Edit
  </a>

</td>

</tr>

<tr>

<td>

  <div class="d-flex px-2 py-1">

    <div>

    </div>

    <div class="d-flex flex-column justify-content-center">

      <h6 class="mb-0 text-sm">Miriam Eric</h6>

      <p class="text-xs text-secondary mb-0">miriam@creative-tim.com</p>
```

```
        </div>
    </div>
</td>
<td>
    <p class="text-xs font-weight-bold mb-0">Programator</p>
    <p class="text-xs text-secondary mb-0">Developer</p>
</td>
<td class="align-middle text-center text-sm">
    <span class="badge badge-sm bg-gradient-secondary">Offline</span>
</td>
<td class="align-middle text-center">
    <span class="text-secondary text-xs font-weight-bold">14/09/20</span>
</td>
<td class="align-middle">
    <a href="javascript:;" class="text-secondary font-weight-bold text-xs" data-
toggle="tooltip" data-original-title="Edit user">
        Edit
    </a>
</td>
</tr>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
<div class="row">
    <div class="col-12">
        <div class="card my-4">
            <div class="card-header p-0 position-relative mt-n4 mx-3 z-index-2">
```

```

<div class="bg-gradient-primary shadow-primary border-radius-lg pt-4 pb-3">
  <h6 class="text-white text-capitalize ps-3">Projects table</h6>
</div>
</div>
<div class="card-body px-0 pb-2">
  <div class="table-responsive p-0">
    <table class="table align-items-center justify-content-center mb-0">
      <thead>
        <tr>
          <th class="text-uppercase text-secondary text-xxs font-weight-bolder opacity-7">Project</th>
          <th class="text-uppercase text-secondary text-xxs font-weight-bolder opacity-7 ps-2">Budget</th>
          <th class="text-uppercase text-secondary text-xxs font-weight-bolder opacity-7 ps-2">Status</th>
          <th class="text-uppercase text-secondary text-xxs font-weight-bolder text-center opacity-7 ps-2">Completion</th>
        <th></th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>
          <div class="d-flex px-2">
            <div>
              
            </div>
            <div class="my-auto">
              <h6 class="mb-0 text-sm">Asana</h6>
            </div>
          </div>
        </td>

```



```

<td>

  <p class="text-sm font-weight-bold mb-0">$2,500</p>

</td>

<td>

  <span class="text-xs font-weight-bold">working</span>

</td>

<td class="align-middle text-center">

  <div class="d-flex align-items-center justify-content-center">

    <span class="me-2 text-xs font-weight-bold">60%</span>

    <div>

      <div class="progress">

        <div class="progress-bar bg-gradient-info" role="progressbar" aria-valuenow="60"
aria-valuemin="0" aria-valuemax="100" style="width: 60%;"></div>

      </div>

    </div>

  </div>

</td>

<td class="align-middle">

  <button class="btn btn-link text-secondary mb-0">

    <i class="fa fa-ellipsis-v text-xs"></i>

  </button>

</td>

</tr>

<tr>

<td>

  <div class="d-flex px-2">

    <div>

    </div>

    <div class="my-auto">


      <h6 class="mb-0 text-sm">Github</h6>

```

```

        </div>
    </div>
</td>
<td>
    <p class="text-sm font-weight-bold mb-0">$5,000</p>
</td>
<td>
    <span class="text-xs font-weight-bold">done</span>
</td>
<td class="align-middle text-center">
    <div class="d-flex align-items-center justify-content-center">
        <span class="me-2 text-xs font-weight-bold">100%</span>
        <div>
            <div class="progress">
                <div class="progress-bar bg-gradient-success" role="progressbar" aria-
valuenow="100" aria-valuemin="0" aria-valuemax="100" style="width: 100%;"></div>
            </div>
        </div>
    </div>
</td>
<td class="align-middle">
    <button class="btn btn-link text-secondary mb-0" aria-haspopup="true" aria-
expanded="false">
        <i class="fa fa-ellipsis-v text-xs"></i>
    </button>
</td>
</tr>
<tr>
<td>
    <div class="d-flex px-2">
        <div>

```

 **Jira**

Atlassian

\$3,400

Canceled

30%

```

<tr>

<td>

<div class="d-flex px-2">

<div>



</div>

<div class="my-auto">

<h6 class="mb-0 text-sm">Bootstrap</h6>

</div>

</div>

</td>

<td>

<p class="text-sm font-weight-bold mb-0">$14,000</p>

</td>

<td>

<span class="text-xs font-weight-bold">working</span>

</td>

<td class="align-middle text-center">

<div class="d-flex align-items-center justify-content-center">

<span class="me-2 text-xs font-weight-bold">80%</span>

<div>

<div class="progress">

<div class="progress-bar bg-gradient-info" role="progressbar" aria-valuenow="80"
aria-valuemin="0" aria-valuemax="80" style="width: 80%;"></div>

</div>

</div>

</div>

</td>

<td class="align-middle">

<button class="btn btn-link text-secondary mb-0" aria-haspopup="true" aria-
expanded="false">

```

```

        <i class="fa fa-ellipsis-v text-xs"></i>
      </button>
    </td>
  </tr>
  <tr>
    <td>
      <div class="d-flex px-2">
        <div>
          
        </div>
        <div class="my-auto">
          <h6 class="mb-0 text-sm">Slack</h6>
        </div>
      </div>
    </td>
    <td>
      <p class="text-sm font-weight-bold mb-0">$1,000</p>
    </td>
    <td>
      <span class="text-xs font-weight-bold">canceled</span>
    </td>
    <td class="align-middle text-center">
      <div class="d-flex align-items-center justify-content-center">
        <span class="me-2 text-xs font-weight-bold">0%</span>
        <div>
          <div class="progress">
            <div class="progress-bar bg-gradient-success" role="progressbar" aria-
              valuenow="0" aria-valuemin="0" aria-valuemax="100" style="width: 0%;"></div>
          </div>
        </div>
      </div>
    </td>
  </tr>

```

```

</td>

<td class="align-middle">

  <button class="btn btn-link text-secondary mb-0" aria-haspopup="true" aria-
expanded="false">

    <i class="fa fa-ellipsis-v text-xs"></i>

  </button>

</td>

</tr>

<tr>

<td>

  <div class="d-flex px-2">

    <div>

    </div>

    <div class="my-auto">

      <h6 class="mb-0 text-sm">Devto</h6>

    </div>

  </div>

</td>

<td>

  <p class="text-sm font-weight-bold mb-0">$2,300</p>

</td>

<td>

  <span class="text-xs font-weight-bold">done</span>

</td>

<td class="align-middle text-center">

  <div class="d-flex align-items-center justify-content-center">

    <span class="me-2 text-xs font-weight-bold">100%</span>

    <div>

      <div class="progress">

```

```

        <div class="progress-bar bg-gradient-success" role="progressbar" aria-
valuenow="100" aria-valuemin="0" aria-valuemax="100" style="width: 100%;"></div>

    </div>

</div>

</div>

</td>

<td class="align-middle">

    <button class="btn btn-link text-secondary mb-0" aria-haspopup="true" aria-
expanded="false">

        <i class="fa fa-ellipsis-v text-xs"></i>

    </button>

</td>

</tr>

</tbody>

</table>

</div>

</div>

</div>

</div>

</div>

</div>

</main>

<div class="fixed-plugin">

    <a class="fixed-plugin-button text-dark position-fixed px-3 py-2">

        <i class="material-icons py-2">settings</i>

    </a>

    <div class="card shadow-lg">

        <div class="card-header pb-0 pt-3">

            <div class="float-start">

                <h5 class="mt-3 mb-0">NEWS Tracker Configurator</h5>

                <p>See our dashboard options.</p>

            </div>

```

```

<div class="float-end mt-4">

  <button class="btn btn-link text-dark p-0 fixed-plugin-close-button">

    <i class="material-icons">clear</i>

  </button>

</div>

<!-- End Toggle Button -->

</div>

<hr class="horizontal dark my-1">

<div class="card-body pt-sm-3 pt-0">

  <!-- Sidebar Backgrounds -->

  <div>

    <h6 class="mb-0">Sidebar Colors</h6>

  </div>

  <a href="javascript:void(0)" class="switch-trigger background-color">

    <div class="badge-colors my-2 text-start">

      <span class="badge filter bg-gradient-primary active" data-color="primary"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-dark" data-color="dark"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-info" data-color="info"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-success" data-color="success"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-warning" data-color="warning"
onclick="sidebarColor(this)"></span>

      <span class="badge filter bg-gradient-danger" data-color="danger"
onclick="sidebarColor(this)"></span>

    </div>

  </a>

  <!-- Sidenav Type -->

  <div class="mt-3">

    <h6 class="mb-0">Sidenav Type</h6>

    <p class="text-sm">Choose between 2 different sidenav types.</p>

```



```

</div>

<div class="d-flex">

  <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-gradient-dark"
onclick="sidebarType(this)">Dark</button>

  <button class="btn bg-gradient-dark px-3 mb-2 ms-2" data-class="bg-transparent"
onclick="sidebarType(this)">Transparent</button>

  <button class="btn bg-gradient-dark px-3 mb-2 active" data-class="bg-white"
onclick="sidebarType(this)">White</button>

</div>

<p class="text-sm d-xl-none d-block mt-2">You can change the sidenav type just on desktop
view.</p>

<!-- Navbar Fixed -->

<div class="mt-3 d-flex">

  <h6 class="mb-0">Navbar Fixed</h6>

  <div class="form-check form-switch ps-0 ms-auto my-auto">

    <input class="form-check-input mt-1 ms-auto" type="checkbox" id="navbarFixed"
onclick="navbarFixed(this)">

  </div>

</div>

<hr class="horizontal dark my-3">

<div class="mt-2 d-flex">

  <h6 class="mb-0">Light / Dark</h6>

  <div class="form-check form-switch ps-0 ms-auto my-auto">

    <input class="form-check-input mt-1 ms-auto" type="checkbox" id="dark-version"
onclick="darkMode(this)">

  </div>

</div>

</div>

</div>

</div>

<!-- Core JS Files -->

<script src="../../assets/js/core/popper.min.js"></script>

<script src="../../assets/js/core/bootstrap.min.js"></script>

```

```
<script src="../../assets/js/plugins/perfect-scrollbar.min.js"></script>
<script src="../../assets/js/plugins/smooth-scrollbar.min.js"></script>
<script>
  var win = navigator.platform.indexOf('Win') > -1;
  if (win && document.querySelector('#sidenav-scrollbar')) {
    var options = {
      damping: '0.5'
    }
    Scrollbar.init(document.querySelector('#sidenav-scrollbar'), options);
  }
</script>
<!-- Github buttons -->
<script async defer src="https://buttons.github.io/buttons.js"></script>
<!-- Control Center for Material Dashboard: parallax effects, scripts for the example pages etc -->
<script src="../../assets/js/material-dashboard.min.js?v=3.0.4"></script>
</body>

</html>
```