

PROJECT DEVELOPMENT PHASE

SPRINT-1 SOURCE CODE

Date	07 November 2022
Team ID	PNT2022TMID40288
Project Name	Intelligent vehicle damage assessment & cost estimator for insurance companies.
Maximum Marks	8 Marks

Index.php

```
<?php
    session_start();

    if (isset($_SESSION['SESSION_EMAIL']))
    { header("Location: welcome.php"); die();
      }

include 'config.php';

    $msg = "";

if (isset($_GET['verification'])) {

    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['verification']}'")) > 0) {

        $query = mysqli_query($conn, "UPDATE users1 SET code=" WHERE
code='{$_GET['verification']}'");
        if ($query) {

            $msg = "<div class='alert alert-success'>Account verification has been successfully
completed.</div>";

        }

        } else { header("Location:
            index.php");

        }

    }

}

if (isset($_POST['submit'])) {
    $email = mysqli_real_escape_string($conn, $_POST['email']);
```

```

$password = mysqli_real_escape_string($conn, md5($_POST['password']));

$sql = "SELECT * FROM users1 WHERE email='{ $email}' AND password='{ $password}'";
$result = mysqli_query($conn, $sql);

if (mysqli_num_rows($result) === 1) {
    $row = mysqli_fetch_assoc($result);

    if (empty($row['code'])) {
        $_SESSION['SESSION_EMAIL'] = $email;
header("Location: welcome.php");
    } else {
        $msg = "<div class='alert alert-info'>First verify your account and try again.</div>";

    }
} else {
    $msg = "<div class='alert alert-danger'>Email or password do not match.</div>";

}
}
?>

```

```
<!DOCTYPE html>
```

```
<html lang="zxx">
```

```
<head>
```

```
<title>Login Form - Damage Detection</title>
```

```
<!-- Meta tag Keywords -->
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
<meta charset="UTF-8" /> <meta name="keywords"
```

```
content="Login Form" />
```

```
<!-- //Meta tag Keywords -->
```

```
<link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">
```

```

<!--/Style-CSS -->

<link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--//Style- CSS ->


<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

<!-- form section start -->

<section class="w3l-mockup-form">

    <div class="container">

        <!-- /form -->

        <div class="workinghny-form-grid">

            <div class="main-mockup">

                <div class="alert-close">

                    <span class="fa fa-close"></span>

                </div>

                <div class="w3l_form align-self">

                    <div class="left_grid_info">

                        

                    </div>

                </div>

            </div>

            <div class="content-wthree">

                <h2>Login Now</h2>

                <?php echo $msg; ?>

                <form action="" method="post">

                    <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>

                    <input type="password" class="password" name="password" placeholder="Enter Your
Password" style="margin-bottom: 2px;" required>

                    <p><a href="forgot-password.php" style="margin-bottom: 15px; display: block;

```

text-align: right;">Forgot Password?</p>

<button name="submit" name="submit" class="btn" type="submit">Login</button>

</form>

<div class="social-icons">

<p>Create Account! Register.</p>

</div>

</div>

</div>

</div>

<!-- //form -->

</div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>

<script>

\$(document).ready(function (c) {

\$('.alert-close').on('click', function (c) {

\$('.main-mockup').fadeOut('slow', function (c) {
\$('.main-mockup').remove();

});

});

});

</script>

</body>

</html>

logout.php

<?php

```

session_start();
    session_unset();
    session_destroy()

;

header("Location: index.php");.php

```

Register.php

```

<?php
//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function use
    PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\SMTP;
    use PHPMailer\PHPMailer\Exception;

session_start();
if (isset($_SESSION['SESSION_EMAIL'])) {
    header("Location: welcome.php"); die(); }

//Load Composer's autoloader require
'vendor/autoload.php';

include 'config.php';
$msg = "";

if (isset($_POST['submit'])) {
    $name = mysqli_real_escape_string($conn, $_POST['name']);
    $email = mysqli_real_escape_string($conn, $_POST['email']);
    $password = mysqli_real_escape_string($conn, md5($_POST['password']));
    $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
    $code = mysqli_real_escape_string($conn, md5(rand()));

    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{ $email }'")) >
0) {
        $msg = "<div class='alert alert-danger'>{ $email } - This email address has been already
exists.</div>";
    } else { if ($password ===
        $confirm_password) {
            $sql = "INSERT INTO users1 (name, email, password, code) VALUES ('{ $name }', '{ $email }',
'{ $password }', '{ $code }')";
            $result = mysqli_query($conn, $sql);

```

```

        if ($result) { echo "<div
            style='display: none;'>";
            //Create an instance; passing `true` enables exceptions $mail
= new PHPMailer(true);

        try {

            //Server settings
$mail->SMTPDebug = SMTP::DEBUG_SERVER;          //Enable verbose debug output
            $mail->isSMTP();                        //Send using SMTP
            $mail->Host = 'smtp.gmail.com';         //Set the SMTP server to send through
            $mail->SMTPAuth = true;                 //Enable SMTP authentication
            $mail->Username = 'damagedetectionanalysis@gmail.com'; //SMTP username
            $mail->Password = 'sgmdgfpxacgtinlv';   //SMTP password
            $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS; //Enable implicit TLS encryption
            $mail->Port = 465; //TCP port to connect to; use 587 if you have set
            `SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

            //Recipients
            $mail->setFrom('damagedetectionanalysis@gmail.com');
            $mail->addAddress($email);

            //Content
            $mail->isHTML(true);          //Set email format to HTML
            $mail->Subject = 'DAMAGE DETECTION';
            $mail->Body = 'Here is the verification link <b><a
href="http://localhost/login1/?verification='.$code.'"> Link </a></b>';

            $mail->send();
            echo 'Message has been sent';
        } catch (Exception $e) { echo "Message could not be sent. Mailer
            Error: {$mail->ErrorInfo}";
        }
        echo "</div>";
        $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";
        } else {
            $msg = "<div class='alert alert-danger'>Something wrong went.</div>";
        }
        } else {
            $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match</div>";
        }
    }
}
?>

```

```

<!DOCTYPE html> <html
lang="zxx">

<head>
  <title>Login Form - Damage Detection</title>
  <!-- Meta tag Keywords -->
  <meta name="viewport" content="width=device-width,
initialscale=1"> <meta charset="UTF-8" /> <meta
name="keywords" content="Login Form" />      <!-- //Meta
tag Keywords -->

  <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

  <!--/Style-CSS -->
  <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />      <!--//Style- CSS
-->

  <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

  <!-- form section start -->
  <section class="w3l-mockup-form">
    <div class="container">
      <!-- /form -->
      <div class="workinghny-form-grid">
        <div class="main-mockup">
          <div class="alert-close">
            <span class="fa fa-close"></span>
          </div>
          <div class="w3l_form align-self">
            <div class="left_grid_info">
              
            </div>
            <div>
              <div class="content-wthree">
                <h2>Register Now</h2>
                <?php echo $msg; ?>
                <form action="" method="post">
                  <input type="text" class="name" name="name" placeholder="Enter Your Name"
value="<?php if (isset($_POST['submit'])) { echo $name; } ?>" required>
                  <input type="email" class="email" name="email" placeholder="Enter Your Email"
value="<?php if (isset($_POST['submit'])) { echo $email; } ?>" required>
                  <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>

```

```

        <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
        <button name="submit" class="btn" type="submit">Register</button>
    </form>
    <div class="social-icons">
        <p>Have an account! <a href="index.php">Login</a>.</p>
    </div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {
        $('.alert-close').on('click', function (c) {
            $('.main-mockup').fadeOut('slow', function (c) {
                $('.main-mockup').remove();
            });
        });
    });
</script>

</body>

</html>

```

Welcome.php

```

<?php
    session_start();

    if (!isset($_SESSION['SESSION_EMAIL'])) {
        header("Location: index.php");
        die();
    }

include 'config.php';

$query = mysqli_query($conn, "SELECT * FROM users1 WHERE
email='{$_SESSION['SESSION_EMAIL']}'");

```



```

        if (mysqli_num_rows($query) > 0) {
            $row = mysqli_fetch_assoc($query);

            echo "Welcome " . $row['name'] . " <a href='logout.php'>Logout</a>";
        }
    }
?>

```

Forgot password.php

```

<?php

session_start(); if
(isset($_SESSION['SESSION_EMAIL'])) {

    header("Location: welcome.php");

    die();

}

//Import PHPMailer classes into the global namespace
//These must be at the top of your script, not inside a function
use
PHPMailer\PHPMailer\PHPMailer; use
PHPMailer\PHPMailer\SMTP; use
PHPMailer\PHPMailer\Exception;
//Load Composer's autoloader require
'vendor/autoload.php';

include 'config.php';

$msg = "";

if (isset($_POST['submit'])) {

    $email = mysqli_real_escape_string($conn, $_POST['email']);

    $code = mysqli_real_escape_string($conn, md5(rand()));

```

```

    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE email='{ $email}'"))
    >
    0) {

        $query = mysqli_query($conn, "UPDATE users1 SET code='{ $code}' WHERE email='{ $email}'");

        if ($query) { echo "<div
            style='display: none;'>";

            //Create an instance; passing `true` enables exceptions
            $mail = new PHPMailer(true);

            try {

                //Server settings

                $mail->SMTPDebug = SMTP::DEBUG_SERVER;           //Enable verbose debug
                output
                $mail->isSMTP();    //Send using SMTP

                $mail->Host  = 'smtp.gmail.com'; //Set the SMTP server to send through    $mail->SMTPAuth
                = true;    //Enable SMTP authentication

                $mail->Username = 'damagedetectionanalysis@gmail.com';    //SMTP username    $mail-
                >Password = 'sgmdgfpxacgtinlv';    //SMTP password

                $mail->SMTPSecure = PHPMailer::ENCRYPTION_SMTPS;    //Enable implicit TLS
                encryption
                $mail->Port = 465; //TCP port to connect to; use 587 if you have set
                `SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS`

                //Recipients

                $mail->setFrom('damagedetectionanalysis@gmail.com');    $mail-
                >addAddress($email);

                //Content

                $mail->isHTML(true);    //Set email format to HTML

                $mail->Subject = 'DAMAGE DETECTION';

                $mail->Body = 'Here is the verification link <b><a
                href="http://localhost/login1/changepassword.php?reset='.$code.'">Reset-Password</a></b>';

                $mail->send();

```

```

        echo 'Message has been sent';
    } catch (Exception $e) {
        echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";

    }

    echo "</div>";

    $msg = "<div class='alert alert-info'>We've send a verification link on your email
address.</div>";

    }

    } else {

        $msg = "<div class='alert alert-danger'>$email - This email address do not found.</div>";

    }

}

?>

```

```

<!DOCTYPE html>

```

```

<html lang="zxx">

```

```

<head>

```

```

    <title>Login Form - Damage Detection</title>

```

```

    <!-- Meta tag Keywords -->

```

```

    <meta name="viewport" content="width=device-width, initial-scale=1">

```

```

<meta charset="UTF-8" /> <meta name="keywords" content="Login Form"

```

```

/>

```

```

    <!-- //Meta tag Keywords -->

```

```

    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

```

```

    <!--/Style-CSS -->

```

```

    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" /> <!--/Style- CSS ->

```

```

<script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

</head>

<body>

  <!-- form section start -->

  <section class="w3l-mockup-form">

    <div class="container">

      <!-- /form -->
      <div class="workinghny-form-grid">

        <div class="main-mockup">

          <div class="alert-close">

            <span class="fa fa-close"></span>

          </div>
          <div class="w3l_form align-self">

            <div class="left_grid_info">

              

            </div>

          </div>

          <div class="content-wthree">

            <h2>Forgot Password</h2>

            <?php echo $msg; ?>

            <form action="" method="post">

              <input type="email" class="email" name="email" placeholder="Enter Your Email"
required>

              <button name="submit" class="btn" type="submit">Send Reset Link</button>

            </form>

            <div class="social-icons">

              <p>Back to! <a href="index.php">Login</a>.</p>

            </div>

          </div>

        </div>

      </div>

    </div>

  </div>

```

```

        </div>

        <!-- //form -->

    </div>

</section>

<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
    $(document).ready(function (c) {

        $('alert-close').on('click', function (c) {

            $('main-mockup').fadeOut('slow', function (c) {

                $('main-mockup').remove();
            });

        });

    });

</script>

</body>

```

```
</html>
```

Change Password

```

<?php

$msg = "";

include 'config.php';

if (isset($_GET['reset'])) {
    if (mysqli_num_rows(mysqli_query($conn, "SELECT * FROM users1 WHERE
code='{$_GET['reset']}'")) > 0) {
        if (isset($_POST['submit'])) {
            $password = mysqli_real_escape_string($conn, md5($_POST['password']));
            $confirm_password = mysqli_real_escape_string($conn, md5($_POST['confirm-password']));
            if ($password === $confirm_password) {
                $query = mysqli_query($conn, "UPDATE users1 SET password='{ $password}', code=" WHERE
code='{$_GET['reset']}'");

                if ($query) { header("Location:

```

```

        index.php"); } }
    else {
        $msg = "<div class='alert alert-danger'>Password and Confirm Password do not match.</div>";
    }
}
} else {
    $msg = "<div class='alert alert-danger'>Reset Link do not match.</div>";
}
} else { header("Location: forgotpassword.php");
}

```

?>

```

<!DOCTYPE html> <html
lang="zxx"> <head>
    <title>DAMAGE DETECTION</title>
    <!-- Meta tag Keywords -->
    <meta name="viewport" content="width=device-width,
initialscale=1"> <meta charset="UTF-8" /> <meta
name="keywords" content="Login Form" />      <!-- //Meta
tag Keywords -->

```

```

    <link href="//fonts.googleapis.com/css2?family=Poppins:wght@300;400;500;600&display=swap"
rel="stylesheet">

```

```

    <!--/Style-CSS -->
    <link rel="stylesheet" href="css/style.css" type="text/css" media="all" />      <!--//Style- CSS
-->

```

```

    <script src="https://kit.fontawesome.com/af562a2a63.js" crossorigin="anonymous"></script>

```

</head>

<body>

```

    <!-- form section start -->
    <section class="w3l-mockup-form">
        <div class="container">
            <!-- /form -->
            <div class="workinghny-form-grid">
                <div class="main-mockup">
                    <div class="alert-close">
                        <span class="fa fa-close"></span>
                    </div>
                    <div class="w3l_form align-self">
                        <div class="left_grid_info">
                            
                        </div>

```

```

</div>
<div class="content-wthree">
  <h2>Change Password</h2>
  <?php echo $msg; ?>
  <form action="" method="post">
    <input type="password" class="password" name="password" placeholder="Enter Your
Password" required>
    <input type="password" class="confirm-password" name="confirm-password"
placeholder="Enter Your Confirm Password" required>
    <button name="submit" class="btn" type="submit">Change Password</button>
  </form>
  <div class="social-icons">
    <p>Back to! <a href="index.php">Login</a>.</p>
  </div>
</div>
</div>
</div>
<!-- //form -->
</div>
</section>
<!-- //form section start -->

<script src="js/jquery.min.js"></script>
<script>
  $(document).ready(function (c) {
    $('alert-close').on('click', function (c) {
      $('main-mockup').fadeOut('slow', function (c) {
        $('main-mockup').remove();
      });
    });
  });
</script>

</body>

</html>

```

Style.css

```

html {
  scroll-behavior:
smooth; }

body, html { margin: 0; padding: 0;
font-family: 'Poppins', sans-serif; }
* { box-sizing: border-box;
}

```

```
.d-grid {  
display: grid; }
```

```
.d-flex {      display:  
flex; display: -  
webkitflex; }
```

```
.text-center { text-align:  
center;  
}
```

```
.text-left {  
      text-align:  
left; }
```

```
.text-right { text-align: right;  
}
```

```
button, input, select { -webkit-  
appearance: none; outline: none;  
font-family: 'Poppins', sans-serif;  
}
```

```
button, .btn,  
select {  
      cursor:  
pointer; }
```

```
a {      text-decoration:  
none; }
```

```
img {      max-width:  
100%;  
}
```

```
ul      { margin: 0;  
padding: 0  
} h1,  
h2, h3,  
h4, h5,  
h6, p {  
margin:  
n: 0;  
padding  
g: 0 }
```

```
p {      color:  
#666; font-size:  
16px; line-height:
```



```
25px; opacity: .6; }
```

```
.p-relative { position:  
relative; }
```

```
.p-absolute { position:  
absolute;  
}
```

```
.p-fixed { position:  
fixed;  
}
```

```
.p-sticky { position:  
sticky;  
}
```

```
.btn, button, .actionbg, input { borderradius:  
4px; -webkit-border-radius: 4px;  
-moz-border-radius: 4px;  
-o-border-radius: 4px;  
-ms-border-radius: 4px;  
}
```

```
.btn:hover, button:hover { transition:  
0.5s ease; -webkit-  
transition: 0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;  
-moz-transition: 0.5s ease; }
```

```
/*-- wrapper start --*/
```

```
.wrapper { width: 100%; padding-  
right: 15px;  
padding-left: 15px; margin-  
right: auto; margin-left: auto; }
```

```
@media (min-width: 576px) { .wrapper  
{ max-width:  
540px;  
} }
```

```
@media (min-width: 768px) { .wrapper  
{ max-width:  
720px;  
}  
}
```

```
@me  
dia  
(min-
```

```
width
:
992p
x) {
.wrap
per {
```

```
max-
width
:
960px;
}
}
```

```
@media (min-width: 1200px) { .wrapper
{      max-width:
1140px;
}
}
```

```
.wrapper-full {
width: 100%;
padding-right: 15px;
padding-left: 15px;
margin-right: auto;
margin-left: auto; }
```

```
/*-- //wrapper start --*/
```

```
/*-- form styling --*/ .w3l-mockup-form { position:
relative; min-height:
100vh;      z-index: 0;
background: rgba(99, 194, 110, 0.1);
padding:
40px 40px;
}
```

```
.container {
maxwidth: 890px;
margin: 0 auto; }
```

```
.w3l_form { padding: 0px;
flexbasis: 50%; -webkit-flex- basis:
50%; background:#007ac1;
padding: 100px 50px;
border-top-left- radius: 8px;      border-
bottom- left-radius:
8px; display: flex; justify- content:
center;      align-items:
center; }
```

```
.content-wthree { flex-
basis: 60%; -webkit-flex-
basis: 60%; box-sizing:
border-box; padding: 3em
3.5em; background:
#fff; box-shadow: 2px 9px 49px -17px rgba(0, 0, 0, 0.1);
border-top-right-radius: 8px; borderbottom-right-
radius: 8px; }
```

```
.w3l-workinghny-form .logo { text-align:
center; }
```

```
.w3l-mockup-form .main-mockup
{ position: relative; display: -
webkit-box; display: -moz-box;
display: -ms-flexbox; display: -
webkit-flex;
display: flex; margin: 40px
0; }
```

```
.w3l-mockup-form .alert-close {
cursor: pointer; height: 35px;
width: 35px; line-height:
35px; position: absolute;
right: -5px; top: -5px;
background: #005fc1;
border-radius:
50px; color: #fff;
text-align: center; }
```

```
.w3l-mockup-form form {
margin-top: 30px; margin-
bottom: 30px; }
```

```
.social-icons { text-
align: center;
}
```

```
.w3l-mockup-form h1 { text-align:
center;
font-size: 40px; font-
weight: 500; color:
#3b3663;
}
```

```
.w3l-mockup-form h2 { display:
inline-block; font-size: 25px;
line-height: 35px; margin-
bottom: 5px; font-
weight: 600; color:
```

```
#3b3663; }
```

```
.w3l-mockup-form input { outline:  
none;  
margin-bottom: 15px;  
font-size: 16px;  
color: #999; text-align: left; padding: 14px  
20px; width: 100%;  
display: inline-block;  
box-sizing: border-box;  
border: none; outline:  
none; background:  
transparent; border: 1px  
solid #e5e5e5;  
transition:  
0.3s all ease; }
```

```
.w3l-mockup-form input:focus { border-color:  
#005fc1;  
}
```

```
.w3l-mockup-form button {  
font-size: 18px; color:  
#fff; width: 100%;  
background-color: #0056c1; border:  
none; padding: 14px 15px;  
font-weight: 500;  
transition: .3s ease; -  
webkit-transition: .3s ease;  
-moz-transition: .3s ease;  
-ms-transition: .3s ease;  
-o-transition: .3s ease; }
```

```
.w3l-mockup-form button:hover { background:  
#005fc1; }
```

```
.w3l-mockup-form .social-icons ul li { liststyle:  
none;  
display: inline-block;  
}  
.w3l-mockup-form .social-icons ul li a {  
padding: 8px; }
```

```
.w3l-mockup-form .social-icons ul li a:hover {  
opacity: 0.8; transition: 0.5s ease; -webkit-  
transition:  
0.5s ease;  
-o-transition: 0.5s ease;  
-ms-transition: 0.5s ease;
```

```
-moz-transition: 0.5s ease; }
```

```
.w3l-mockup-form .social-icons ul span.fa { color:  
    #696687; font-  
size: 18px; opacity: .8; }
```

```
.w3l-mockup-form .social-icons ul li a.facebook span {  
color: #3b5998; }
```

```
.w3l-mockup-form .social-icons ul li a.twitter span { color:  
#007ac1;  
}
```

```
.w3l-mockup-form .social-icons ul li a.pinterest span {  
color: #e60023; }
```

```
.copyright p { text-align:  
center; font-size: 17px; line-  
height: 26px; color:  
#607863; opacity: 1;  
}
```

```
p.copy-footer-29 a {  
color: #517856; }
```

```
p.copy-footer-29 a:hover { color:  
#005fc1; transition: 0.5s  
ease; -webkit-transition:  
0.5s ease;  
    -o-transition: 0.5s ease;  
    -ms-transition: 0.5s ease;  
    -moz-transition: 0.5s ease;  
}
```

```
.alert { padding:  
1rem; border-  
radius: 5px; color: white;  
margin:  
1rem 0; }
```

```
.alert-success {  
background-color:  
#007ac1; }
```

```
.alert-danger {  
background-color:  
#fc5555; }
```

```
.alert-info {  
background-color: #2E9AFE;
```

```

}

.alert-warning { background-color: #ff9966;
}

/*-- responsive design --*/
@media (max-width:736px) { .w3lmockup-
form .main-mockup { flex-direction:
column; }

.w3l_form { order: 2;
padding: 50px; border-radius:
0; border-bottom-left-radius:
8px; border-bottom-right-radius:
8px;
}

.content-wthree { order: 1; border-
radius: 0;
border-top-left-radius: 8px; border-top-
rightradius: 8px; } }

@media (max-width:568px) { .w3l-
mockupform h1 { font- size: 30px; }

.w3l-mockup-form .main-mockup {
margin: 30px 0;
}

.content-wthree {
padding: 2.5em; } }

@media (max-width: 415px) { .w3l-mockup- form {
padding: 40px 30px;
}

}

@media (max-width:384px) { .w3l-mockup- form {
padding: 30px 15px; }

.content-wthree {
padding: 2em;
}

.w3l-mockup-form h1 { fontsize:
28px;
}

```

```
.w3l-mockup-form h2 {
font-size: 22px; lineheight:
32px; }

.copyright p {
font-size: 16px; } }

/*-- //responsive design --*/ /*--
//form styling --*/
```

login.sql

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";


/*!40101 SET
           @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET
           @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET
           @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;

--
-- Database: `login1`
--

-----

--
```

```

-- Table structure for table `users1`

--
CREATE TABLE `users1` (
  `id` int(11) NOT NULL,
  `name` varchar(255) NOT NULL,
  `email` varchar(255) NOT NULL,
  `password` varchar(255) NOT NULL,
  `code` text NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;

--

-- Indexes for dumped tables

--

-- Indexes for table `users1`

--
ALTER TABLE `users1`
  ADD PRIMARY KEY (`id`);

--

-- AUTO_INCREMENT for dumped tables

--

-- AUTO_INCREMENT for table `users1`

--
ALTER TABLE `users1`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT;
COMMIT;

/*!40101 SET
  CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

```


/*!40101 SET

CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;

/*!40101 SET

COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;