



MAHENDRA INSTITUTE OF TECHNOLOGY

Department of Computer Science and Engineering

Smart Farmer-IOT Enabled Smart Farming Application

IBM NALAIYATHIRAN

Solution Requirements

TITLE	Smart Farmer-IOT Enabled Smart Farming Application
DOMAIN NAME	INTERNET OF THINGS
TEAM ID	PNT2022TMID17252
LEADER NAME	KARTHICKRAJA M
TEAM MEMBER NAME	KAVIN M KAVIYARASAN R LOGANATHAN K
MENTOR NAME	DIVYA BHARATHI G

Functional Requirements:

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Gmail
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	Log in to system	Check Credentials Check Roles of Access.
FR-4	Manage Modules	Manage System Admins Manage Roles of User Manage User permission
FR-5	Check whether details	Temperature details Humidity details
FR-6	Log out	Exit

Non-functional Requirements:

Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Usability includes easy learn ability, efficiency in use, remember ability, lack of errors in operation and subjective pleasure.
NFR-2	Security	Sensitive and private data must be protected from their production until the decision-making and storage stages.
NFR-3	Reliability	The shared protection achieves a better trade-off between costs and reliability. The model uses dedicated and shared protection schemes to avoid farm service outages.
NFR-4	Performance	the idea of implementing integrated sensors with sensing soil and environmental or ambient parameters in farming will be more efficient for Overall monitoring.

NFR-5	Availability	Automatic adjustment of farming equipment made possible by linking information like crops/weather and equipment to auto-adjust temperature, humidity, etc.
NFR-6	Scalability	Scalability is a major concern for IoT platforms. It has shown that different architectural choices of IoT platforms affect system scalability and that automatic real time decision-making is feasible in An environment composed of dozens of thousand.

