
Assignment -3

Assignment Date	9 October 2022
Student Name	Saravanan S
Role	Team Member 1
Student Roll Number	130719104069

Question-1:

Create a Bucket in IBM object storage.


Solution:



Question-2:

Upload an 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.

Solution:



CODE:

<!DOCTYPE html>

<html>

<head>

<title>

Display Images

</title>

<link rel="stylesheet" href="style.css">

</head>

<body>

<h2>Images From Cloud Object Storage</h2>

<img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/cat.jpg" alt = "cat"
style="width:350px;height:450px;">

<img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/dog.jpg" alt = "dog"
style="width:350px;height:450px;">

<img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/tiger.jpg" alt = "tiger"
style="width:450px;height:450px;">

<img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/lion.jpg" alt = "lion"
style="width:300px;height:400px;">

<img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/goat.jpg" alt = "goat"
style="width:300px;height:400px;">

</body>

</html>

Question-3:

Upload a css page to the object storage and use the same page in your HTML code.

Solution:

```
<!DOCTYPE html>
<html>
<head>
  <title>
    Display Images
  </l></l></l></l></l></l
</head>
<body>
  <h2>Images and Style page From Cloud Object Storage </h2>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/cat.jpg" alt = "cat"</pre>
style="width:350px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/dog.jpg" alt = "dog"</pre>
style="width:350px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/tiger.jpg" alt = "tiger"</pre>
style="width:450px;height:450px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/lion.jpg" alt = "lion"</pre>
style="width:300px;height:400px;"></img>
  <img src="https://bucket0289.s3.jp-tok.cloud-object-storage.appdomain.cloud/goat.jpg" alt = "goat"</pre>
style="width:300px;height:400px;"></img>
</body>
</html>
```

Question-4:

Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Solution:

```
}
   "response_type": "text",
   "selection_policy": "sequential"
}
 "generic": [
   "values": [
     "text_expression": {
      "concat": [
        "scalar": "Thanks! What's your **last name**?"
   "response_type": "text",
   "selection_policy": "sequential"
}
{
 "generic": [
   "values": [
     "text_expression": {
      "concat": [
        "scalar": "Thanks!\n\nplease go through this link for more
details! \\ \n\file: ///C: /Users/priyanka/Desktop/sample.html)"
   "response_type": "text",
   "selection_policy": "sequential"
}
 "generic": [
```

```
"values": [
     "text_expression": {
       "concat": [
         "scalar": "The hospital Branches are
[link](https://file:///C:/Users/priyanka/Desktop/sample.html)"
      ]
     }
    }
   "response_type": "text",
   "selection_policy": "sequential"
 ]
}
{
 "generic": [
   "values": [
      "text expression": {
       "concat": [
         "scalar": "Do you have any other questions?"
        }
    }
   ],
   "response type": "text",
   "selection_policy": "sequential"
  },
   "options": [
     "label": "Yes",
      "value": {
       "input": {
        "text": "Yes"
     }
    },
      "label": "No",
     "value": {
      "input": {
        "text": "No"
      }
     }
    }
```

```
"response_type": "option",
   "repeat_on_reprompt": true
]
}
{
 "generic": [
   "values": [
     "text_expression": {
      "concat": [
         "scalar": "I would like to connect with Our Agent!"
      ]
   "response_type": "text",
   "selection_policy": "sequential"
]
}
{
 "generic": [
   "values": [
     "text_expression": {
      "concat": [
         "scalar": "Thanks! It was great talking with you. Have a great Day ahead."
       }
     }
    }
   "response_type": "text",
   "selection_policy": "sequential"
]
}
 "generic": [
   "values": [
     "text_expression": {
      "concat": [
       {
```

```
"scalar": "I would like to connect to the Live agent! Just give me a sec!"
     ]
    }
   }
  "response_type": "text",
  "selection_policy": "sequential"
 },
  "options": [
    "label": "Yes",
    "value": {
     "input": {
      "text": "Yes"
     }
    }
   },
    "label": "No",
    "value": {
     "input": {
       "text": "No"
   }
  "response_type": "option",
  "repeat_on_reprompt": true
]
"generic": [
  "values": [
    "text_expression": {
     "concat": [
        "scalar": "Thank you for your Time! Hope have a good day!"
      }
     ]
  "response_type": "text",
  "selection_policy": "sequential"
 }
```


} {

}

Question-5:

Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

ChatBot Page



html code:

```
<!DOCTYPE html>
<html>
<head>
  <title>
    Display Images
  </title>
  <link rel="stylesheet" href="style.css">
  <script>
    window.watsonAssistantChatOptions = {
     integrationID: "35636669-cd5e-400e-a10e-4a7b22fa467c", // The ID of this integration.
     region: "au-syd", // The region your integration is hosted in.
     serviceInstanceID: "72c42f57-ebec-41d0-8ea9-da4e33c8000a", // The ID of your service instance.
     onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
     const t=document.createElement('script');
     t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | | 'latest') + "/WatsonAssistantChatEntry.js";
     document.head.appendChild(t);
    });
   </script>
</head>
<body>
  <h1>ChatBot Page </h1>
</body>
</html>
```