



DEPLOY ON KUBERNETES

Create a Kubernetes cluster


- Sign in to your [IBM Cloud Dashboard](#).
- Open **IBM Kubernetes Service**.




- Click **Create Cluster**.



- Select the **Region** where you want to deploy the cluster, type in a **name** for your cluster, then click **Create Cluster**.
- Select the appropriate cluster type depending on your account.
- It takes some time for the cluster to get ready (around 30 minutes).



- Once the cluster is ready, click on your cluster's name and you will be redirected to a new page with information about your cluster and worker node.



- Click on the **Worker Nodes** tab to note the cluster's Public IP.

The screenshot shows the IBM Cloud console interface for a cluster named 'mycluster-free'. The 'Worker nodes' tab is active, displaying a table with one worker node. The node's status is 'Provisioning - Master is deploying'. The table includes columns for Name, Status, Worker pool, Zone, Private IP, Public IP, and Version. The Public IP is 159.122.179.173. A sidebar on the right contains a 'Help' section with links like 'Log in to your cluster', 'Deploy your app', etc.

Name	Status	Worker pool	Zone	Private IP	Public IP	Version
00000007	Provisioning - Master is deploying	default	Milan 01	10.144.217.103	159.122.179.173	--> 1.24.7_1543