Assignment -3
Convolutional Neural Networks

Assignment Date	31 October 2022
Student Name	Balasubramanian
Student Roll Number	720419104006
Maximum Marks	2 Marks

#Import necessary libraries

from tensorflow.keras.models import Sequential

from tensorflow.keras.layers import Dense

from tensorflow.keras.layers import Convolution2D

from tensorflow.keras.layers import MaxPooling2D

from tensorflow.keras.layers import Flatten

#Image augmentation

from tensorflow.keras.preprocessing.image import ImageDataGenerator

train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True, vertical_flip=True)

test_datagen = ImageDataGenerator(rescale=1./255)

```
In [1]: #Import necessary libraries
        from tensorflow.keras.models import Sequential
        from tensorflow.keras.layers import Dense
        from tensorflow.keras.layers import Convolution2D
        from tensorflow.keras.layers import MaxPooling2D
        from tensorflow.keras.layers import Flatten
```

```
In [2]: #Image augmentation
        from tensorflow.keras.preprocessing.image import ImageDataGenerator
        train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)
        test_datagen = ImageDataGenerator(rescale=1./255)
```

#data set

x_train = train_datagen.flow_from_directory(r"E:\Flowers\Training",target_size=(128,128),batch_size=32,class_mode="categorical")

```
x_test =
test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=3
2,class_mode="categorical")

x_train.class_indices

model = Sequential()
```

```
In [2]: #Image augmentation
        from tensorflow.keras.preprocessing.image import ImageDataGenerator
        train_datagen = ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)
        test_datagen = ImageDataGenerator(rescale=1./255)

In [3]: x_train = train_datagen.flow_from_directory(r"E:\Flowers\Training",target_size=(128,128),batch_size=32,class_mode="categorical")
        x_test = test_datagen.flow_from_directory(r"E:\Flowers\Testing",target_size=(128,128),batch_size=32,class_mode="categorical")
        x_train.class_indices

        Found 3003 images belonging to 5 classes.
        Found 1325 images belonging to 5 classes.

Out[3]: {'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}
```

#Add layers

#Convolution layer

model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))

#Maxpooling layer

model.add(MaxPooling2D(pool_size=(2,2)))

#flatten layer

model.add(Flatten())

#hidden layer

model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))

model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))

model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))

model.summary()

```
In [4]: model = Sequential()
        #Add Layers
        #Convolution Layer
        model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))
        #Maxpooling Layer
        model.add(MaxPooling2D(pool_size=(2,2)))
        #flatten Layer
        model.add(Flatten())
        #hidden Layer
        model.add(Dense(units=300,kernel_initializer="random_uniform",activation="relu"))
        model.add(Dense(units=200,kernel_initializer="random_uniform",activation="relu"))
        model.add(Dense(units=5,kernel_initializer="random_uniform",activation="softmax"))
        model.summary()
```

```
Model: "sequential"
_____
 Layer (type)                Output Shape              Param #
=================================================================
 conv2d (Conv2D)             (None, 126, 126, 32)      896

 max_pooling2d (MaxPooling2D  (None, 63, 63, 32)        0
 )

 flatten (Flatten)           (None, 127008)            0

 dense (Dense)               (None, 300)               38102700

 dense_1 (Dense)             (None, 200)               60200

 dense_2 (Dense)             (None, 5)                 1005

=================================================================

=================================================================
Total params: 38,164,801
Trainable params: 38,164,801
Non-trainable params: 0
_____
```

#compile the model

model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=["accuracy"])

#Fit the model

model.fit_generator(x_train,steps_per_epoch=75,epochs=15,validation_data=x_test,validation_steps=80)

```
In [6]: #compile the model
        model.compile(loss="categorical_crossentropy",optimizer="adam",metrics=["accuracy"])
        #Fit the model
        model.fit_generator(x_train,steps_per_epoch=75,epochs=15,validation_data=x_test,validation_steps=80)

        C:\Users\hp\Anaconda3\lib\site-packages\ipykernel_launcher.py:4: UserWarning: `Model.fit_generator` is deprecated and will be r
        emoved in a future version. Please use `Model.fit`, which supports generators.
          after removing the cwd from sys.path.

        Epoch 1/15
        75/75 [==============================] - ETA: 0s - loss: 1.0726 - accuracy: 0.5791WARNING:tensorflow:Your input ran out of dat
        a; interrupting training. Make sure that your dataset or generator can generate at least `steps_per_epoch * epochs` batches (in
        this case, 80 batches). You may need to use the repeat() function when building your dataset.
        75/75 [==============================] - 83s 1s/step - loss: 1.0726 - accuracy: 0.5791 - val_loss: 1.2372 - val_accuracy: 0.504
        9
        Epoch 2/15
        75/75 [==============================] - 68s 906ms/step - loss: 0.9907 - accuracy: 0.6125
        Epoch 3/15
        75/75 [==============================] - 69s 917ms/step - loss: 0.8981 - accuracy: 0.6489
        Epoch 4/15
        75/75 [==============================] - 70s 922ms/step - loss: 0.8850 - accuracy: 0.6522
        Epoch 5/15
        75/75 [==============================] - 73s 962ms/step - loss: 0.8177 - accuracy: 0.6789
        Epoch 6/15
        75/75 [==============================] - 75s 997ms/step - loss: 0.8101 - accuracy: 0.6917
        Epoch 7/15
        75/75 [==============================] - 73s 966ms/step - loss: 0.8099 - accuracy: 0.6868
        Epoch 8/15
        75/75 [==============================] - 72s 957ms/step - loss: 0.7574 - accuracy: 0.7229
        Epoch 9/15
        75/75 [==============================] - 70s 926ms/step - loss: 0.7146 - accuracy: 0.7215
        Epoch 10/15
```

```
75/75 [==============================] - 69s 911ms/step - loss: 0.6867 - accuracy: 0.7446
Epoch 11/15
75/75 [==============================] - 69s 920ms/step - loss: 0.6735 - accuracy: 0.7404
Epoch 12/15
75/75 [==============================] - 70s 931ms/step - loss: 0.6735 - accuracy: 0.7562
Epoch 13/15
75/75 [==============================] - 69s 919ms/step - loss: 0.6310 - accuracy: 0.7595
Epoch 14/15
75/75 [==============================] - 75s 995ms/step - loss: 0.6296 - accuracy: 0.7724
Epoch 15/15
75/75 [==============================] - 75s 988ms/step - loss: 0.6024 - accuracy: 0.7775
```

#Save the model

model.save("flower.h5")

from tensorflow.keras.models import load_model

from tensorflow.keras.preprocessing import image

import numpy as np

model = load_model("Flower.h5")

```
In [7]: #Save the model
        model.save("flower.h5")
```

#Test the model:

img = image.load_img(r"C:\Users\hp\Downloads\rose.jpg",target_size=(128,128))

img

type(img)

```
x = image.img_to_array(img)

x

x.shape

x = np.expand_dims(x,axis=0)

x.shape
```

```
pred_prob = model.predict(x)

pred_prob
```

```
In [8]: from tensorflow.keras.models import load_model
        from tensorflow.keras.preprocessing import image
        import numpy as np
        model = load_model("Flower.h5")
```

```
In [10]: #Testing with the image
         img = image.load_img(r"C:\Users\hp\Downloads\rose.jpg",target_size=(128,128))
         img
         type(img)
```

```
Out[10]: PIL.Image.Image
```

```
In [11]: x = image.img_to_array(img)
         x
         x.shape
         x = np.expand_dims(x,axis=0)
         x.shape
```

```
Out[11]: (1, 128, 128, 3)
```

```
In [12]: pred_prob = model.predict(x)
         pred_prob
```

```
Out[12]: array([[0., 0., 1., 0., 0.]], dtype=float32)
```

```
class_name = ["daisy","dandelion","rose","sunfower","tulip"]
```

```
pred_id = pred_prob.argmax(axis=1)[0]

pred_id

print("Predicted flower is",str(class_name[pred_id]))
```

```
In [13]: class_name = ["daisy","dandelion","rose","sunfower","tulip"]
```

```
In [15]: pred_id = pred_prob.argmax(axis=1)[0]
         pred_id
         print("Predicted flower is",str(class_name[pred_id]))
```

```
Predicted flower is rose
```