Team Id: PNT2022TMID07703

Model Building

Fit And Save The Model

```
In []:
from tensorflow.keras.preprocessing.image import ImageDataGenerator
In []:
# Training Datagen train datagen =
ImageDataGenerator(rescale=1/255, zoom range=0.2, horizontal flip=True, vertica
1 flip=False) # Testing Datagen
test datagen = ImageDataGenerator(rescale=1/255)
In []:
# Training Dataset
x train=train datagen.flow from directory(r'/content/drive/MyDrive/Dataset/t
raining set', target size=(64,64), class mode='categorical', batch size=900)
# Testing Dataset
x test=test datagen.flow from directory(r'/content/drive/MyDrive/Dataset/tes
t set',target size=(64,64), class mode='categorical',batch size=900)
Found 15760 images belonging to 9 classes. Found
2250 images belonging to 9 classes.
In []:
# Save Model Using Pickle import pandas from sklearn
import model selection from sklearn.linear model
import LogisticRegression import pickle
In []:
url =
"https://raw.githubusercontent.com/jbrownlee/Datasets/master/pimaindians
- diabetes.data.csv" names = ['preg', 'plas', 'pres', 'skin', 'test',
'mass', 'pedi', 'age',
'class'] dataframe = pandas.read csv(url,
names=names) array = dataframe.values
= array[:,0:8] Y = array[:,8] test size =
0.33 \text{ seed} = 7
X train, X test, Y train, Y test = model selection.train test split(X, Y,
test size=test size, random state=seed)
In []:
# Fit the model on training set
model = LogisticRegression()
model.fit(X train, Y train) # save the model
to disk filename = 'finalized_model.sav'
pickle.dump(model, open(filename, 'wb'))
# load the model from disk loaded model =
pickle.load(open(filename, 'rb')) result
```

```
= loaded model.score(X test, Y test) print(result)
In []:
print("Len x-train : ", len(x train)) print("Len
x-test : ", len(x test))
Len x-train : 18 Len x-
test: 3
In []:
# The Class Indices in Training Dataset x train.class indices
Out[]:
{'A': 0, 'B': 1, 'C': 2, 'D': 3, 'E': 4, 'F': 5, 'G': 6, 'H': 7, 'I': 8}
Model Creation
In []:
# Importing Libraries from tensorflow.keras.models
import Sequential
from tensorflow.keras.layers import Convolution2D, MaxPooling2D, Flatten, Dense
In []:
# Creating Model model=Sequential()
In []:
# Adding Layers
model.add(Convolution2D(32,(3,3),activation='relu',input shape=(64,64,3)))
In []:
model.add(MaxPooling2D(pool size=(2,2)))
In []:
model.add(Flatten())
In []:
 # Adding Dense Layers model.add(Dense(300,activation='relu'))
model.add(Dense(150,activation='relu'))
model.add(Dense(9,activation='softmax'))
In []:
# Compiling the Model
model.compile(loss='categorical crossentropy',optimizer='adam',metrics=['acc
uracy'])
In []:
# Fitting the Model Generator
model.fit generator(x train, steps per epoch=len(x train), epochs=10, validatio
n_data=x_test, validation_steps=len(x_test))
/usr/local/lib/python3.7/dist-packages/ipykernel launcher.py:2: UserWarning:
```

`Model.fit_generator` is deprecated and will be removed in a future version. Please use `Model.fit`, which supports generators.

```
0.0049 - accurac y: 0.9994 - val loss: 0.2635 - val accuracy: 0.9773 Epoch
0.0040 - accurac y: 0.9995 - val loss: 0.2074 - val accuracy: 0.9773
Epoch 3/10
18/18 [============= ] - 87s 5s/step - loss: 0.0041 -
accurac y: 0.9995 - val loss: 0.2460 - val accuracy: 0.9773
0.0041 - accurac y: 0.9992 - val loss: 0.2470 - val accuracy: 0.9782 Epoch
accurac y: 0.9993 - val loss: 0.2439 - val accuracy: 0.9782 Epoch 6/10
accurac y: 0.9997 - val loss: 0.2852 - val accuracy: 0.9782 Epoch 7/10
0.0023 - accurac y: 0.9997 - val loss: 0.2589 - val accuracy: 0.9782 Epoch
8/10
accurac y: 1.0000 - val loss: 0.2523 - val accuracy: 0.9782
0.0013 - accurac y: 0.9999 - val loss: 0.2269 - val accuracy: 0.9778
Epoch 10/10
accurac y: 0.9999 - val loss: 0.2968 - val accuracy: 0.9782
```

Out[]:

Saving the Model

```
In []:
```

model.save('asl model 84 54.h5