ASSIGNMENT 2

Date	03 October 2022
Team ID	PNT2022TMID17328
Project Name	Project – NEWS TRACKER APPLICATION
Team member	Sandhiya shree v, prabhasri R,Pavithra V,
	Priyadharshini V

app.py:

```
from flask import
Flask, render_template, request, url_for, redirect, flash
from markupsafe import escape
app=Flask(__name_ _)
@app.route("/")
def index():
    return render_template("home.html")
@app.route("/home.html")
def hello():
     return render_template("home.html")
@app.route("/about.html")
def profile():
     return render_template("about.html")
@app.route("/signup.html")
def signup():
     return render_template("signup.html")
@app.route("/signin.html")
def signin():
    return render_template("signin.html")
@app.errorhandler(404)
def page_not_found (error):
    return render_template('page_not_found.html'),404
```

Templates:

Home page

```
{% extends 'base.html' % }

{% block head % }

<title>home page</title>
{% endblock % }

{% block body % }

<main class="px-3">

<h1>Cover your page. </h1>
hi you can signin here 

<p class-"
```

Base page:

```
<!DOCTYPE html>
 <html lang="en">
     <head>
          <meta charset="utf-8">
          <meta name="viewport" content="width=device-width, initial</pre>
 scale=1">
 link
 href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min."
 css" rel="stylesheet" integrity="sha384-
 EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC
 crossorigin="anonymous">
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bundle
.min.js" integrity="sha384-
MrCW6ZMFY1zcLA8N1 + NtUVF0sA7MsXsP1UyJoMp4YLEuNS
fAP+JcXn/tWtIaxVXM^{TM}
crossorigin="anonymous"></script>
```

```
<!-- <li>tylesheet" href="{{url_for('static',
filename='css/style.css')}}">-->
{% block head%}{% endblock %)
</head>
<body>
    <nav class="navbar navbar-expand-1g navbar-light bg-light">
        <div class="container-fluid">
          <a class="navbar-brand" href="#">Navbar</a>
          <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria -
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
         </button>
         <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
        cli class="nav-item">
             <a class="nav-link active" aria-current="page"
href="home.html">Home</a>
         class="nav-item">
             <a class="nav-link" href="about.html">about</a>
         <a class="nav-link dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
```

```
Dropdown
             </a>
            labelledby="navbarDropdown">
                <a class="dropdown-item" href="#">Action</a>
             <a class="dropdown-item" href="#">Another
action</a>
             <hr class="dropdown-divider">
             <a class="dropdown-item" href="#">Something else</a>
here</a>
            \langle ul \rangle
         <form class="d-flex">
         <input class="form-control me-2" type="search"</pre>
placeholder="Search" aria-label="Search">
        <button class="btn btn-outline-success"
type="submit">Search</button>
           </form>
         </div>
       </div>
     </nav>
<div class="container mt-5">
     { % block body % } {% endblock % }
</div>
</body>
```

</html>

About Page:

```
{% extends 'base.html' %}

{% block head %}

<title>about page</title>
{% endblock %}

{% block body %}

<main class="px-3">

<h1>this the about page. </h1>
you will get it soon!!

<a href="#" class="btn btn-lg btn-secondary fw-bold border-white bg — white">Learn more</a>

</main>
{% endblock %}
```

Signin page:

```
{% extends "base.html"%}"
(block head).
<title>signin page</title>
(xendblock X)
(x block body %)
<h2>SIGNIN Forms</h2>
<form action-"action_page.php" method="post">
<div class="container">
<label for="uname"><b>Username</b></label> <input class="form-control" type="text"</pre>
placeholder="Enter
Username" name="uname" required>
<label for="psw"><b>Password</b></label>
<input class="form-control" type="password" placeholder="Enter</pre>
Password" name-"pew" required>cbutton style="margin-top: 2ex;margin-left:sex" class="btn btn
success" type="submit">Login</button>
</div>
<div class="container"
style="background-color:#f1f1f1;">
<span>Forgot <a href="#">password?</a></span>
</div>
</form>
{% endblock %)
```

Signup page:

```
{% extends 'base.html' % }

{% block head % }

<title>signup page</title>

{% endblock % }

{% block body % }


<h2>SIGNUP Forms</h2>

<form action="/action_page.php">


<label for="fname"> First name:</label><br>
<input type="text" id="fname" name="fname" class="form-control"><br>
<input type="text" id = "fname" name = "fname" class="form-control"><br/>
<input type="text" id = "fname" name = "fname" class="form-control"><br/>
<input type="text" id = "fname" name = "fname" class="form-control"><br/>
<input type="submit" value="Submit" class="btn btn-primary"></form>

{% endblock % }
```


Home page:



Sign in page:



Signup page:



About page:

