

Date	16 NOVEMBER 2022
Team ID	PNT2022MID17341
Project Name	Estimate the crop yield using data analytics

## What is UAT

**User Acceptance Testing (UAT)** is a type of testing performed by the end user or the client to verify/accept the software system before moving the software application to the production environment. UAT is done in the final phase of testing after functional, integration and system testing is done.

**In this UAT tutorial, you will learn:**

[What is UAT?](#)

[Purpose of UAT](#)

[Need of User Acceptance Testing](#)

[Acceptance Testing and V-Model](#)

[How to execute UAT Tests](#)

[Exit criteria for UAT:](#)


[Qualities of UAT Testers:](#)

[Best Practices:](#)

[UAT Tools](#)

[Example Guidelines for UAT](#)

## Purpose of UAT



The main **Purpose of UAT** is to validate end to end business flow. It does not focus on cosmetic errors, spelling mistakes or system testing. User Acceptance Testing is carried out in a separate

testing environment with production-like data setup. It is kind of black box testing where two or more end-users will be involved.

UAT is performed by –

Client

End users

EXPLORE MORE      Learn Java Programming with Beginners Tutorial08:32

Linux Tutorial for Beginners: Introduction to Linux Operating...01:35      What is Integration

Testing Software Testing Tutorial03:04      What is JVM (Java Virtual Machine) with

Architecture JAVA...02:24      How to write a TEST CASE Software Testing Tutorial01:08

Seven Testing Principles Software Testing05:01      Linux File Permissions Commands

with Examples13:29      How to use Text tool in Photoshop CC Tutorial08:32      What is  
NoSQL Database Tutorial02:00

Important Linux Commands for Beginners Linux Tutorial15:03

## Need of User Acceptance Testing

**Need of User Acceptance Testing** arises once software has undergone Unit, Integration and System testing because developers might have built software based on requirements document by their own understanding and further required changes during development may not be effectively communicated to them, so for testing whether the final product is accepted by client/end-user, user acceptance testing is needed.

- 1 {
  - Developers have included features on their "own" understanding
- 2 {
  - Requirements changes "not communicated" effectively to the developers


Developers code software based on requirements document which is their “own” understanding of the requirements and **may not actually be what the client needs from the software.**

Requirements changes during the course of the project may not be communicated effectively to the developers.

## Acceptance Testing and V-Model

In VModel, User acceptance testing corresponds to the requirement phase of the Software Development life cycle(SDLC).





Analysis of Business Requirements  
Creation of UAT test plan  
Identify Test Scenarios  
Create UAT Test Cases  
Preparation of Test Data(Production like Data)  
Run the Test cases  
Record the Results  
Confirm business objectives

### **Step 1) Analysis of Business Requirements**

One of the most important activities in the UAT is to identify and develop test scenarios. These test scenarios are derived from the following documents:

Project Charter  
Business Use Cases  
Process Flow Diagrams  
Business Requirements Document(BRD)  
System Requirements Specification(SRS)

### **Step 2) Creation of UAT Plan:**

The UAT test plan outlines the strategy that will be used to verify and ensure an application meets its business requirements. It documents entry and **exit criteria for UAT, Test scenarios and test cases approach and timelines of testing.**

### **Step 3) Identify Test Scenarios and Test Cases:**

Identify the test scenarios with respect to high-level business process and create test cases with clear test steps. Test Cases should sufficiently cover most of the UAT scenarios. Business Use cases are input for creating the test cases.

### **Step 4) Preparation of Test Data:**

It is best advised to use live data for UAT. Data should be scrambled for privacy and [security](#) reasons. Tester should be familiar with the database flow.

### **Step 5) Run and record the results:**

Execute test cases and report bugs if any. Re-test bugs once fixed. [Test Management](#) tools can be used for execution.

### **Step 6) Confirm Business Objectives met:**

Business Analysts or UAT Testers needs to send a sign off mail after the UAT testing. After sign-off, the product is good to go for production. Deliverables for UAT testing are Test Plan, UAT Scenarios and Test Cases, Test Results and Defect Log

## **Exit criteria for UAT:**

Before moving into production, following needs to be considered:

- No critical defects open
- Business process works satisfactorily
- UAT Sign off meeting with all stakeholders

## **Qualities of UAT Testers:**



UAT Tester should possess good knowledge of the business. He should be independent and think as an **unknown user to the system**. Tester should be Analytical and Lateral thinker and combine all sort of data to make the UAT successful.

Tester or Business Analyst or Subject Matter Experts who understand the business requirements or flows can prepare test and data which are realistic to the business.

## Best Practices:

Following points needs to be considered to make UAT Success:

- Prepare UAT plan early in the project life cycle
- Prepare Checklist before the UAT starts
- Conduct Pre-UAT session during System Testing phase itself
- Set the expectation and define the scope of UAT clearly
- Test End to End business flow and avoid system tests
- Test the system or application with real-world scenarios and data
- Think as an Unknown user to the system
- Perform Usability Testing
- Conduct Feedback session and meeting before moving to production

## UAT Tools

There are several tools in the market used for User acceptance testing and some are listed for reference:

**Fitness tool:** It is a [Java](#) tool used as a testing engine. It is easy to create tests and record results in a table. Users of the tool enter the formatted input and tests are created automatically. The tests are then executed and the output is returned back to the user.

**[Watir](#) :** It is toolkit used to automate browser-based tests during User acceptance testing. Ruby is the programming language used for inter-process communication between ruby and Internet Explorer.

## Example Guidelines for UAT

- Most of the times in regular software developing scenarios, UAT is carried out in the QA environment. If there is no staging or UAT environment
- UAT is classified into Beta and Alpha testing but it is not so important when software is developed for a service based industry
- UAT makes more sense when the customer is involved to a greater extent

## Conclusion:

In Software Engineering, Full form of UAT is User Acceptance Testing.

UAT is one of the many flavors of testing that has emerged over last twenty-five years. With UAT, the client can be sure “What to expect” from the product rather than assuming.

The benefit of UAT is that there will be no surprises when the product is released to the market.



