```
{% extends 'base.html' %}
{% block body %}
<div class="container">
<div class="row">
  <div class="col-md-5">
    <h3 class="mt-5">MONTH Expense Breakdown</h3>
    <div class="card shadow mb-2 bg-white rounded-pill">
      <div class="card-body">
      <div class="row">
        <div class="col-md-6"> DATE </div>
        <div class="col-md-6"> AMOUNT </div>
       </div>
      </div>
    </div>
    {% for row in texpense %}
    <div class="card shadow mb-2 bg-white rounded-bottom">
      <div class="card-body">
      <div class="row">
        <div id ="ttime" class="col-md-6">{{row [0]}}</div>
        <div id="tamount" class="col-md-6"> {{row[1] }} </div>
       </div>
      </div>
```

```
{% endfor %}
</div>
</div>
<section>
  <div class="row">
    <div class="col-md-6">
      <h3 class="mt-5">Expense Breakdown BY Category</h3>
      <div class="card shadow mb-2 bg-white rounded-bottom">
        <div class="card-body">
        <div class="row">
          <div class="col-md-6">Food</div>
          <div id="tfood" class="col-md-6"> {{ t_food}} </div>
         </div>
        </div>
      </div>
      <div class="card shadow mb-2 bg-white rounded">
       <div class="card-body">
       <div class="row">
         <div class="col-md-6">Entertainment</div>
         <div id="tentertainment" class="col-md-6"> {{ t_entertainment}} </div>
       </div>
       </div>
    </div>
```

</div>

```
<div class="card shadow mb-2 bg-white rounded">
  <div class="card-body">
  <div class="row">
    <div class="col-md-6">Business</div>
    <div id="tbusiness" class="col-md-6"> {{t_business}} </div>
  </div>
  </div>
</div>
<div class="card shadow mb-2 bg-white rounded">
  <div class="card-body">
  <div class="row">
    <div class="col-md-6">Rent</div>
    <div id="trent" class="col-md-6"> {{ t_rent }} </div>
  </div>
  </div>
</div>
<div class="card shadow mb-2 bg-white rounded">
  <div class="card-body">
  <div class="row">
    <div class="col-md-6">EMI</div>
    <div id="temi" class="col-md-6">{{ t_EMI }} </div>
  </div>
  </div>
```

```
</div>
```

```
<div class="card shadow mb-2 bg-white rounded">
  <div class="card-body">
  <div class="row">
    <div class="col-md-6">Other</div>
    <div id="tother" class="col-md-6"> {{ t_other}}</div>
   </div>
  </div>
</div>
<div class="card shadow mb-2 btn-outline-danger rounded-pill">
  <div class="card-body">
  <div class="row">
    <div class="col-md-6">Total</div>
    <div class="col-md-6">₹ {{total}} </div>
   </div>
  </div>
</div>
</div>
<div class="col-md-6">
<canvas id="myChart" width="400" height="400"></canvas>
<script>
  let food = document.getElementById('tfood').innerHTML
  let entertainment = document.getElementById('tentertainment').innerHTML
  let business = document.getElementById('tbusiness').innerHTML
  let rent = document.getElementById('trent').innerHTML
```

```
let emi = document.getElementById('temi').innerHTML
   let other = document.getElementById('tother').innerHTML
 var ctx = document.getElementById('myChart').getContext('2d');
 var myChart = new Chart(ctx, {
   type: 'doughnut',
   data: {
     labels: ['Food', 'Entertainment', 'Business', 'Rent', 'EMI', 'Other'],
     datasets: [{
        label: 'Expenses Chart',
        data: [food, entertainment, business, rent, emi, other],
        backgroundColor: [
        'rgb(255, 99, 132)',
        'rgb(0, 0, 0)',
        'rgb(255, 205, 86)',
        'rgb(201, 203, 207)',
         'rgb(54, 162, 235)',
          'rgb(215, 159, 64)'
       ],
     }]
   },
   options: {
     responsive: true,
     plugins: {
legend: {
 position: 'bottom',
},
title: {
 display: true,
```

```
text: 'EXPENSE BREAKDOWN'
   }
  }
     }
    });
    </script>
    </div>
  </div>
</div>
</section>
</div>
{% endblock %}
```