```
{% extends 'base.html' %}

{% block body %}
<style>
    body{
        overflow: hidden;
    }
</style>
<div class="container">
    <div class="row">
        <div class="col-md-6">
            <br>
            <br>
            <br>
            <h3>Add Expense</h3>
            <form action="/addexpense" method="POST">

                <div class="form-group">
                    <br>
                    <label for="">Date</label>
                    <input class="form-control" type="date" name="date" id="date"></div>
                <div class="form-group"> <label for="">Expense name</label>
                    <input class="form-control" type="text" name="expensename" id="expensename">
                </div>
                <div class="form-group">
                    <label for="">Expense Amount</label>
                    <input class="form-control"  type="number" min="0" name="amount" id="amount">
                </div>
```

```html
<div class="form-group">

    <label for=""></label>

    <select class="form-control" name="paymode" id="paymode">

        <option  selected hidden>Pay-Mode</option>

        <option name="cash" value="cash">cash</option>

        <option name="debitcard" value="debitcard">debitcard</option>

        <option name="creditcard" value="creditcard">creditcard</option>

        <option name="epayment" value="epayment">epayment</option>

        <option name="onlinebanking" value="onlinebanking">onlinebanking</option>


    </select>




<div class="form-group">

    <label for=""></label>

    <select class="form-control" name="category" id="category">


        <option selected hidden>Category</option>

        <option   name = "food" value="food">food</option>

        <option name = "entertainment" value="entertainment">Entertainment</option>

        <option name = "business" value="business">Business</option>

        <option name ="rent" value="rent">Rent</option>

        <option name = "EMI" value="EMI">EMI</option>

        <option name = "other" value="other">other</option>


    </select>
</div>
```

```
                    <input class="btn btn-danger" type="submit" value="Add" id="">


            </form>


            <div  style="position: relative; left: 590px; top: -460px;" class="imagge">
                <img width="120%" height="100%" src="../static/images/expense.png" class="rounded float-
left" alt="...">


                </div>


        </div>
    </div>


</div>


    {% endblock %}
```