```
{% extends 'base.html' %}

{% block body %}
<div class="container">
    <div class="row">
        <div class="col-md-6">
            <h3>Edit Expense</h3>
            <form action="/update/{{expenses[6]}}" method="POST">


                <input type="hidden" class="form-control"   name="" value = "{{expenses[6]}}" id="">


                <div class="form-group">
                    <label for="">Date</label>
                    <input class="form-control"  type="date" name="date" value="{{expenses[1]}}"
id="date"></div>




        <script type="text/javascript">
            var d = new Date(value="{{expenses[1]}}" );
            var elem = document.getElementById("date");
            elem.value = d.toISOString().slice(0,16);
        </script>



            <div class="form-group"> <label for="">Expense name</label>
```

```html
        <input class="form-control" type="text" name="expensename" value="{{expenses[2]}}"
id="expensename">
      </div>
      <div class="form-group">
        <label for="">Expense Amount</label>
        <input class="form-control"  type="number" min="0" name="amount"
value="{{expenses[3]}}" id="amount">
      </div>


      <div class="form-group">
        <label for=""></label>
        <select class="form-control" name="paymode" value="{{expenses[4]}}"  id="paymode">
          <option selected hidden>{{expenses[4]}}</option>
          <option value="cash">cash</option>
          <option value="debitcard">debitcard</option>
          <option value="creditcard">creditcard</option>
          <option value="epayment">epayment</option>
          <option value="onlinebanking">onlinebanking</option>

        </select>

     <div class="form-group">
       <label for=""></label>
       <select class="form-control" name="category" value="{{expenses[5]}}"  id="category">

          <option  selected hidden>{{expenses[5]}}</option>
          <option value="food">food</option>
          <option value="entertainment">Entertainment</option>
          <option value="business ">Business</option>
```

```html
                    <option value="rent">Rent</option>

                    <option value="EMI">EMI</option>

                    <option value="other">other</option>


                </select>
            </div>


            <input class="btn btn-danger" type="submit" value="Update" id="">


        </form>
    </div>
  </div>


</div>


  {% endblock %}
```