SETTING UP THE APPLICATION ENVIRONMENT

Docker CLI Installation

Date	3-November-2022
TeamID	PNT2022TMID17612
ProjectName	Smart Fashion Recommender Application


Team Members

- 4 Azariya J
- **4** Manikandan B
- **4** Hariharan B
- **4** Anbuselvan S

Docker Desktop Initializing: Installing Docker Desktop 4.13.1 (90346)

Docker Desktop

Initializing...



Docker CLI Installation

```
Command Prompt
                                                                                                                                                                                                                                                                          X
Microsoft Windows [Version 10.0.19044.1766]
(c) Microsoft Corporation. All rights reserved.
C:\Users\ADMIN>docker
Usage: docker [OPTIONS] COMMAND
A self-sufficient runtime for containers
              --config string
                                                                Location of client config files (default
                                                               "C:\\Users\\ADMIN\\.docker")
Name of the context to use to connect to the daemon (overrides DOCKER_HOST env var and default context set with "docker context use")
Enable debug mode
     -c, --context string
    -D, --debug
-H, --host list
-1, --log-level string
                                                             Enable debug mode
Daemon socket(s) to connect to
Set the logging level
("debug"|"info"|"warn"|"error"|"fatal")
(default "info")
Use TLS; implied by --tlsverify
Trust certs signed only by this CA (default
"C:\\Users\\ADMIN\\.docker\\ca.pem")
Path to TLS certificate file (default
"C:\\Users\\ADMIN\\.docker\\cert.pem")
Path to TLS key file (default
"C:\\Users\\ADMIN\\.docker\\key.pem")
Use TLS and verify the remote
Print version information and quit
             --tlscacert string
             --tlscert string
             --tlskey string
              --tlsverify
     -v, --version
```

Docker Desktop:

