

## Creating a Node-Red UI to view data in Separate Graphical form

Date	10 November 2022
Team ID	PNT2022TMID21050
Project Name	Gas Leakage Monitoring and Alerting System for Industries

**After creating the Node Red Web Application, we have to install the UI interface in Node Red.**

- Copy and pasting the URL of the NodeRed in the new tab



The screenshot displays the Node-RED web interface in a browser. The address bar shows the URL: <https://node-red-enzae-2022-11-05.eu-gb.mybluemix.net/red/#flow/58386317e0207858>. The interface includes a left sidebar with node categories (common, function), a central workspace with a flow diagram, and a right sidebar with a debug console.

The flow diagram in the central workspace shows a sequence of nodes: an **IBM IoT** node (labeled 'connected') feeds into four parallel function nodes: **Hazardous gas**, **Temperature**, **Humidity**, and **Pressure**. These function nodes are connected to a **msg.payload** node, which then feeds into four corresponding output nodes: **Hazardous gas**, **temperature**, **humidity**, and **Pressure**.

The right sidebar contains a **debug** console showing the following log entries:

```
8/11/2022, 9:53:17 pm node: c030ccb05b0e57d6  
iot-2/type/TestDeviceType/id/123456/evt/event_1/fmt/json :  
msg.payload : undefined  
undefined  
8/11/2022, 9:53:17 pm node: c030ccb05b0e57d6  
iot-2/type/TestDeviceType/id/123456/evt/event_1/fmt/json :  
msg.payload : undefined  
undefined  
8/11/2022, 9:53:17 pm node: c030ccb05b0e57d6  
iot-2/type/TestDeviceType/id/123456/evt/event_1/fmt/json :  
msg.payload : Object  
  { Hazardous Gas: 32, temperature: 23,  
    humidity: 25, Pressure: 78 }  
8/11/2022, 9:53:17 pm node: c030ccb05b0e57d6  
iot-2/type/TestDeviceType/id/123456/evt/event_1/fmt/json :  
msg.payload : Object  
  { Hazardous Gas: 32, temperature: 23,  
    humidity: 25, Pressure: 78 }  
8/11/2022, 9:53:18 nm node: c030ccb05b0e57d6
```

Output :



Link: <https://node-red-zuoid-2022-11-10.eu-gb.mybluemix.net/ui/#!/0?socketid=gC8tvX-RJ4EFGJTAAL>

## Result:

Thus, the Node Red UI is created successfully.