Project Development Phase Project Development Delivery of Sprint 3

Date	16 November 2022
Team ID	PNT2022TMID16025
Project Name	Project - Signs with smart connectivity for Better road safety
Marks	8 Marks

Signs with smart connectivity for Better road safety

Objective:

- >> Write a python code for print the random temperature, Road signs, Speed limit, Message
- >> Simulate and Generate the data
- >> Display the published data in IBM Watson IOT Platform

Code for print the random temperature, Road signs, Speed limit, Message:

(RandomValues.py)

```
import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json
myConfig = {
    #Configuration
    "identity": {
        "orgId": "dh6erm",
"typeId": "NodeMCU",
        "deviceId":"09876"
    },
    #API Key
    "auth": {
        "token": "12345678"
    }
}
#Receiving callbacks from IBM IOT platform
def myCommandCallback(cmd):
    print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
    m=cmd.data['command']
client = wiotp.sdk.device.DeviceClient(config=myConfig, logHandlers=None)
client.connect()
#OpenWeatherMap Credentials
BASE_URL = "https://api.openweathermap.org/data/2.5/weather?"
CITY = "Salem, IN"
URL = BASE URL + "q=" + CITY + "&units=metric"+"&appid=" + "f58e4720c739a54c439aba9b05176839"
while True:
```

```
response = requests.get(URL)
   if response.status_code == 200:
      data = response.json()
      main = data['main']
      temperature = main['temp']
      humidity = main['humidity']
      pressure = main['pressure']
      report = data['visibility']
      #messge part
      msg=random.randint(0,5)
      if msg==1:
          message="GO SLOW, SCHOOL / COLLEGE ZONE AHEAD"
      elif msg==2:
          message="NEED HELP, POLICE STATION AHEAD"
      elif msg==3:
          message="EMERGENCY, HOSPITAL NEARBY"
      elif msg==4:
         message="DINE IN, RESTAURENT AVAILABLE"
      elif msg==5:
         message="PETROL BUNK NEARBY"
      else:
         message=""
      #Speed Limit part
      speed=random.randint(0,150)
      if speed>=100:
          speedMsg=" Limit Exceeded"
      elif speed>=60 and speed<100:
          speedMsg="Moderate"else:
           speedMsg="Slow"
      #Diversion part
      sign=random.randint(0,5)
      if sign==1:
          signMsg="Right Diversion"
      elif sign==2:
          signMsg="Speed Breaker"
      elif sign==3:
          signMsg="Left Diversion"
      elif sign==4:
          signmsg="U Turn"
      else:
           signMsg=""
       #Visibility
       if temperature < 24:
           visibility="Fog Ahead, Drive Slow"
      elif temperature < 20:
          visibility="Bad Weather"
      else:
           visibility="Clear Weather"
   else:
      print("Error in the HTTP request")
   myData={'Temperature':temperature, 'Message':message, 'Sign':signMsg, 'Speed':speedMsg,
'Visibility':visibility}
    client.publishEvent(eventId="status", msgFormat="json", data=myData, qos=0, onPublish=None)
#PUBLISHING TO IOT WATSON
   print("Published data Successfully: ", myData)
```

```
print("

client.commandCallback = myCommandCallback
   time.sleep(5)
client.disconnect()
```

Python Simulation:

```
RandomValues.py - E:/IBM/Others/Project Development Phase/Sprint 3/RandomValues.py (3.6.5)
File Edit Format Run Options Window Help
import wiotp.sdk.device
import time
import random
import ibmiotf.application
import ibmiotf.device
import requests, json
myConfig = {
  #Configuration
  "identity": {
     "orgid": "n6rl9n",
     "typeId", "NodeMCU",
     "deviceId":"621319106312"
  },
  #API Key
  "auth": {
     "token": "9876543210"
  }
#Receiving callbacks from IBM IOT platform
def myCommandCallback(cmd):
   print("Message received from IBM IoT Platform: %s" % cmd.data['command'])
  m=cmd.data['command']
```

Import wiotp-sdk & ibmiotf:

```
C:\Users\DHILEEP>pip install wiotp-sdk
WARNING: pip is being invoked by an old script wrapper. This will fail in a future version of pip.
Please see https://github.com/pypa/pip/issues/5599 for advice on fixing the underlying issue.
To avoid this problem you can invoke Python with 'm pip' instead of running pip directly.
Defaulting to user installation because normal site-packages is not writeable
Collecting wiotp-sdk.
Downloading wiotp-sdk-0.11.0.tan.gz (96 kB)

96 kB 294 kB/s
Preparing metadata (setup.py) ... done
Collecting iso8601-0.1.12
Downloading iso8601-0.1.12
Downloading iso8601-0.1.12
Downloading iso8601-0.1.12
Downloading pyAML-6.0-cp36-cp36m-win_amd64.whl (153 kB)

153 kB 2.2 kB/s

Requirement already satisfied: path-smitty-1.5.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from wiotp-sdk) (2021.3)

Requirement already satisfied: path-smitty-1.5.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from wiotp-sdk) (2.77.1)

Collecting progness to obbelt-0.10.1-py2.py3-none-any.whl (54 kB)

Downloading nequests toolbelt-0.10.1-py2.py3-none-any.whl (54 kB)

St kB 6 i kB/s

Requirement already satisfied: charset-normalizer-w=2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0-wiotp-sdk) (3.4)

Requirement already satisfied: charset-normalizer-w=2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0-wiotp-sdk) (2.0.12)

Requirement already satisfied: charset-normalizer-w=2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0-wiotp-sdk) (2.0.12)

Requirement already satisfied: charset-normalizer-w=2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.21.0-wiotp-sdk) (2.0.12)

Requirement already satisfied: charset-normalizer-w=2.0.1 in c:\users\dhileep\appdata\roaming\python\python\python36\site-packages (from requests>-2.21.0-wiotp-sdk) (2022.9.24)

Requirement already satisfied: charset-normalizer-w=2.0.1 in c:
```

```
C:\Users\DHILEEP>pip install ibmiotf

WARNING: pip is being invoked by an old script wrapper. This will fail in a future version of pip.
Please see https://glithub.com/pypa/pij/ssues/5599 for advice on fixing the underlying issue.
To avoid this problem you can invoke Python with '-m pip' instead of running pip directly.

Defaulting to user installation because normal site-packages is not writeable

Collecting ibmiotf

Downloading ibmiotf-0.4.0.tar.gz (71 kB)

Preparing metadata (setup.py) ... done

Requirement already satisfied: iso8601>-0.1.22 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (1.1.0)

Requirement already satisfied: pytz>-2017.3 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2021.3)

Requirement already satisfied: pytz>-2017.3 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.021.3)

Requirement already satisfied: requests>-2.18.4 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.07.1)

Requirement already satisfied: requests>-2.18.4 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from ibmiotf) (2.07.1)

Requirement already satisfied: certifi>-2017.4.17 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.18.4-sibmiotf) (2022.9.24)

Requirement already satisfied: certifi>-2017.4.17 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.18.4-sibmiotf) (2022.9.24)

Requirement already satisfied: charset-normalizer--2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.18.4-sibmiotf) (2.0.12)

Requirement already satisfied: charset-normalizer--2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.18.4-sibmiotf) (2.0.12)

Requirement already satisfied: charset-normalizer--2.0.0 in c:\users\dhileep\appdata\roaming\python\python36\site-packages (from requests>-2.18.4-sibmiotf) (2.0.12)

Requirement already satisfied: cha
```

Python IDLE Output:

