

Assignment 2

| | |
|---------------------|--------------------|
| Date | 16-09-2022 |
| Student Name | Samuel Jebadurai J |
| Student Roll Number | 194028 |
| Maximum Marks | 2 Marks |

Question 1 :

Create User table with email,username,roll number, password.

Solution :

```
create table userdetails( uid integer unique not null GENERATED ALWAYS AS IDENTITY (START WITH 1  
INCREMENT BY 1), rollno  
integer unique not null, username varchar(30) unique not null, email varchar(40) unique not null,  
password varchar(8) unique not null  
);
```

Question 2 :

Perform UPDATE,DELETE Queries with user table

Solution :

```
import ibm_db def  
printTableData(conn):  
    sql = "SELECT * FROM userdetails"  
    out = ibm_db.exec_immediate(conn, sql)  
    document = ibm_db.fetch_assoc(out)  
    while document != False:
```

```
dictionary.update({document['USERNAME']:document['PASSWOR  
D']})  
        document = ibm_db.fetch_assoc(out)  
def insertTableData(conn,rollno,username,email,password):
```

```

        sql="INSERT INTO userdetails(rollno,username,email,password) VALUES
({},{},{},{})".format(rollno,username,email,password)

        out = ibm_db.exec_immediate(conn,sql)

print('Number of affected rows : ',ibm_db.num_rows(out),"\\n")

def updateTableData(conn,rollno,username,email,password):
        sql = "UPDATE userdetails SET (username,email,password)=('{},{},{}) WHERE
rollno={}".format(username,email,password,rollno)

        out = ibm_db.exec_immediate(conn, sql)

print('Number of affected rows : ', ibm_db.num_rows(out), "\\n")

def deleteTableData(conn,rollno):
        sql = "DELETE FROM userdetails WHERE
rollno={}".format(rollno)        out =
ibm_db.exec_immediate(conn, sql)        print('Number of
affected rows : ', ibm_db.num_rows(out), "\\n")        try:
        conn=ibm_db.connect("DATABASE=bludb;HOSTNAME=0c77d6f2-5da9-48a9-81f8-
86b520b87518.bs2io90l08kqb1od8
lcg.databases.appdomain.cloud;PO
RT=31198;SECURITY=SSL;SSLServer
Certifi
cate=DigiCertGlobalRootCA.crt;PR
OTOCOL=TCPIP;UID=bjn03696;PW
D=ef96tLjX2VjzaCPX;", "", "")
print("Db connected")        except:
        print("Error")

from flask import Flask,render_template,request,url_for,session

app=Flask(__name__)

@app.route("/")

@app.route("/login",methods=['PO
ST','GET'])        def login():        if
request.method=="POST":

```

```

        printTableData(conn)
username=request.form['username']
password=request.form['password']        try:            if
dictionary[username] == password and username in dictionary:
            return "Logged in successfully"
except:
            return "Invalid username or password"        return
render_template('loginpage.html')
@app.route("/register",methods=['POST','GET'])

def register():        if
request.method=="POST":
            rollno = request.form['rollno']            username =
request.form['username']            email = request.form['email']
password = request.form['password']
insertTableData(conn, rollno, username, email, password)
            #printTableData(conn)
return render_template('loginpage.html')
return render_template('registerpage.html')

#deleteTableData(conn,6)
#updateTableData(conn,5,'pradhee','pradhee@google.com','assignment')    #printTableData(conn)
#print(dictionary)    if
__name__=="__main__":
    app.run(debug=True)

```

Question 3 :

Connect python code to db2.

Solution :

```

import ibm_db    conn =
ibm_db.connect("database","username","password")

```

Question 4 :

Create a flask app with registration page, login page and welcome page. By default load the registration page once the user enters all the fields store the data in database and navigate to login page. Authenticate user with username and password. If the user is valid show the welcome page.

Solution :

Forms.py

```
from flask_wtf import FlaskForm
from wtforms import StringField,
PasswordField, SubmitField,
BooleanField from wtforms.validators
import DataRequired, Length, Email,
EqualTo class
RegistrationForm(FlaskForm):
    username =
StringField('Username',validators=[Data
Required(), Length(min=2, max=20)])
    email =
StringField('Email',validators=[DataRequi
red(), Email()])
    password =
PasswordField('Password',
validators=[DataRequired()])
    confirm_password =
PasswordField('Confirm Password',
validators=[DataRequired(),
EqualTo('password')])
    submit =
SubmitField('Sign Up')

class LoginForm(FlaskForm):
    email =
StringField('Email',validators=[DataRequired(), Email()])
    password = PasswordField('Password',
validators=[DataRequired()])
    remember =
BooleanField('Remember Me')
    submit =
SubmitField('Login')
```

Layout.html

```
<!DOCTYPE html>
<html lang="en">
<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>Home Page</title>

<!-- Bootstrap CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

<link rel="stylesheet" type="text/css" href="{{ url_for('static', filename='main.css') }}">

{% if title %}
  <title>{{ title }}</title>
{% else %}
  <title>Home page</title>
{% endif %}

</head>
<body>
<header class="site-header">
  <nav class="navbar navbar-expand-md navbar-dark bg-steel fixed-top">
    <div class="container">
      <a class="navbar-brand mr-4" href="/">Nutrition Assistant Application</a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarToggle" ariacontrols="navbarToggle" aria-expanded="false" aria-
label="Toggle navigation">      <span class="navbartoggler-icon"></span>
    </button>
```

```
<div class="collapse navbar-collapse" id="navbarToggle">
  <div class="navbar-nav mr-auto">
    <a class="nav-item nav-link" href="/">Home</a>
    <a class="nav-item nav-link" href="/about">About</a>
  </div>
  <!-- Navbar Right Side -->
  <div class="navbar-nav">
    <a class="nav-item nav-link" href="/login">Login</a>
    <a class="nav-item nav-link" href="/register">Register</a>
  </div>
</div>
</nav>
</header>
<main role="main" class="container">
  <div class="row">
    <div class="col-md-8">
      {% block content %}{% endblock %}
    </div>
    <div class="col-md-4">
      <div class="content-section">
        <p class='text-muted'>Here you Welcome! To our Nutrition Assistant
          We are here to help you to maintain your physic.</p>      </div>
      </div>
    </div>
  </main>

<!-- Optional JavaScript -->
<!-- jQuery first, then Popper.js, then Bootstrap JS -->
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
```

```
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPsk
vXusvfa0b4Q" crossorigin="anonymous"></script>

<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5
+76PVCmYI" crossorigin="anonymous"></script>

</body>
</html>
```

Login.html

```
{% extends "layout.html" %}
{% block content %}

<div class="content-section">
  <form method="POST" action="">
    {{ form.hidden_tag() }}
    <fieldset class="form-group">
      <legend class="border-bottom mb-4">Log In</legend>
      <div class="form-group">
        {{ form.email.label(class="form-control-label") }}
        {% if form.email.errors %}
          {{ form.email(class="form-control form-control-lg is-invalid") }}
          <div class="invalid-feedback">
            {% for error in form.email.errors %}
              <span>{{ error }}</span>
            {% endfor %}
          </div>
        {% else %}
          {{ form.email(class="form-control form-control-lg") }}          {%
endif%}

      </div>
      <div class="form-group">
```

```

    {{ form.password.label(class="form-control-label") }}
    {% if form.password.errors %}
        {{ form.password(class="form-control form-control-lg is-invalid") }}
        <div class="invalid-feedback">
            {% for error in form.password.errors %}
                <span>{{ error }}</span>
            {% endfor %}
        </div>
    {% else %}
        {{ form.password(class="form-control form-control-lg") }}        {%
endif%}

</div>
<div class="form-check">
    {{ form.remember(class="form-check-input") }}
    {{ form.remember.label(class="form-check-label") }}
</div>
</fieldset>
<div class="form-group">
    {{ form.submit(class="btn btn-outline-info") }}
</div>
<small class="text-muted ml-2">
    <a href="#">Forgot Password?</a>
</small>
</form>
</div>
<div class="border-top pt-3">
    <small class="text-muted">
        Need An Account? <a class="ml-2" href="{{ url_for('register') }}">Sign Up
Now</a>    </small>    </div>
{% endblock content %}

```


Main.py

```
from flask import Flask, render_template,
url_for, flash, redirect    from Forms import
RegistrationForm, LoginForm    app =
Flask(__name__)    app.config['SECRET_KEY'] =
'5791628bb0b13ce0c676dfde280ba245'    posts = [
{
    'title': 'Blog post I',
    'Author': 'Agenis',
    'date_posted': 'sep 25,2022',
    'content': '1st post'
},
{
    'title': 'Blog post II',
    'Author': 'Aved ',
    'date_posted': 'sep 26,2022',
    'content': '2st post'
}
]

@app.route("/")
def home():
    return render_template('home.html', title='Home')

@app.route("/about")
def about():
    return render_template('about.html', title='about')

@app.route("/register", methods=['GET', 'POST'])
def register():
    form = RegistrationForm()
    if form.validate_on_submit():
        flash(f'Account created for
{form.username.data}!', 'success')
```

```

return redirect(url_for('home'))    return
render_template('register.html',
title='Register', form=form)
@app.route("/login", methods=['GET',
'POST']) def login():
    form = LoginForm()    if form.validate_on_submit():        if form.email.data ==
'admin@blog.com' and form.password.data == 'password':
        flash('You have been logged in!',
'success')            return
    redirect(url_for('home'))        else:
        flash('Login Unsuccessful. Please check username and password', 'danger')
return render_template('login.html', title='Login', form=form)

if __name__ == '__main__':
    app.run(debug=True)

```

Register.html

```

{% extends "layout.html" %}
{% block content %}
<div class="content-section">
    <form method="POST" action="">
        {{ form.hidden_tag() }}
        <fieldset class="form-group">
            <legend class="border-bottom mb-4">Join Today</legend>
            <div class="form-group">
                {{ form.username.label(class="form-control-label") }}

                {% if form.username.errors %}
                    {{ form.username(class="form-control form-control-lg is-invalid") }}
                    <div class="invalid-feedback">
                        {% for error in form.username.errors %}
                            <span>{{ error }}</span>
                        {% endfor %}
                    </div>
                {% endif %}
            </div>
        </fieldset>
    </form>
</div>

```

```

        </div>
    {% else %}
        {{ form.username(class="form-control form-control-lg") }}
    {% endif %}
</div>
<div class="form-group">
    {{ form.email.label(class="form-control-label") }}
    {% if form.email.errors %}
        {{ form.email(class="form-control form-control-lg is-invalid") }}
        <div class="invalid-feedback">
            {% for error in form.email.errors %}
                <span>{{ error }}</span>
            {% endfor %}
        </div>
    {% else %}
        {{ form.email(class="form-control form-control-lg") }}        {%
endif %}
</div>
<div class="form-group">
    {{ form.password.label(class="form-control-label") }}
    {% if form.password.errors %}
        {{ form.password(class="form-control form-control-lg is-invalid") }}
        <div class="invalid-feedback">
            {% for error in form.password.errors %}
                <span>{{ error }}</span>
            {% endfor %}
        </div>
    {% else %}
        {{ form.password(class="form-control form-control-lg") }}        {%
endif %}
</div>
<div class="form-group">
    {{ form.confirm_password.label(class="form-control-label") }}

```

```
{% if form.confirm_password.errors %}
    {{ form.confirm_password(class="form-control form-control-lg is-invalid") }}
    <div class="invalid-feedback">
        {% for error in form.confirm_password.errors %}
            <span>{{ error }}</span>
        {% endfor %}
    </div>
{% else %}
    {{ form.confirm_password(class="form-control form-control-lg") }}
{% endif %}
</div>
</fieldset>
<div class="form-group">
    {{ form.submit(class="btn btn-outline-info") }}
</div>
</form>
</div>
<div class="border-top pt-3">
    <small class="text-muted">
        Already Have An Account? <a class="ml-2" href="{{ url_for('login') }}">Sign
In</a>    </small>    </div>
{% endblock content %}
```


