ASSIGNMENT - 4

Date	01 November 2022
Team ID	PNT2022TMID49581
Project Name	Customer Care Registry
Team Member Name	P.Anantha Krishnan

1.Create a Bucket in IBM object storage.

2.Upload 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

new.html
```
<html>
<head>
<link rel="stylesheet" href="style.css">
</head>
<body>

</body>
<div class="row">
   <div class="column">
      <img src="1.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="2.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="3.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="4.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="5.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
</div>
```

</html>

3.Upload a css page to the object storage and use the same page in your HTML code.

new.html

```
<html>
<head>
<link rel="stylesheet" href="style.css">
</head>
<body>

</body>
<div class="row">
   <div class="column">
      <img src="1.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="2.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="3.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="4.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
      <img src="5.jpg" alt="Disable" style="width: 200px;height: 200px;">
```

```
        </div>
    </div>


</html>
```

style.css

```css
.column {
    float: left;
    width: 33.33%;
    padding: 5px;
 }
 .row::after {
   content: "";
   clear: both;
   display: table;
 }
 .row {
   display: flex;
 }


 .column {
   flex: 33.33%;
   padding: 5px;
 }
```

4.Design a chatbot using IBM Watson assistant for hospitals. Ex: User comes with a query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.

URL:

https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fus-south.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-918914a8-f970-408e-b994-85deaf43f317%3A%3Abad7e9e8-27ac-41f2-951b-b2b3ec170a4f&integrationID=dd7adc33-08a8-4d78-ac4d-c7374f2adfa0&region=us-south&serviceInstanceID=918914a8-f970-408e-b994-85deaf43f317

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in the HTML page.

new.html

```
<html>
<head>
<link rel="stylesheet" href="style.css">
</head>
<body>
  <script>
      window.watsonAssistantChatOptions = {
        integrationID: "09c685ad-7e15-4b8f-a09c-5fc041badc31", // The ID of this integration.
        region: "us-south", // The region your integration is hosted in.
```

```
        serviceInstanceID: "62842352-e87b-4dee-bdc9-af0dad319427", // The ID of your
service instance.
        onLoad: function(instance) { instance.render(); }
      };
      setTimeout(function(){
        const t=document.createElement('script');
        t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
        document.head.appendChild(t);
      });
    </script>
</body>
<div class="row">
   <div class="column">
     <img src="1.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
     <img src="2.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
     <img src="3.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
     <img src="4.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
   <div class="column">
     <img src="5.jpg" alt="Disable" style="width: 200px;height: 200px;">
   </div>
</div>

</html>
```

style.css

```css
.column {
   float: left;
   width: 33.33%;
   padding: 5px;
}
.row::after {
   content: "";
   clear: both;
   display: table;
}
.row {
   display: flex;
```

```
}

.column {
  flex: 33.33%;
  padding: 5px;
}
```