
## Assignment -3


Assignment Date	30 <sup>th</sup> October 2022
Student Name	Lavanya B H
Team ID	PNT2022TMID23145
Maximum Marks	2 Marks

## Question:

## 1. Create a Bucket in IBM object storage.



2. Upload an 5 images to ibm object storage and make it public. write html code todisplaying all the 5 images.



3. Upload a css page to the object storage and use the same page in your HTML code.



<!DOCTYPE html>

<title>Canadian Scenario</title>

```
<head>
<style>img{
display: block;
margin-left: auto;
margin-right: auto;
border: aqua;
width: 50%;
}
</style>
</head>
<br/><body style="background-color: aqua;">
<h1>CANADIAN SCENARIO</h1>
<\!img\ src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/scene1.jpeg"alt="amazon"
style="width:50%" >
<br>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/scene2.jpeg" alt="</pre>
google"width="600"
height="600">
\langle br \rangle
<img src=" http://s3.jp-tok.cloud-object-storage.appdomain.cloud/scene4.jpeg"</pre>
alt="ibm"width="600" height="600">
<br>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/scene6.jpeg" alt="box" width="600"</pre>
height="600">
<br>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/scene7.jpeg"</pre>
```

```
alt="microsoft"width="600" height="600">
</body>
</html>
```

## 3. Upload a css page to the object storage and use the same page in your HTML code.



Canadian scenario styling.html:

<!DOCTYPE html>

<title>Canadian scenario</title>

<*head*>

<style>img{

display: block;

margin-left: auto;

margin-right: auto;

border: aqua;

width: 50%;


```
}
Body{
style="border:rgb(15, 15, 15);
border-width:5px;
border-style:double;text-align: center;font-family: Arial, Helvetica, sans-serif;
background\text{-}color\text{:}powderblue"
</style>
</head>
<body style="background-color: aqua;">
<h1>CANADIAN SCENARIO</h1>
<img src=" http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img1.jpg" alt="amazon"</pre>
style="width:50%" >
<br>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img2.jpg" alt="google"width="600"</pre>
height="600">
\langle br \rangle
<img src=" http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img3.jpg"alt="ibm"width="600"</pre>
height="600">
\langle br \rangle
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img4.jpg" alt="box" width="600"</pre>
height="600">
<br>
<img src="http://s3.jp-tok.cloud-object-storage.appdomain.cloud/img5.jpg"</pre>
alt="microsoft"width="600" height="600">
</body>
```

```
</html>
Style.css

Body{
style="border:rgb(15, 15, 15);
border-width:5px;
border-style:double;text-align: center;font-family: Arial, Helvetica, sans-serif;
background-color:powderblue"
}
```

4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment

 $\frac{https://web-}{sA\%2F\%2Fau-syd.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https\%}{3A\%2F\%2Fau-syd.assistant.watson.cloud.ibm.com\%2Fpublic\%2Fimages\%2Fupx-f983893e-f570-488a-85be-a88e5583f7de\%3A\%3A5ce2ca6a-dcae-478e-a90c-e6fa0ec864e9&integrationID=3b20919b-747d-4417-b793-13e5240616e1&region=au-syd&serviceInstanceID=f983893e-f570-488a-85be-a88e5583f7de$ 



5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that scriptin HTML page.

```
<!DOCTYPE html>
<title>abc hospital</title>
<style>
body {
background: url(https://wallpaperaccess.com/full/1282794.jpg) no-repeat center center fixed;
-webkit-background-size: cover;
-moz-background-size: cover;
-o-background-size: cover; background-size: cover
}
</style>
<body>
<script> <script> window.watsonAssistantChatOptions =
integrationID: "2f598fa3-d76d-4766-b86f-92a28d85dae9", // The ID of this integration. region: "au-
syd", // The region your integration is hosted in.
serviceInstanceID: "dd023609-f951-4da6-a246-92943dc5e937", // The ID of your service instance.
onLoad: function(instance) { instance.render(); }
};
setTimeout(function(){
const t=document.createElement('script');
t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
```

"/WatsonAssistantChatEntry.js";
document.head.appendChild(t);
});
</script></script>
</body>
</html>

