Assignment -3

Build CNN Model for Classification Of Flowers

Assignment Date	30 September 2022
Student Name	Dhanvarshini.R
Student Roll Number	211419104060
Maximum Marks	2 Marks

Question-1:

Download the dataset

Question-2:

Image Augmentation

Solution

 $from\ tensorflow. keras. preprocessing. image\ import\ ImageDataGenerator$

 $train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)$

test_datagen=ImageDataGenerator(rescale=1./255)

2)Image Augmentation	\uparrow \downarrow	9	/ [) 🛊	:
[] from tensorflow.keras.preprocessing.image import ImageDataGenerator					
[] train_datagen=ImageDataGenerator(rescale=1./255,zoom_range=0.2,horizontal_flip=True,vertical_flip=True)					
[] test_datagen=ImageDataGenerator(rescale=1./255)					
Load Data					
[] x_train=train_datagen.flow_from_directory(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Training",target_size=(64,64),class_	_mode='ca	tegoria	:al',b	atch_	size
Found 3293 images belonging to 5 classes.					
[] x_test=test_datagen.flow_from_directory(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Testing",target_size=(64,64),class_models_	de='categ	orical'	',batc	h_siz	e=24
Found 1317 images belonging to 5 classes.					
[] x_train.class_indices					
{'daisy': 0, 'dandelion': 1, 'rose': 2, 'sunflower': 3, 'tulip': 4}					

Question-3:

Create model

Solution

from tensorflow.keras.models import Sequential from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten model=Sequential()

3)Create Model	
[] from tensorflow.keras.models import Sequential	
[] from tensorflow.keras.layers import Dense,Convolution2D,MaxPooling2D,Flatten	
[] model=Sequential()	_
	↑ ↓ ⊕ 目 / 🖟 🗓 🗓 :

Question-4:

Add Layers (Convolution, MaxPooling, Flatten, Dense-(Hidden Layers), Output)

Solution

a)Convolution Layer

model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))

b)MaxPooling Layer

model.add(MaxPooling2D(pool_size=(2,2)))

c)Flatten Layer

model.add(Flatten())

d)Dense(Hidden layer)

model.add(Dense(300,activation="relu"))
model.add(Dense(300,activation="relu"))

e)Output layer

model.add(Dense(5,activation="softmax"))

[] model.add(Convolution2D(32,(3,3),kernel_initializer-"random_uniform",activation="relu",strides-(1,1),input_shape-(64,64,3))) b)MaxPooling Layer [] model.add(HaxPooling2D(pool_size-(2,2))) c)Flatten [] model.add(Flatten()) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu")) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu")) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu")) e)Output layer	<pre>model.add(Dense(5,activation="softmax"))</pre>	1 4 22 24	T E .
b)MaxPooling Layer [] model.add(MaxPooling2D(pool_size-(2,2))) c)Flatten [] model.add(Flatten()) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu")) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu"))	e)Output layer	A J C E	÷៧ ÷ ∶
b)MaxPooling Layer [] model.add(MaxPooling2D(pool_size=(2,2))) c)Flatten [] model.add(Flatten()) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu")) [] model.add(Dense(300,activation="relu")) d)Dense(Hidden layer)	[] model.add(Dense(300,activation="relu"))		
b)MaxPoolingLayer [] model.add(MaxPooling2D(pool_size=(2,2))) c)Flatten [] model.add(Flatten()) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu")) [] model.add(Dense(300,activation="relu"))	[] model.add(Dense(300,activation="relu"))		
b)MaxPooling Layer [] model.add(MaxPooling2D(pool_size=(2,2))) c)Flatten [] model.add(Flatten()) d)Dense(Hidden layer) [] model.add(Dense(300,activation="relu"))	d)Dense(Hidden layer)		
b)MaxPooling Layer [] model.add(MaxPooling2D(pool_size=(2,2))) c)Flatten [] model.add(Flatten()) d)Dense(Hidden layer)	[] model.add(Dense(300,activation="relu"))		
b)MaxPooling Layer [] model.add(MaxPooling2D(pool_size=(2,2))) c)Flatten [] model.add(Flatten())	[] model.add(Dense(300,activation="relu"))		
b)MaxPooling Layer [] model.add(MaxPooling2D(pool_size=(2,2))) c)Flatten	d)Dense(Hidden layer)		
b)MaxPooling Layer [] model.add(MaxPooling2D(pool_size=(2,2)))	[] model.add(Flatten())		
b)MaxPooling Layer	c)Flatten		
	[] model.add(MaxPooling2D(pool_size=(2,2)))		
[] model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))	b)MaxPooling Layer		
	[] model.add(Convolution2D(32,(3,3),kernel_initializer="random_uniform",activation="relu",strides=(1,1),input_shape=(64,64,3)))		

Question-5:

Compile The Model

Solution

 $model.compile (loss="categorical_crossentropy", metrics=['accuracy'], optimizer='adam')\\$

5)Compile the model

[] model.compile(loss="categorical_crossentropy",metrics=['accuracy'],optimizer='adam')

Question-6:

Fit The Model

Solution

 $model.fit(x_train,epochs=5,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test))$

6)Fit the model	
[] model.fit(x_train,epochs=5,steps_per_epoch=len(x_train),validation_data=x_test,validation_steps=len(x_test))	
Epoch 1/5 138/138 [====================================	
138/138 [=========] - 26s 190ms/step - loss: 0.0765 - accuracy: 0.9787 - val_loss: 1.8115 - val_accuracy: 0.721 Epoch 4/5 138/138 [=========] - 27s 193ms/step - loss: 0.0675 - accuracy: 0.9757 - val loss: 1.8917 - val accuracy: 0.716	
Epoch 5/5 138/138 [========] - 26s 192ms/step - loss: 0.0841 - accuracy: 0.9745 - val_loss: 2.0121 - val_accuracy: 0.718 <keras.callbacks.history 0x7f5d21b18710="" at=""></keras.callbacks.history>	

Question-7:

Save The Model

Solution

model.save("Flowers.h5")

7)Save the model

[] model.save("Flowers.h5")

Question-8:

Test The Model

index[np.argmax(pred)]

'daisy'

```
Solution
import numpy as np
from tensorflow.keras.models import load_model
from tensorflow.keras.preprocessing import image
model=load_model("Flowers.h5")
img=image.load_img(r"/content/drive/MyDrive/Assignment 3/Flowers-
Dataset/Testing/daisy/14333681205_a07c9f1752_m.jpg",target_size=(64,64))
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
pred=model.predict(x)
pred
index=['daisy','dandelion','rose','sunflower','tulip']
index[np.argmax(pred)]
  8)Test the model
  [ ] import numpy as np
      from tensorflow.keras.models import load_model
      from\ tensorflow.keras.preprocessing\ import\ image
  [ ] model=load_model("Flowers.h5")
  [ ] img=image.load_img(r"/content/drive/MyDrive/Assignment 3/Flowers-Dataset/Testing/daisy/14333681205_a07c9f1752_m.jpg",target_size=(64,64))
  [ ] img
  [ ] x=image.img_to_array(img)
  [ ] x=np.expand_dims(x,axis=0)
  [ ] x=image.img_to_array(img)
  [ ] x=np.expand_dims(x,axis=0)
  [ ] pred=model.predict(x)
  [] pred
     array([[1., 0., 0., 0., 0.]], dtype=float32)
  [ ] index=['daisy','dandelion','rose','sunflower','tulip']
```

↑ ↓ ⊖ **目 ‡** 见 🔋 :