

INVENTORY MANAGEMENT SYSTEM FOR RETAILERS

IBM PROJECT

Submitted By

B.NAWFAL KHAN (815119104031)

V.SABAREESON (815119104037)

R.AJITH KUMAR (815119104002)

K.SUTHARSAN (815119104045) J.FELIX (815119104014)

in partial fulfilment for the award of the degree of

BACHELOR OF ENGINEERING

In

COMPUTER SCIENCE AND ENGINEERING DHANALAKSHMI SRINIVASAN INSTITUTE OF TECHNOLOGY,



TRICHY - 621112

ANNA UNIVERSITY: CHENNAI 600025

NOVEMBER 2022

ANNA UNIVERSITY: CHENNAI 600 025

BONAFIDE CERTIFICATE

Certified that this project report "INVENTORY MANAGEMENT SYSTEM FOR RETAILERS" is bonafide work of V.SABAREESON (815119104037), R.AJITH KUMAR(815119104002),K.SUTHARSAN(8151191040045), J.FELIX(815119104014) and B.NAWFAL KHAN (815119104031), who carried out the project work under mysupervision.

SIGNATURE
Ms. R. PADMAVATHI, M.E.,
SUPERVISOR,
Assistant professor,
Department of Computer Science and Engineering,
Dhanalakshmi Srinivasan Institute of Technology,
Trichy- 621 112

INTERNAL EXAMINER

Submitted for the project Viva-Voice held on_____

EXTERNAL EXAMINER

ACKNOWLEDGEMENT

First of all, we thank the Almighty and our parents for blessings without which we couldn't complete the project work within stipulated time.

We are in debated to our respected Chairman, Shri. A. Srinivasan,

for his noble guidance to accomplish the project successfully.

This project would have been a distant reality if not for the help and encouragement from various people. We take immense pleasure in thanking our **Principal Dr. S. Selvakumar, M.E., Ph.D.,** Dhanalakshmi Srinivasan Institute of Technology for having permitted us to carry out this project.

I would like to express gratitude to Dr. V. Raju, MCA., Ph.D., forhis timely guidance and providing all necessary facilities at the right time for completing this project.

We thank our honourable **Head of the Department Mr. S. Sashikumar, M.E.,** Department of Computer Science and Engineering, Dhanalakshmi Srinivasan Institute of Technology for going through the report and giving valuable suggestions.

We would like to take an opportunity to express our sincere thanks to our Institutional Guidance Ms. R. Padmavathi, M.E., Assistant Professor, Dhanalakshmi Srinivasan Institute of Technology for the valuable suggestion given during a project work.

Project Report - Inventory Management System for Retailers

Team ID: PNT2022TMID46138

Team Lead: NAWFAL KHAN B

Team Member 1: SABAREESON V

Team Member 2: AJITH KUMAR R

Team Member 3: SUTHARSAN K

Team Member 4: FELIX J

1. INTRODUCTION

- 1. Project Overview
- 2. Purpose

2. LITERATURE SURVEY

- 1. Existing problem
- 2. References
- 3. Problem Statement Definition

3. IDEATION & PROPOSED SOLUTION

- 1. Empathy Map Canvas
- 2. Ideation & Brainstorming
- 3. Proposed Solution
- 4. Problem Solution fit

4. REQUIREMENT ANALYSIS

- 1. Functional requirement
- 2. Non-Functional requirements

5. PROJECT DESIGN

- 1. Data Flow Diagrams
- 2. Solution & Technical Architecture
- 3. User Stories

6. PROJECT PLANNING & SCHEDULING

- 1. Sprint Planning & Estimation
- 2. Sprint Delivery Schedule
- 3. Reports from JIRA

7. CODING & SOLUTIONING (Explain the features added in the project along with code)

- 1. Feature 1
- 2. Feature 2
- 3. Database Schema (if Applicable)

8. TESTING

- 1. Test Cases
- 2. User Acceptance Testing

9. RESULTS

- 1. Performance Metrics
- 10. ADVANTAGES & DISADVANTAGES
- 11. CONCLUSION
- 12. FUTURE SCOPE
- 13. APPENDIX

Source Code

GitHub & Project Demo Link

1. INTRODUCTION

1.1 Project Overview

Retail inventory management is the process of ensuring you carry merchandise that shoppers want, with neither too little nor too much on hand. By managing inventory, retailers meet customer demand without running out of stock or carrying excess supply.

In practice, effective retail inventory management results in lower costs and a better understanding of sales patterns. Retail inventory management tools and methods give retailers more information on which to run their businesses. Applications have been developed to help retailers track and manage stocks related to their own products. The System will ask retailers to create their accounts by providing essential details. Retailers can access their accounts by logging into the application.

Once retailers successfully log in to the application they can update their inventory details, also users will be able to add new stock by submitting essential details related to the stock. They can view details of the current inventory. The System will automatically send an email alert to the retailers if there is no stock found in their accounts. So that they can order new stock.

1.2 Purpose

The main purpose of inventory management is to help businesses easily and efficiently manage the ordering, stocking, storing, and using of inventory. By effectively managing your inventory, you'll always know what items are in stock, how many of them there are, and where they are located.

Plus, practicing strong inventory management allows you to understand how you use your inventory—and how demand changes for it—over time. You can zero in on exactly what you need, what's not so important, and what's just a waste of money. That's using inventory management to practice inventory control. By the way, inventory control is the balancing act of always having enough stock to meet demand, while spending as little as possible on ordering and carrying inventory.

2. LITERATURE SURVEY

2.1 Existing problem

Inconsistent Tracking:

Using manual inventory tracking procedures across different software and spreadsheets is time-consuming, redundant and vulnerable to errors. Even small businesses can benefit from a centralized inventory tracking system that includes accounting features.

Warehouse Efficiency:

Inventory management controls at the warehouse is labor-intensive and involves several steps, including receiving and, picking, packing and shipping. The challenge is to perform all these tasks in the most efficient way possible.

Inaccurate Data:

You need to know, at any given moment, exactly what inventory you have. Gone are the days when inventory could be counted once a year with an all-hands-on-deck approach.

Changing Demand:

Customer demand is constantly shifting. Keeping too much could result in obsolete inventory you're unable to sell, while keeping too little could leave you unable to fulfill customer orders. Orderstrategies for core items, as well as technology to create and execute an inventory plan, can help compensate for changing demand.

Limited Visibility:

When your inventory is hard to identify or locate in the warehouse, it leads to incomplete, inaccurate or delayed shipments. Receiving and finding the right stock is vital to efficient warehouse operations and positive customer experiences.

Manual Documentation:

Managing inventory with paperwork and manual processes is tedious and not secure. And it doesn't easily scale across multiple warehouses with lots of stock.

Problem Stock:

Perishable and fragile stock need specialized plans for care and storage. And high-value inventory needs specific loss-prevention strategies and inventory controls.

Supply Chain Complexity:

Global supply chains shift daily, placing a burden on your inventory planning and management operations. The manufacturers and wholesale distributors that dictate when, where and how your inventory ships require flexibility and offer unpredictable lead times.

Managing Warehouse Space:

Efficiently managing space is an intimidating task. Planning and designing warehouse spaces with inventory management platforms helps you better control the timing of new stock deliveries. It can account for important factors, such as available space. Read more about the differences between warehouse management and inventory management.

INVENTORY MANAGEMENT SYSTEM FOR RETAILERS

LITERATURE SURVEY

SI.NO	TITLE	TECHNIQUES	MERITS	DEMERITS
2.	INFLOW	They pride themselves as being the most simple inventory app with barcode scanner It can be either deployed on- premise or hosted	It also allows team members the ability to see what we have on and at a moments notice Multi-channel management	It's missing some core functionality that would be helpful Iphone app missing some functionality
3.	SOS	on the cloud. Automated order processing	SOS Inventory features is that it allows food traceability and helps manage lots and batches	Slow to implement
4.	INVENTORY NOW	Track the inventory throughout their product cycle	Charge your customers directly from the app	Pay for features And payment issues
5.	TESTSERIES SOFTWARE INVENTORY	Follows FIFO Method(first in first out)	Easy to use and value for money	Late responsive




INVENTORY MANAGEMENT SYSTEM FOR RETAILES PROBLEM STATEMENTS




Problem Statement (PS)	l am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Pc assembler	Automatic discovery of computers and other IT assets	Security protection to prevent tampering or unauthorized software	A free trial or a demo package that offersAn opportunity for a cost- free assessment	frustrated & tensed
PS-2	Warehouse supervisor	Tracks items in real time as they are received, stored, picked, packed and shipped	Advises on inventory replenishment.	Guides inventory receiving and put- away	Tired & stressed

3.1 Empathy Map Canvas




3.2 Ideation & Brainstorming

Step-1: Team Gathering, Collaboration and Select the Problem Statement



Step-2: Brainstorm, Idea Listing and Grouping




Step-3: Idea Prioritization



3.3 Proposed Solution

S. No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Retailers do not have any systematic system to record and keep their inventory data.
2.	Idea / Solution description	To develop a cloud web application that will help retailers to manage, track, and control their stocks.
3.	Novelty / Uniqueness	Real time inventory tracking and secured user interactions.
4.	Social Impact / Customer Satisfaction	Better interface to understand the tracking of stocks and better reliability over stock management.
5.	Business Model (Revenue Model)	This cloud web application will get higher usage and acceptance in market and among people of this generation.
6.	Scalability of the Solution	9 out of 10

3.4 Problem Solution fit



4 REQUIREMENT ANALYSIS

4.1 Functional requirement

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form Registration through Gmail
FR-2	User Confirmation	Confirmation via Email Confirmation via OTP
FR-3	User Login	Username/Email-ID Login with Password
FR-4	Admin Login	Login with Username/Email-ID Login with Password
FR-5	Inventory Management	Track quantity of products present in inventory at any instant
FR-6	Tracking of stock	Notifications through Email


4.2 Non-Functional requirements

FR No.	Non-Functional Requirement	Description
NED 1	Hashiliter	This sloud was application makes the
NFR-1	Usability	This cloud web application makes the
		process of inventory management a lot
		easier which saves money and time both.
		This system is highly responsive to both
		desktop and mobile users.
NFR-2	Security	Inventory security aims to prevent
		inventory losses – for example, due to
		incorrect storage, theft, or incorrect
		incoming goods inspection – so that the
		correct stock is always available.

NFR-3	Reliability	The availability of products should be	
		properly updated for customer	
		satisfaction. The out-of-stock information	
		should be notified. The system must give	
		accurate inventory status to the user	
		continuously.	
NFR-4	Performance	The companies have to design and	
NI N-4	1 criormance		
		operate materials management and	
		product distribution functions effectively.	
		Inventory control systems enable a	
		business to determine and maintain an	
		optimum level of investment in inventory	
		in order to achieve the required	
		operational performance.	
NFR-5	Availability	The software will be available only to	
NPR-5	Availability		
		the administrator of the organization and	
		the product, as well as customer details,	
		will be recorded by him. He can manage	
		the inventory.	
NFR-6	Scalability	The System can manage large	
		inventory and provides quick access to the	
		inventory in no time.	

5 PROJECT DESIGN

5.1 Data Flow Diagrams



5.2Solution & Technical Architecture




Table-1: Components & Technologies:

S. No	Component	Description	Technology
1.	User Interface	User interacts with the cloud web application.	HTML, CSS, JavaScript
2.	Application Logic-1	Logic for a process in the application	Python
3.	Application Logic-2	Logic for a process in the application	IBM Watson Assistant
4.	Database	Data Type, Configurations	MySQL
5.	Cloud Database	Database Service on Cloud	IBM DB2
6.	File Storage	File storage requirements	IBM Object Storage
7.	Infrastructure (Server / Cloud)	Kubernetes is an open-source container orchestration system for automating softwaredeployment, scaling, and management	Kubernetes

Table-2: Application Characteristics:

S. No	Characteristics	Description	Technology
1.	•	Micro web framework, written in	Flask
	Frameworks	Python	
2.		List all the security/access controls	SHA-256
	Implementations	implemented,use of firewalls, etc.	
3.		Kubernetes is an open-source	Kubernetes
	Architecture	container	
		orchestration system for	
		automating softwaredeployment,	
		scaling, and management.	
4.	Availability	Docker CLI stores its configuration	Docker CLI
		files in adirectory called .docker	
		within your \$HOME	
		directory.	
5.	Performance	To send alerts to users based on	Sendgrid
		their stock	

5.3User Stories

User Type	Functional Requiremen t (Epic)		User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration		As a user, I can register for the application byentering my email, password, and confirmingmy password.	I can access my account/dashboar d	High	Sprint-1
		USN-2	As a user, I will receive a confirmation emailonce I have registered for the application	I can receive a confirmation email & click confirm	Medium	·
	Confirmatio n	USN-3	As a user, I will confirm the registration once Ihave received the email from the application	I can get a confirmation for my email and password and create an authenticated account.	Medium	Sprint-1
	Login	USN-4	As a user, I can log in to the applicationthrough Gmail & Password	I can log onto the application with a verifiedemail and password		Sprint-1
	Dashboard	USN-5	As a user, I can view the dashboard of the application by entering my email & password	Once I log on to the application, I can view products to buy.	High	Sprint-2
	Add items to thecart	USN-6	As a user, I can add the products I wish to buyto the carts.	As a user, I can buy any product or add it to my cart for buying later	Medium	Sprint-2
	Stock Update	USN-7	available in the dashboard to the stock list.	products arenot	Medium	Sprint-3
Customer (Webuser)	Registration	USN-8	'' '	I can access my account/dashboar d	High	Sprint-1
		USN-9	As a user, I will receive a confirmation emailonce I have registered for the application	I can receive a confirmation email & clickconfirm	Medium	Sprint-1
	Confirmation	USN-10	As a user, I will confirm the registration once Ihave received the email from the application	I can get a	Medium	Sprint-1

User Type	Functional Requireme nt (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
				and create an authenticated account.		
	Login	USN-11	As a user, I can log in to the applicationthrough Gmail & Password	I can log onto the application with a verifiedemail and password		Sprint-1
	Dashboard	USN-12	As a user, I can view the dashboard of the application by entering my email & password		High	Sprint-2
	Add items to thecart	USN-13	As a user, I can add the products I wish to buyto the carts.	As a user, I can buy any product or add it to my cartfor buying later	Medium	Sprint-2
	Stock Update	USN-14	As a user, I can add products that are not available in the dashboard to the stock list.	products arenot	Medium	Sprint-3
Customer Care Executive	Request to Customer Care	USN-15	As a user, I can contact the Customer CareExecutive and request any services I want from customer care.	As a user, I can contactCustomer Care and get support.	Low	Sprint-4
Administra tor	Contact Administrat or	USN-16		As a user, and I can givemy support in possible ways to the administrator and the administration.	Medium	Sprint-4

6 PROJECT PLANNING & SCHEDULING

6.1 Sprint Planning & Estimation


Sprint	Functional Requiremen t (Epic)	User Story Number	User Story / Task	Story Points		Team Members
Sprint-1	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	2	High	Nawfal Khan.B
Sprint-1	Registration	USN-2	As a user, I can register for the application through E-mail	1	High	Sabareeson V
Sprint-1	Confirmation	USN-3	As a user, I will confirm the registration once I have received the email from the application	2	Medium	Ajith Kumar R
Sprint-1	Login	USN-4	As a user, I can log into the application by entering email & password	2	High	Felix J & Sutharsan K
Sprint-2	Dashboard	USN-5	As a user, I can view the dashboard of the application by entering my email & password	3	High	Nawfal Khan.B
Sprint-2	ChatBot	USN-6	As a user, I can interact and get help from chatbot	3	Medium	Sabareeson V
Sprint-2	Add items to cart	USN-7	As a user, I can add the products I wish to buy to the carts	3	Medium	Ajith Kumar R
Sprint-3	Stock Update	USN-8	As a user, I can add products that are not available in the dashboard to the stock list.	5	Medium	Felix J & Sutharsan K
Sprint-4	Request to Customer Care	USN-9	As a user, I can post queries through mail	5	Low	Nawfal Khan.B
Sprint-4	Feedback	USN-10	As a user, I can give my feedback by submitting the form.	5	Low	Sabareeson V


Sprints	Sprint Duration	Velocity	Actual velocity
Sprint-1	6	7	0.85
Sprint-2	6	9	0.66
Sprint-3	6	5	1.2
Sprint-4	6	10	0.6


6.2Sprint Delivery Schedule

Sprint				Date		Sprint Release Date(Actual)
Sprint-1	7	6 Days	24 Oct 2022	29 Oct 2022	7	29 Oct 2022
Sprint-2	9	6 Days	31 Oct 2022	05 Nov 2022	9	29 Oct 2022
Sprint-3	5	6 Days	07 Nov 2022	12 Nov 2022	5	12 Nov 2022
Sprint-4	10	6 Days	14 Nov 2022	19 Nov 2022	10	19 Nov 2022

6.3Reports from JIRA









SPRINT-1






SPRINT-2






SPRINT-3

Burndown Chart



SPRINT-4

Burndown Chart





7 CODING & SOLUTIONING (Explain the features added in the project along with code)

7.1 IBM Object Storage Service


IBM Cloud Object Storage, with its global presence and flexible resiliency options, supports exponential data growth for your cloud-native workloads with best-in-class cost optimization, robust data security, and data governance with ease of use. Built-in data lifecycle operations also make it easy to observe and manage your critical workloads.

Creating a bucket in IBM Object Storage and uploading the images to the bucket:






Displaying the images in the application by accessing the images publicly:





7.2IBM Watson Assistant Service

IBM Watson Assistant uses artificial intelligence that understands customers in context to provide fast, consistent, and accurate answers across any application, device, or channel. Remove the frustration of long wait times, tedious searches, and unhelpful chatbots with the leader in trustworthy AI.

Setting Actions to IBM Watson Assistant:









Code:


```
<script>
   window.watsonAssistantChatOptions = {
    integrationID: "633fc278-0dda-417b-9c10-bd2f300b411a", // The ID of this integration.
     region: "jp-tok", // The region your integration is hosted in.
    serviceInstanceID: "b7ec50cd-af28-4bb0-aa53-52dc00c34d4e", // The ID of your
service instance.
    onLoad: function(instance) { instance.render(); }
   };
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') +
"/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
  </script>
```


Integrating the IBM Watson Assistant in the base template:

```
| Proc Edit Selection View | Go | Run | Terminal Peep | Depositions | Street | Colorations | Authority | Colorations | Authority | Colorations | Colorations
```










7.3 Database Schema(IBM DB2)


IBM Db2 Database on IBM Cloud combines a proven, AI-infused, enterprise-ready data management system with an integrated data and AI platform built on the security-rich, scalable Red Hat® OpenShift® foundation. Derive insights with machine learning embedded into query processing. Cut costs with the multimodal capability that eliminates the need for data replication and migration. And enhance agility by running Db2 on any cloud vendor.

Code: (Connecting with IBM Db2 in app.py)

import ibm_db

conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32733;SECURIT Y=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=lkc93724;PWD=zAzNGa6DaN k6xvle",",")





8 TESTING

8.1 Test Cases

		Ť.		Team ID Project Name Maximum Marks	16-Nov-22 PNT2022TMID51170 Project - Inventory Management System For Reta 4 marks		T.	Ť				. But
Test case ID	Feature Type	Component	Test Scenario	Pre-Requisite	Steps To Execute	Test Data	Expected Result	Actual Result	Status	Commnets	TC for Automation(Y/N) ID
LoginPage_TC_OO1	Functional	Home Page	Verify user is able to see the Login/Signup popup when user clicked on My account button		Enter URL and click go Click on My Account dropdown button S. Verify login/Singup popup displayed or not	https://shopenzer.com/	Login/Signup popup should display	Working as expected	Pass			
LoginPage_TC_OO2	UI	Home Page	Verify the UI elements in Login/Signup popup		I finer URL and cick go L cick on My Account dropdown button Neem's begin/Singup populo with below UI elements: a mail less too b password tent box c Longo button Allew customer? Create account link e Lests password? Recovery password link	https://shopenzer.com/	Application should show below UI elements; a.email text box b. password text box c. Login button with orange colour d.line Customer? Create account link e.last password? Recovery password link	Working as expected	Pass	Steps are not clear to follow		BUG 1234
LoginPage_TC_OO3	Functional	Home page	Verify user is able to log into application with Valid credentials		Enter URL (https://shopenzer.com/) and click go Cick on Hrly Account dropdown button Senter Valid username/email in Email text box Henter valid password in password text box Cick on login button	Usemame: padhu10a@gmail.com password: padhu123	User should navigate to user account homepage	Working as expected	Pass			
LoginPage_TC_OO4	Functional	Login page	Verify user is able to log into application with InValid credentials		Enter URL(https://shopenzer.com/) and click go Cick on My Account dropdown button Senter Int/alid username/email in Email text box 4. Enter valid password in password text box S. Click on login button	Usemame: padhu10a@gmail.com password: padhu123	Application should show 'Incorrect email or password 'validation message.	Working as expected	Pass			
LoginPage_TC_OO4	Functional	Login page	Verify user is able to log into application with InValid credentials		Enter URL https://shopenzer.com/i and click go Cilck on My Account dropdown button Senter Valid username/email in Email text box Henter Invalid password in password text box Cilck on login button	Usemame: padhu10a@gmail.com password: padhu123	Application should show 'Incorrect email or password ' validation message.	Working as expected	Pass			
LoginPage_TC_OO5	Functional	Login page	Verify user is able to log into application with InValid credentials		Enter URL Littles: //shopenzer.com/) and click go Cick on My Account dropdown button S. Enter InValid username/email in Email text box 4. Enter Invalid password in password text box 5. Click on login button	Usemame: padhu10a@gmail.com password: padhu123	Application should show 'Incorrect email or password 'validation message .	Working as expected	Pass			

8.2User Acceptance Testing

1. Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the INVENTORY MANAGEMENT SYSTEM project at the time of the release to User Acceptance Testing (UAT).

2. Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Seveíity 1	Seveíity 2	Seveíity 3	Seveíity 4	Subtotal
By Design	10	4	2	3	19
Duplicate	1	0	3	0	4
Exteínal	2	3	0	1	6
Fixed	11	2	4	20	37
Not Repíoduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won't Fix	0	5	2	1	8
1°otals	24	14	13	26	77

3. Test Case Analysis

This report shows the number of test cases that have passed, failed, and untested

Section	1ºotal Cases	Not 1 ested	Ïail	Pass
Píint Engine	6	0	0	6
Client Application	25	0	0	20
Secuíity	2	0	0	2

Outsouíce Shipping	3	0	0	3
Exception Repoiting	7	0	0	7
Final Repoit Output	4	0	0	4
Veísion Contíol	2	0	0	2

RESULTS

9 ADVANTAGES & DISADVANTAGES

9.1 Advantages:

Better Inventory Accuracy:

With solid inventory management, you know what's in stock and order only the amount of inventory you need to meet demand.

Reduced Risk of Overselling:

Inventory management helps track what's in stock and what's on backorder, so you don't oversell products.

Cost Savings:

Stock costs money until it sells. Carrying costs include storage handling and transportation fees, insurance and employee salaries. Inventory is also at risk of theft, loss from natural disasters or obsolescence.

Avoiding Stockouts and Excess Stock:

Better planning and management helps a business minimize the number of days, if any, that an item is out of stock and avoid carrying too much inventory.

Greater Insights:

With inventory tracking and stock control, you can also easily spot sales trends or track recalled products or expiry dates.

More Productivity:

Good inventory management solutions save time that could be spent on other activities.

9.2 Disadvantages:

Expensive for Small Businesses:

The cost of inventory management software can seem daunting to a small business, but the investment often pays for itself in increased profits and improved customer loyalty. Additionally, cloud-based systems have made software that was once the domain of large enterprises available to smaller businesses.

Complex to Learn:

Business software is sometimes tricky to learn. However, managers can help by investing in online training to quickly bring users up to speed.

Risk of System Crashes: Software does crash. However, you can remove the risk of data and productivity loss by using cloud-based platforms.

Malicious Hacks:

Malicious hacks are a risk to all businesses. The Internet of Things (IoT) adds even more complexity. Cloud-based software typically has greater security than a single company would offer on its own because of the risk a breach would have on the vendor.

Reduced Physical Audits:

When you automate some warehouse operations, it's easy to skip a physical inventory check. Solve this by instituting regular audits.

10 CONCLUSION

Inventory management is a very complex but essential part of the supply chain. An effective inventory management system helps to reduce stock-related costs such as warehousing, carrying, and ordering costs. As you have read above, there are different techniques that

businesses can utilize to simplify and optimize stock management processes and control systems.

11 FUTURE SCOPE

Stock control for omnichannel retailing

Stores doing omnichannel retailing are at the top of their game; they attract the 90% of consumers who switch between at least three applications per day to complete specific tasks.

Inventories that power experiential retail

Experiential retail is a trend that's catching fire — especially in the past few months.

In fact, they keep popping up in the news section of Google search results.

Advanced sales forecasting

Inventory management is big on having products on the shelf ready for shoppers when they need it. It curbs stockouts and fosters better personalization.

Season-based product recommendations

Speaking of Artificial Intelligence, AI-powered recommendation engines that adjust inventory based on real-time weather conditions and forecast are making their way to retail stores.

12 APPENDIX

Source Code

App.py:

from turtle import st from flask import Flask, render_template, request, redirect, url_for, session from markupsafe import escape

import ibm_db

conn = ibm_db.connect("DATABASE=bludb;HOSTNAME=54a2f15b-5c0f-46df-8954-7e38e612c2bd.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32733;SECURITY=S SL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=lkc93724;PWD=zAzNGa6DaNk6xvle",' ','')

import smtplib, ssl

```
## email.mime subclasses
   from email.mime.multipart import MIMEMultipart
   from email.mime.text import MIMEText
   ## The pandas library is only for generating the current date, which is not necessary for
sending emails
   import pandas as pd
   from datetime import datetime
   from flask import Flask
   app = Flask(_name_)
   var_list = []
   app.secret_key = 'your secret key'
   @app.route('/')
   def home():
    if not session.get("name"):
        return render_template('home.html')
    return render_template('home.html', session = session)
   @app.route('/register')
   def new_student():
    return render_template('Register.html')
   @app.route('/addrec',methods = ['POST', 'GET'])
   def addrec():
    msg="
    if request.method == 'POST':
```

```
fname = request.form['fname']
lname = request.form['lname']
cname = request.form['cname']
state = request.form['state']
city = request.form['city']
mobileno = request.form['mobileno']
emailid = request.form['emailid']
password = request.form['password']
pincode = request.form['pincode']
sql = "SELECT * FROM Users WHERE EMAILID =?"
stmt = ibm_db.prepare(conn, sql)
ibm_db.bind_param(stmt,1,emailid)
ibm db.execute(stmt)
account = ibm_db.fetch_assoc(stmt)
if account:
 msg="You are already a member, please login using your details"
 return render_template('Register.html', msg = msg)
else:
 var_list.append(fname)
 var_list.append(lname)
 var_list.append(cname)
 var_list.append(state)
 var_list.append(city)
 var_list.append(mobileno)
 var_list.append(emailid)
 var_list.append(password)
 var_list.append(pincode)
```

html= "'<!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 Transitional //EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd"><html

```
xmlns="http://www.w3.org/1999/xhtml"
                                                    xmlns:v="urn:schemas-microsoft-com:vml"
xmlns:o="urn:schemas-microsoft-com:office:office"><head><!--[if gte mso 9]><xml>
    <o:OfficeDocumentSettings>
      <o:AllowPNG/>
      <o:PixelsPerInch>96</o:PixelsPerInch>
    </o:OfficeDocumentSettings>
   </xml>
   <![endif]-->
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="x-apple-disable-message-reformatting">
    <!--[if !mso]><!-->
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <!--<![endif]-->
    <title></title>
    <style type="text/css">
      @media only screen and (min-width: 620px) {
       .u-row {
        width: 600px!important;
       .u-row .u-col {
        vertical-align: top;
       }
       .u-row .u-col-100 {
        width: 600px!important;
       }
      }
      @media (max-width: 620px) {
       .u-row-container {
        max-width: 100% !important;
        padding-left: 0px !important;
        padding-right: 0px !important;
```

```
}
 .u-row .u-col {
  min-width: 320px !important;
  max-width: 100% !important;
  display: block !important;
 }
 .u-row {
  width: calc(100% - 40px) !important;
 }
 .u-col {
  width: 100% !important;
 }
 .u-col>div {
  margin: 0 auto;
 }
}
body {
 margin: 0;
 padding: 0;
}
table,
tr,
td {
 vertical-align: top;
 border-collapse: collapse;
}
p {
 margin: 0;
}
.ie-container table,
```

```
.mso-container table {
       table-layout: fixed;
      }
      * {
       line-height: inherit;
      }
      a[x-apple-data-detectors='true'] {
       color: inherit !important;
       text-decoration: none !important;
      }
      table,
      td {
       color: #000000;
      }
      #u_body a {
       color: #0000ee;
       text-decoration: underline;
      }
     </style>
     <!--[if !mso]><!-->
              href="https://fonts.googleapis.com/css?family=Cabin:400,700"
                                                                                  rel="stylesheet"
     k
type="text/css">
     <!--<![endif]-->
   </head>
```

<body class="clean-body u_body" style="margin: 0;padding: 0;-webkit-text-size-adjust:
100%;background-color: #f9f9f9;color: #000000">

<!--[if IE]><div class="ie-container"><![endif]-->

<!--[if mso]><div class="mso-container"><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<div class="u-row-container" style="padding: 0px;background-color: transparent">

<div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-word;backgroundcolor: transparent;">

<div style="border-collapse: collapse;display: table;width: 100%;height:
100%;background-color: transparent;">

<!--[if (mso)|(IE)]>tr>tr>tr>transparent;" align="center"><table</td>cellpadding="0" cellspacing="0" border="0" style="width:600px;">transparent;"><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<div style="height: 100%;width: 100% !important;">
<!--[if (!mso)&(!IE)]><!-->

```
<div style="height: 100%; padding: 0px;border-top: 0px solid transparent;border-
left: Opx solid transparent;border-right: Opx solid transparent;border-bottom: Opx solid
transparent;">
               <!--<![endif]-->
               <table
                           style="font-family:'Cabin',sans-serif;"
                                                                  role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
                style="overflow-wrap:break-word;word-break:break-
                  <td
word;padding:10px;font-family:'Cabin',sans-serif;" align="left">
                   <div style="color: #afb0c7; line-height: 170%; text-align: center; word-
wrap: break-word;">
                    <span style="font-size:</pre>
14px; line-height: 23.8px;">View Email in Browser</span>
                   </div>
                  <!--[if (!mso)&(!IE)]><!-->
              </div>
              <!--<![endif]-->
             </div>
           </div>
           <!--[if (mso)|(IE)]><![endif]-->
           <!--[if (mso)|(IE)]><![endif]-->
          </div>
         </div>
        </div>
```

<div class="u-row-container" style="padding: 0px;background-color: transparent">

<div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-word;backgroundcolor: #ffffff;">

<div style="border-collapse: collapse;display: table;width: 100%;height:
100%;background-color: transparent;">

<!--[if (mso)|(IE)]><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<div style="height: 100%;width: 100% !important;">
<!--[if (!mso)&(!IE)]><!-->

<!--<![endif]-->

```
<img
                                            align="center"
                                                                         border="0"
src="https://assets.unlayer.com/projects/111476/1667819721582-Secure%20login-rafiki.png"
alt="Image" title="Image" style="outline: none;text-decoration: none;-ms-interpolation-mode:
bicubic;clear: both;display: inline-block!important;border: none;height: auto;float: none;width:
100%;max-width: 560px;"
                       width="560" />
                     <!--[if (!mso)&(!IE)]><!-->
              </div>
              <!--<![endif]-->
             </div>
            </div>
            <!--[if (mso)|(IE)]><![endif]-->
            <!--[if (mso)|(IE)]><![endif]-->
          </div>
```

<div class="u-row-container" style="padding: 0px;background-color: transparent">

</div>

</div>

<div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-word;backgroundcolor: #003399;">

<div style="border-collapse: collapse;display: table;width: 100%;height: 100%;background-color: transparent;">

<!--[if (mso)|(IE)]><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<div class="u-col u-col-100" style="max-width: 320px;min-width: 600px;display:
table-cell;vertical-align: top;">

<div style="height: 100%;width: 100% !important;">
 <!--[if (!mso)&(!IE)]><!-->

<!--<![endif]-->

```
<img
                                          align="center"
                                                                      border="0"
src="https://cdn.templates.unlayer.com/assets/1597218650916-xxxxc.png"
                                                                     alt="Image"
title="Image" style="outline: none;text-decoration: none;-ms-interpolation-mode: bicubic;clear:
both;display: inline-block !important;border: none;height: auto;float: none;width: 26%;max-width:
150.8px;"
                      width="150.8" />
                    <table
                          style="font-family:'Cabin',sans-serif;"
                                                              role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
               style="overflow-wrap:break-word;word-break:break-
                 <td
word;padding:10px;font-family:'Cabin',sans-serif;" align="left">
                  <div style="color: #e5eaf5; line-height: 140%; text-align: center; word-
wrap: break-word;">
                   <strong>T H A N K S F
OR SIGNING UP!</strong>
                  </div>
```

```
style="font-family:'Cabin',sans-serif;"
              <table
                                                                 role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
               <td style="overflow-wrap:break-word;word-break:break-word;padding:0px"
10px 31px;font-family:'Cabin',sans-serif;" align="left">
                   <div style="color: #e5eaf5; line-height: 140%; text-align: center; word-
wrap: break-word;">
                    <span style="font-size:</pre>
28px; line-height: 39.2px;"><strong><span style="line-height: 39.2px; font-size: 28px;">Confirm
Your E-mail Address </span></strong>
                     </span>
                    </div>
                  <!--[if (!mso)&(!IE)]><!-->
             </div>
             <!--<![endif]-->
            </div>
           </div>
           <!--[if (mso)|(IE)]><![endif]-->
           <!--[if (mso)|(IE)]><![endif]-->
          </div>
         </div>
        </div>
```

<div class="u-row-container" style="padding: 0px;background-color: transparent">

<div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-word;backgroundcolor: #ffffff;">

<div style="border-collapse: collapse;display: table;width: 100%;height: 100%;background-color: transparent;">

<!--[if (mso)|(IE)]><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<div style="height: 100%;width: 100% !important;">

<!--[if (!mso)&(!IE)]><!-->

<!--<![endif]-->

<div style="line-height: 160%; text-align: center; word-wrap: breakword;">

You're almost ready to get started. Please click on the button below to confirm your email address and experience the awesome Inventory Management Service!

</div>

style="overflow-wrap:break-word;word-break:break-word;padding:10px;font-family:'Cabin',sans-serif;" align="left">

 $<!--[if mso] > < style > .v-button \\ \{background: transparent ! important; \} < / style > <![endif] -->$

<div align="center">

<!--[if mso]><v:roundrect xmlns:v="urn:schemas-microsoft-com:vml"
xmlns:w="urn:schemas-microsoft-com:office:word" href="http://localhost:5000/confirm"
style="height:46px; v-text-anchor:middle; width:157px;" arcsize="8.5%" stroke="f"
fillcolor="#9ecbe4"><w:anchorlock/><center style="color:#103c55;font-family:'Cabin',sans-serif;"><![endif]-->

```
<span
                               style="display:block;padding:14px
                                                                 44px
                                                                          13px;line-
height:120%;"><span style="font-size: 16px; line-height: 19.2px;"><strong><span style="line-
height: 19.2px; font-size: 16px;">CONFIRM</span></strong>
                     </span>
                     </span>
                    </a>
                    <!--[if mso]></center></v:roundrect><![endif]-->
                   </div>
                  <table
                           style="font-family:'Cabin',sans-serif;"
                                                                 role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
                <td style="overflow-wrap:break-word;word-break:break-word;padding:33px"
55px 60px;font-family:'Cabin',sans-serif;" align="left">
                   <div style="color: #3598db; line-height: 160%; text-align: center; word-
wrap: break-word;">
                    <span style="font-size:</pre>
18px; line-height: 28.8px;">Once again, Thanks for signing up with us!</span>
                   </div>
                  <!--[if (!mso)&(!IE)]><!-->
              </div>
```

```
<!--<![endif]-->
             </div>
            </div>
            <!--[if (mso)|(IE)]><![endif]-->
            <!--[if (mso)|(IE)]><![endif]-->
           </div>
         </div>
        </div>
        <!--[if (mso)|(IE)]><![endif]-->
       <!--[if mso]></div><![endif]-->
    <!--[if IE]></div><![endif]-->
   </body>
   </html>"
      # Set up the email addresses and password. Please replace below with your email
address and password
      email_from = 'padhu10a@gmail.com'
      epassword = 'rbjibzkssszsbrjo'
      email_to = emailid
      # Generate today's date to be included in the email Subject
      date_str = pd.Timestamp.today().strftime('%Y-%m-%d')
      # Create a MIMEMultipart class, and set up the From, To, Subject fields
      email_message = MIMEMultipart()
      email_message['From'] = email_from
```

```
email message['To'] = email to
       email_message['Subject'] = f'Report email - {date_str}'
       # Attach the html doc defined earlier, as a MIMEText html content type to the MIME
message
       email_message.attach(MIMEText(html, "html"))
       # Convert it as a string
       email string = email message.as string()
       # Connect to the Gmail SMTP server and Send Email
       context = ssl.create default context()
       with smtplib.SMTP_SSL("smtp.gmail.com", 465, context=context) as server:
         server.login(email_from, epassword)
         server.sendmail(email_from, email_to, email_string)
       return render_template('notify.html')
   @app.route('/confirm')
   def confirmation():
     insert sql = "INSERT INTO Users (FIRSTNAME, LASTNAME, COMPANYNAME, STATE,
CITY, MOBILENO, EMAILID, PASSWORD, PINCODE) VALUES (?,?,?,?,?,?,?)"
     prep stmt = ibm db.prepare(conn, insert sql)
     ibm_db.bind_param(prep_stmt, 1, var_list[0])
     ibm db.bind param(prep stmt, 2, var list[1])
     ibm_db.bind_param(prep_stmt, 3, var_list[2])
     ibm_db.bind_param(prep_stmt, 4, var_list[3])
     ibm_db.bind_param(prep_stmt, 5, var_list[4])
     ibm_db.bind_param(prep_stmt, 6, var_list[5])
     ibm_db.bind_param(prep_stmt, 7, var_list[6])
     ibm_db.bind_param(prep_stmt, 8, var_list[7])
     ibm db.bind param(prep stmt, 9, var list[8])
     ibm_db.execute(prep_stmt)
     var list.clear()
```

```
return render_template('confirm.html')
@app.route('/login')
def login():
 return render_template('Login.html')
@app.route('/loginrec', methods =['POST', 'GET'])
def loginrec():
  msg = "
  if request.method == 'POST' and 'email' in request.form and 'password' in request.form:
    email = request.form['email']
    password = request.form['password']
    sql = "SELECT * FROM Users WHERE EMAILID =? AND PASSWORD =?"
    stmt = ibm_db.prepare(conn, sql)
    ibm_db.bind_param(stmt,1,email)
    ibm_db.bind_param(stmt,2,password)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    if account:
       session['loggedin'] = True
       session['id'] = account['ID']
       session['email'] = account['EMAILID']
       session['name'] = account['FIRSTNAME']
       return render template('dashboard/dashboard.html')
    else:
       msg = 'Incorrect email / password!'
  return render_template('login.html', msg = msg)
@app.route('/dashboard')
def dashboard():
```

```
if session['loggedin'] == True:
      return render_template('dashboard/dashboard.html')
     else:
      return redirect(url_for('home'))
   @app.route('/addproduct')
   def addproduct():
    if session['loggedin'] == True:
      return render_template('dashboard/addproduct.html')
     else:
      return redirect(url_for('home'))
   @app.route('/movement')
   def movement():
    if session['loggedin'] == True:
      products = []
      sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
      prep_stmt = ibm_db.prepare(conn, sql)
      ibm_db.bind_param(prep_stmt, 1, session['name'])
      ibm_db.execute(prep_stmt)
      dictionary = ibm_db.fetch_both(prep_stmt)
      while dictionary != False:
       # print ("The Name is : ", dictionary)
       products.append(dictionary)
       dictionary = ibm db.fetch both(prep stmt)
      if products:
       return render_template("dashboard/movement.html", products = products , session =
session)
      else:
       return render_template("dashboard/movement.html")
     else:
      return redirect(url_for('home'))
```

```
@app.route('/moveproc',methods = ['POST', 'GET'])
         def moveproc():
           if request.method == 'POST':
                    pname = request.form['pname']
                     quantityout = request.form['quantityout']
                    tow = request.form['to']
                    insert_sql = "UPDATE products SET QUANTITYOUT = ?, TO = ? WHERE
PRODUCTNAME = ? AND HOLDERNAME = ?;"
                    prep_stmt = ibm_db.prepare(conn, insert_sql)
                    ibm_db.bind_param(prep_stmt, 1,quantityout)
                    ibm_db.bind_param(prep_stmt, 2, tow)
                    ibm_db.bind_param(prep_stmt, 3, pname)
                    ibm_db.bind_param(prep_stmt, 4, session['name'])
                    ibm_db.execute(prep_stmt)
                     select_sql="SELECT QUANTITYIN from PRODUCTS WHERE PRODUCTNAME = ?
AND HOLDERNAME = ?;"
                    pre_stmt = ibm_db.prepare(conn, select_sql)
                    ibm_db.bind_param(pre_stmt, 1, pname)
                    ibm_db.bind_param(pre_stmt, 2, session['name'])
                    ibm db.execute(pre stmt)
                    outofstock = ibm db.fetch both(pre stmt)
                    if outofstock['QUANTITYIN'] <= int(quantityout):
                           html= "' <!DOCTYPE HTML PUBLIC "-//W3C//DTD XHTML 1.0 Transitional //EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
         <a href="http://www.w3.org/1999/xhtml" xmlns:v="urn:schemas-microsoft-com:vml" xmlns="http://www.w3.org/1999/xhtml" xmlns:v="urn:schemas-microsoft-com:vml" xml:schemas-microsoft-com:vml" xml:schemas-microso
xmlns:o="urn:schemas-microsoft-com:office:office">
         <head>
           <!--[if gte mso 9]>
         <xml>
            <o:OfficeDocumentSettings>
               <o:AllowPNG/>
```

```
<o:PixelsPerInch>96</o:PixelsPerInch>
 </o:OfficeDocumentSettings>
</xml>
<![endif]-->
 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <meta name="x-apple-disable-message-reformatting">
 <!--[if !mso]><!-->
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <!--<![endif]-->
 <title></title>
 <style type="text/css">
  @media only screen and (min-width: 620px) {
   .u-row {
    width: 600px !important;
   }
   .u-row .u-col {
    vertical-align: top;
   }
   .u-row .u-col-100 {
    width: 600px!important;
   }
  }
  @media (max-width: 620px) {
   .u-row-container {
    max-width: 100% !important;
    padding-left: 0px !important;
    padding-right: 0px !important;
   .u-row .u-col {
    min-width: 320px !important;
    max-width: 100%!important;
```

```
display: block !important;
 }
 .u-row {
  width: calc(100% - 40px) !important;
 }
 .u-col {
  width: 100% !important;
 }
 .u-col>div {
  margin: 0 auto;
 }
}
body {
 margin: 0;
 padding: 0;
}
table,
tr,
td {
 vertical-align: top;
 border-collapse: collapse;
}
p {
 margin: 0;
}
.ie-container table,
.mso-container table {
 table-layout: fixed;
}
```

```
line-height: inherit;
      }
      a[x-apple-data-detectors='true'] {
       color: inherit !important;
       text-decoration: none !important;
      }
      table,
      td {
       color: #000000;
      }
      @media (max-width: 480px) {
       #u_column_3 .v-col-background-color {
       background-color: #3598db !important;
       }
      }
     </style>
     <!--[if !mso]><!-->
     k
              href="https://fonts.googleapis.com/css?family=Cabin:400,700"
                                                                                 rel="stylesheet"
type="text/css">
     <!--<![endif]-->
    </head>
    <body class="clean-body u_body" style="margin: 0;padding: 0;-webkit-text-size-adjust:
100%;background-color: #f9f9f9;color: #000000">
     <!--[if IE]><div class="ie-container"><![endif]-->
     <!--[if mso]><div class="mso-container"><![endif]-->
```

* {

<table style="border-collapse: collapse;table-layout: fixed;border-spacing: 0;mso-table-layout: fixed;border-

<!--[if (mso)|(IE)]><![endif]-->

<div class="u-row-container" style="padding: 0px;background-color: transparent">

<div class="u-row" style="Margin: 0 auto;min-width: 320px;max-width:
600px;overflow-wrap: break-word;word-wrap: break-word;word-break: break-word;backgroundcolor: #ffffff;">

<div style="border-collapse: collapse;display: table;width: 100%;height: 100%;background-color: transparent;">

<!--[if (mso)|(IE)]><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<div class="v-col-background-color" style="height: 100%; width: 100%
!important;">

<!--[if (!mso)&(!IE)]><!-->

```
<!--<![endif]-->
             <table
                         style="font-family:'Cabin',sans-serif;"
                                                            role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
              style="overflow-wrap:break-word;word-break:break-
                <td
word;padding:0px;font-family:'Cabin',sans-serif;" align="left">
                 align="right"
                    <img
                                                                  border="0"
src="https://assets.unlayer.com/projects/111476/1668447888843-Warning-cuate.png"
alt="Image" title="Image" style="outline: none;text-decoration: none;-ms-interpolation-mode:
bicubic;clear: both;display: inline-block !important;border: none;height: auto;float: none;width:
100%;max-width: 600px;"
                     width="600" />
                   <!--[if (!mso)&(!IE)]><!-->
            </div>
            <!--<![endif]-->
           </div>
          </div>
```

```
<!--[if (mso)|(IE)]><![endif]-->
<!--[if (mso)|(IE)]><![endif]-->
</div>
</div>
```

<div style="border-collapse: collapse;display: table;width: 100%;height: 100%;background-color: transparent;">

<!--[if (mso)|(IE)]><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<div id="u_column_3" class="u-col u-col-100" style="max-width: 320px;min-width: 600px;display: table-cell;vertical-align: top;">

<div class="v-col-background-color" style="background-color: #3598db;height:
100%;width: 100% !important;">

<!--[if (!mso)&(!IE)]><!-->

<!--<![endif]-->

```
cellpadding="0" cellspacing="0" width="100%" border="0">
              <td style="overflow-wrap:break-word;word-break:break-word;padding:40px
10px 10px;font-family:'Cabin',sans-serif;" align="left">
                 border="0"
                                        align="center"
                    <img
src="https://assets.unlayer.com/projects/111476/1668448081560-vecteezy_warning-icon-png-
transparent_9663941_592.png" alt="Image" title="Image" style="outline: none;text-decoration:
none;-ms-interpolation-mode: bicubic;clear:
                                      both;display:
                                                            !important;border:
                                                  inline-block
none; height: auto; float: none; width: 30%; max-width: 174px;"
                     width="174" />
                   style="font-family:'Cabin',sans-serif;"
                                                            role="presentation"
             <table
cellpadding="0" cellspacing="0" width="100%" border="0">
              style="overflow-wrap:break-word;word-break:break-
                <td
word;padding:10px;font-family:'Cabin',sans-serif;" align="left">
```

style="font-family:'Cabin',sans-serif;"

role="presentation"

<table

```
<div style="color: #e5eaf5; line-height: 140%; text-align: center; word-
wrap: break-word;">
                   <span style="color:</pre>
#000000; font-size: 20px; line-height: 28px;">WARNING</span>
                  </div>
                 <table
                         style="font-family:'Cabin',sans-serif;"
                                                              role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
               <td style="overflow-wrap:break-word;word-break:break-word;padding:0px"
10px 31px;font-family:'Cabin',sans-serif;" align="left">
                  <div style="color: #e5eaf5; line-height: 140%; text-align: center; word-
wrap: break-word;">
                   <span style="font-size:</pre>
24px; line-height: 33.6px;"><strong>You are <span style="color: #000000; font-size: 24px; line-
height: 33.6px;">Out of Stock !</span></strong>
                    </span>
                   </div>
                 <!--[if (!mso)&(!IE)]><!-->
             </div>
```

<div style="border-collapse: collapse;display: table;width: 100%;height: 100%;background-color: transparent;">

<!--[if (mso)|(IE)]><![endif]-->

<!--[if (mso)|(IE)]><![endif]-->

<!--[if (!mso)&(!IE)]><!-->

```
<table
                            style="font-family:'Cabin',sans-serif;"
                                                                     role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
                 <td style="overflow-wrap:break-word;word-break:break-word;padding:33px"
55px;font-family:'Cabin',sans-serif;" align="left">
                    <div style="color: #000000; line-height: 160%; text-align: center; word-
wrap: break-word;">
                     <span style="font-size:</pre>
18px; line-height: 28.8px; color: #ecf0f1;">Please order <span style="color: #3598db; font-size:
18px; line-height: 28.8px;">new stocks </span>to get rid of the <span style="color: #3598db; font-
size: 18px; line-height: 28.8px;">out-of-stock</span>.</span>
                     </div>
                   <table
                            style="font-family:'Cabin',sans-serif;"
                                                                     role="presentation"
cellpadding="0" cellspacing="0" width="100%" border="0">
                 <td style="overflow-wrap:break-word;word-break:break-word;padding:33px"
55px 60px;font-family:'Cabin',sans-serif;" align="left">
                    <div style="color: #3598db; line-height: 160%; text-align: center; word-
wrap: break-word;">
```

<!--<![endif]-->

```
<span</p>
style="font-size: 18px; line-height: 28.8px; color: #3598db;">Post queries in the Contact Support
for further clearance!</span>

               <span</pre>
style="font-size: 18px; line-height: 28.8px; color: #3598db;">Thank you!</span>
              </div>
             <!--[if (!mso)&(!IE)]><!-->
          </div>
          <!--<![endif]-->
         </div>
        </div>
        <!--[if (mso)|(IE)]><![endif]-->
        <!--[if (mso)|(IE)]><![endif]-->
        </div>
       </div>
      </div>
      <!--[if (mso)|(IE)]><![endif]-->
     <!--[if mso]></div><![endif]-->
   <!--[if IE]></div><![endif]-->
  </body>
```

```
</html>
```

"

```
# Set up the email addresses and password. Please replace below with your email
address and password
          email_from = 'padhu10a@gmail.com'
          epassword = 'rbjibzkssszsbrjo'
          email_to = session['email']
          # Generate today's date to be included in the email Subject
          date_str = pd.Timestamp.today().strftime('%d-%m-%Y')
          # Create a MIMEMultipart class, and set up the From, To, Subject fields
          email_message = MIMEMultipart()
          email_message['From'] = email_from
          email_message['To'] = email_to
          email_message['Subject'] = f'Warning!!! {pname} - Out Of Stock - {date_str}'
          # Attach the html doc defined earlier, as a MIMEText html content type to the MIME
message
          email message.attach(MIMEText(html, "html"))
          # Convert it as a string
          email string = email message.as string()
          # Connect to the Gmail SMTP server and Send Email
          context = ssl.create_default_context()
          with smtplib.SMTP_SSL("smtp.gmail.com", 465, context=context) as server:
             server.login(email_from, epassword)
             server.sendmail(email_from, email_to, email_string)
          products = []
          sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
          prep_stmt = ibm_db.prepare(conn, sql)
```

```
ibm_db.bind_param(prep_stmt, 1, session['name'])
          ibm_db.execute(prep_stmt)
          dictionary = ibm_db.fetch_both(prep_stmt)
          while dictionary != False:
             # print ("The Name is : ", dictionary)
             products.append(dictionary)
             dictionary = ibm_db.fetch_both(prep_stmt)
          return render_template('dashboard/movement.html', msg = "Product movement
noted!", products = products)
        else:
          products = []
          sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
          prep_stmt = ibm_db.prepare(conn, sql)
          ibm db.bind param(prep stmt, 1, session['name'])
          ibm_db.execute(prep_stmt)
          dictionary = ibm_db.fetch_both(prep_stmt)
          while dictionary != False:
             # print ("The Name is : ", dictionary)
             products.append(dictionary)
             dictionary = ibm_db.fetch_both(prep_stmt)
          return render template('dashboard/movement.html', msg = "Product movement
noted!", products = products)
   @app.route('/report')
   def report():
    if session['loggedin'] == True:
     products = []
     stockonhand = []
      sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
      prep stmt = ibm db.prepare(conn, sql)
      ibm_db.bind_param(prep_stmt, 1, session['name'])
      ibm db.execute(prep stmt)
```

```
dictionary = ibm db.fetch both(prep stmt)
      while dictionary != False:
       # print ("The Name is: ", dictionary)
       products.append(dictionary)
       dictionary = ibm db.fetch both(prep stmt)
      for i in products:
        calc = int((i['QUANTITYIN'])) - int(i['QUANTITYOUT'])
        stockonhand.append(str(calc))
      return render_template('dashboard/report.html', row_row1 =zip(products,stockonhand))
     else:
      return redirect(url_for('home'))
   @app.route('/stockupdate')
   def stock():
     if session['loggedin'] == True:
      products = []
      sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
      prep_stmt = ibm_db.prepare(conn, sql)
      ibm_db.bind_param(prep_stmt, 1, session['name'])
      ibm_db.execute(prep_stmt)
      dictionary = ibm_db.fetch_both(prep_stmt)
      while dictionary != False:
       # print ("The Name is : ", dictionary)
       products.append(dictionary)
       dictionary = ibm_db.fetch_both(prep_stmt)
      if products:
       return render_template("dashboard/stockupdate.html", products = products , session =
session)
      else:
       return render_template("dashboard/stockupdate.html")
     else:
```

```
@app.route('/proc_delete', methods = ['POST', 'GET'])
   def proc delete():
          id = request.args.get('pid')
          delete_sql = "DELETE FROM products WHERE ID = ? AND HOLDERNAME = ?;"
          prep_stmt = ibm_db.prepare(conn, delete_sql)
          ibm_db.bind_param(prep_stmt, 1, id)
          ibm_db.bind_param(prep_stmt, 2, session['name'])
          ibm_db.execute(prep_stmt)
          products = []
          sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
          prep_stmt = ibm_db.prepare(conn, sql)
          ibm_db.bind_param(prep_stmt, 1, session['name'])
          ibm_db.execute(prep_stmt)
          dictionary = ibm_db.fetch_both(prep_stmt)
          while dictionary != False:
           # print ("The Name is: ", dictionary)
           products.append(dictionary)
           dictionary = ibm_db.fetch_both(prep_stmt)
          return render_template('dashboard/stockupdate.html', msg='Product successfully
deleted!', products = products)
   @app.route('/proc_update', methods = ['POST', 'GET'])
   def proc_update():
          if request.method == 'POST':
           pname = request.form['pname']
           quantityin = request.form['quantityin']
           pid = request.form['pid']
          update_sql = "UPDATE products SET PRODUCTNAME = ?, QUANTITYIN = ?
WHERE ID = ? AND HOLDERNAME = ?;"
```

return redirect(url for('home'))

```
ibm_db.bind_param(prep_stmt, 1, pname)
          ibm_db.bind_param(prep_stmt, 2, quantityin)
          ibm_db.bind_param(prep_stmt, 3, pid)
          ibm db.bind param(prep stmt, 4, session['name'])
          ibm db.execute(prep stmt)
          products = []
          sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
          prep_stmt = ibm_db.prepare(conn, sql)
          ibm db.bind param(prep stmt, 1, session['name'])
          ibm_db.execute(prep_stmt)
          dictionary = ibm_db.fetch_both(prep_stmt)
          while dictionary != False:
           # print ("The Name is : ", dictionary)
            products.append(dictionary)
            dictionary = ibm_db.fetch_both(prep_stmt)
          return render_template('dashboard/stockupdate.html', msg='Product successfully
updated!' , products = products)
   @app.route('/addproc',methods = ['POST', 'GET'])
   def addproc():
     if request.method == 'POST':
        pname = request.form['pname']
        quantity = request.form['quantity']
        the_time = datetime.now()
        the time = the time.replace(second=0, microsecond=0)
        sql = "SELECT * FROM Products WHERE HOLDERNAME =?"
        stmt = ibm_db.prepare(conn, sql)
        ibm db.bind param(stmt,1,session['name'])
        ibm_db.execute(stmt)
        product = ibm db.fetch assoc(stmt)
```

prep stmt = ibm db.prepare(conn, update sql)

```
if product:
         if product['PRODUCTNAME']==pname:
          return render template('dashboard/addproduct.html', msg="Product already added!
Add a new product.")
         else:
                              ="INSERT
                                                         INTO
          sql
                                                                                Products
(PRODUCTNAME, QUANTITYIN, QUANTITYOUT, TO, DATE, HOLDERNAME)
                                                                                VALUES
(?,?,?,?,?);"
          prep_stmt = ibm_db.prepare(conn, sql)
          ibm_db.bind_param(prep_stmt, 1, pname)
          ibm_db.bind_param(prep_stmt, 2, quantity)
          ibm_db.bind_param(prep_stmt, 3, '0')
          ibm_db.bind_param(prep_stmt, 4, ")
          ibm_db.bind_param(prep_stmt, 5, str(the_time))
          ibm_db.bind_param(prep_stmt, 6, session['name'])
          ibm_db.execute(prep_stmt)
          return render_template('dashboard/addproduct.html', msg="Product added")
        else:
                              ="INSERT
                                                         INTO
                                                                                Products
          sal
(PRODUCTNAME, QUANTITYIN, QUANTITYOUT, TO, DATE, HOLDERNAME)
                                                                                VALUES
(?,?,?,?,?):"
          prep_stmt = ibm_db.prepare(conn, sql)
          ibm_db.bind_param(prep_stmt, 1, pname)
          ibm_db.bind_param(prep_stmt, 2, quantity)
          ibm_db.bind_param(prep_stmt, 3, '0')
          ibm_db.bind_param(prep_stmt, 4, ")
          ibm_db.bind_param(prep_stmt, 5, str(the_time))
          ibm_db.bind_param(prep_stmt, 6, session['name'])
          ibm_db.execute(prep_stmt)
          return render template('dashboard/addproduct.html', msg="Product added")
```

```
@app.route('/productlist')
   def productlist():
    if session['loggedin'] == True:
      products = []
      sql = "SELECT * FROM Products WHERE HOLDERNAME = ?"
      prep_stmt = ibm_db.prepare(conn, sql)
      ibm_db.bind_param(prep_stmt, 1, session['name'])
      ibm_db.execute(prep_stmt)
      dictionary = ibm_db.fetch_both(prep_stmt)
      while dictionary != False:
       # print ("The Name is: ", dictionary)
       products.append(dictionary)
       dictionary = ibm_db.fetch_both(prep_stmt)
      if products:
       return render_template("dashboard/productlist.html", products = products , session =
session)
      else:
       return render_template("dashboard/productlist.html")
     else:
      return redirect(url_for('home'))
   @app.route('/contactsupport')
   def contactsupport():
    if session['loggedin'] == True:
      return render_template('dashboard/contactsupport.html')
     else:
      return redirect(url for('home'))
   @app.route('/contactsup', methods = ['POST','GET'])
   def contactsup():
     if request.method == 'POST':
       name = request.form['name']
```

```
emailid = request.form['emailid']
       query = request.form['query']
       html = "<h1>Query from, </h1><br/>><b>Name: </b>"+name+"<br/><b>Email ID:
</b>"+emailid+"<br/><b>Contact no: </b>"+mobileno+"<br/><b>Query: </b>"+query+"</b>"
        # Set up the email addresses and password. Please replace below with your email
address and password
       email_from = 'padhu10a@gmail.com'
       epassword = 'rbjibzkssszsbrjo'
       email_to = 'imsa3258@gmail.com'
        # Generate today's date to be included in the email Subject
       date_str = pd.Timestamp.today().strftime('%Y-%m-%d')
        # Create a MIMEMultipart class, and set up the From, To, Subject fields
       email_message = MIMEMultipart()
       email_message['From'] = email_from
       email_message['To'] = email_to
       email_message['Subject'] = f'Query email - {date_str}'
        # Attach the html doc defined earlier, as a MIMEText html content type to the MIME
message
       email_message.attach(MIMEText(html, "html"))
        # Convert it as a string
       email_string = email_message.as_string()
        # Connect to the Gmail SMTP server and Send Email
       context = ssl.create_default_context()
       with smtplib.SMTP_SSL("smtp.gmail.com", 465, context=context) as server:
          server.login(email_from, epassword)
          server.sendmail(email_from, email_to, email_string)
```

mobileno = request.form['mobileno']

```
return render_template('dashboard/contactsupport.html', msg = "We have mailed your query to our Support team! Soon they will reach you.")
```

```
@app.route('/feedback')
   def feedback():
    if session['loggedin'] == True:
      return render_template('dashboard/feedback.html')
    else:
      return redirect(url_for('home'))
    @app.route('/feedbackadd', methods = ['POST','GET'])
   def feedbackadd():
    if request.method == 'POST':
       interface = request.form['interface']
       availability = request.form['availability']
       userfriendly = request.form['userfriendly']
       chatbot = request.form['chatbot']
       suggest = request.form['suggest']
       sql = "SELECT * FROM Feedback WHERE NAME =?"
       stmt = ibm db.prepare(conn, sql)
       ibm_db.bind_param(stmt,1,session['name'])
       ibm_db.execute(stmt)
       account = ibm_db.fetch_assoc(stmt)
       if account:
        return render_template('dashboard/feedback.html', msg = "Your feedback was
submitted already.")
       else:
                                           "INSERT
                                                                 INTO
                                                                                    Feedback
        ins sql
(interface, availability, userfriendly, chatbot, suggest, name) VALUES (?,?,?,?,?);"
        prep stmt = ibm db.prepare(conn, ins sql)
        ibm_db.bind_param(prep_stmt, 1, interface)
        ibm db.bind param(prep stmt, 2, availability)
```

```
ibm_db.bind_param(prep_stmt, 3, userfriendly)
        ibm_db.bind_param(prep_stmt, 4, chatbot)
        ibm_db.bind_param(prep_stmt, 5, suggest)
        ibm_db.bind_param(prep_stmt, 6, session['name'])
        ibm_db.execute(prep_stmt)
        return render_template('dashboard/feedback.html', msg = "Your feedback was
submitted.")
   @app.route('/logout')
   def logout():
     session['loggedin'] = False
     session.pop('id', None)
     session.pop('email', None)
     session.pop('name', None)
     return redirect(url_for('home'))
   if __name __ == "__main__":
     app.run(debug=True, host="0.0.0.0", port=5000)
```

Dockerfile

```
FROM python:3.10.6

WORKDIR /app

COPY requirements.txt ./

RUN pip install -r requirements.txt

COPY . .

EXPOSE 5000

CMD ["python","./app.py"]
```

requirements.txt

spec:

rules:

- http:

paths:

ingressClassName: nginx

```
flask
ibm_db
pandas
flask_service.yaml:
apiVersion: v1
kind: Service
metadata:
 name: flask-app-service
spec:
 type: NodePort
 ports:
  - port: 5000
 selector:
  app: ims-final
flask_ingress.yaml:
apiVersion: networking.k8s.io/v1
kind: Ingress
metadata:
 name: flask-app-ingress
 annotations:
 kubernetes.io/ingress.class: nginx
  nginx.ingress.kubernetes.io/ssl-redirect: "false"
```

```
- backend:
        service:
         name: flask-app-service
         port:
           number: 5000
       path:/
       pathType: Prefix
ibm_deployment.yaml:
apiVersion: apps/v1
kind: Deployment
metadata:
 name: ims-final
spec:
 replicas: 3
 selector:
  matchLabels:
   app: ims-final
 template:
  metadata:
   labels:
    app: ims-final
  spec:
   containers:
    - name: job-portal-container
      image: jp.icr.io/padmanaban/ims-final
      imagePullPolicy: Always
      ports:
       - containerPort: 5000
        protocol: TCP
```