

Create Node-RED Service

Team ID: PNT2022TMID16239

The screenshot displays the IBM Cloud console interface for a Node-RED service. The top navigation bar includes the IBM Cloud logo, a search bar, and user account information. The main content area is divided into several sections:

- Resource list / App details /** Node RED EWJZU [Add tags](#)
- Details**
 - App URL: You must deploy your app first
 - Source: [Download code](#)
 - Resource group: [Default](#)
 - Deployment target: You must deploy your app first
 - Created: 11/16/2022
- Services**
 - Cloudant**
 - [Open dashboard](#)
 - [Documentation](#)
 - [API reference](#)
 - Credentials
- Deployment Automation**
 - Name: [NodeREDEWJZU](#)
 - Location: Dallas
 - Tool integrations:
- Delivery Pipelines**
 - Name: [pr-pipeline](#)
 - Status: [No stages detected](#)
 - Name: [ci-pipeline](#)
 - Status: [No stages detected](#)

A vertical sidebar on the right contains the text "ASK A QUESTION" and a blue chat icon.

```
node-red

Run `npm audit` for details.

C:\Users\User>node-red
16 Nov 22:16:48 - [info]

Welcome to Node-RED
=====

16 Nov 22:16:48 - [info] Node-RED version: v3.0.2
16 Nov 22:16:48 - [info] Node.js version: v19.1.0
16 Nov 22:16:48 - [info] Windows_NT 10.0.19043 x64 LE
16 Nov 22:16:49 - [info] Loading palette nodes
16 Nov 22:16:50 - [info] Dashboard version 3.2.0 started at /ui
16 Nov 22:16:50 - [info] Settings file : C:\Users\User\.node-red\settings.js
16 Nov 22:16:50 - [info] Context store : 'default' [module=memory]
16 Nov 22:16:50 - [info] User directory : \Users\User\.node-red
16 Nov 22:16:50 - [warn] Projects disabled : editorTheme.projects.enabled=false
16 Nov 22:16:50 - [info] Flows file : \Users\User\.node-red\flows.json
16 Nov 22:16:50 - [info] Server now running at http://127.0.0.1:1880/
16 Nov 22:16:50 - [warn]

-----
Your flow credentials file is encrypted using a system-generated key.

If the system-generated key is lost for any reason, your credentials
file will not be recoverable, you will have to delete it and re-enter
your credentials.

You should set your own key using the 'credentialSecret' option in
```

Node-RED

Deploy

filter nodes

common

inject

debug

complete

catch

status

link in

link call

link out

comment

function

function

switch

hello

debug 4

good

debug 5

debug

all nodes

all

11/16/2022, 9:22:07 PM node: debug 4
msg.payload : number
1668613927581

11/16/2022, 9:22:31 PM node: debug 4
msg.payload : string[5]
"hello"

11/16/2022, 9:22:54 PM node: debug 5
msg.payload : number
1668613974623

11/16/2022, 9:23:20 PM node: debug 5
msg.payload : string[4]
"good"

Activate Windows
Go to Settings to activate Windows.

Node-RED

Deploy

filter nodes

common

inject

debug

complete

catch

status

link in

link call

link out

comment

function

switch

hello

123:good

debug 4

debug 5

debug

all nodes

all

11/16/2022, 9:22:07 PM node: debug 4

msg.payload : number

1668613927581

11/16/2022, 9:22:31 PM node: debug 4

msg.payload : string[5]

"hello"

11/16/2022, 9:22:54 PM node: debug 5

msg.payload : number

1668613974623

11/16/2022, 9:23:20 PM node: debug 5

msg.payload : string[4]

"good"

11/16/2022, 9:38:08 PM node: debug 5

123 : msg.payload : string[4]

"good"

Activate Windows
Go to Settings to activate Windows.

