

SPRINT 1

Date	12November2022
Team ID	PNT2022TMID49639
Project Name	Plasma Donor Application

index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<style>
*{
    margin: 0;
    padding: 0;
    font-family: sans-serif;
}

.banner{
    width: 100%;
    height: 100vh;
    background: linear-gradient(rgba(0,0,0,0.75),rgba(0,0,0,0.75)), url(bg.webp);
    background-size: cover;
    background-position: center;
}

.navbar{
    width: 85%;
    margin: auto;
    padding: 35px 0;
    display: flex;
    align-items: center;
    justify-content: space-between;
}

.logo{
    width: 120px;
    cursor: pointer;
}
```

```
.navbar ul li{  
    list-style: none;  
    display: inline-block;  
    margin: 0 20px;  
    position: relative;  
}
```

```
.navbar ul li a{  
    text-decoration: none;  
    color: #fff;  
    text-transform: uppercase;  
}
```

```
.navbar ul li::after{  
    content: " ";  
    height: 3px;  
    width: 0;  
    background: #99cce0;  
    position: absolute;  
    left: 0;  
    bottom: -5px;  
    transition: 0.5s;  
}
```

```
.navbar ul li:hover::after{  
    width: 100%;  
}
```

```
.content{  
    width: 100%;  
    position: absolute;  
    top: 50%;  
    transform: translateY(-50%);  
    text-align: center;  
    color: #99cce0;  
}
```

```
.content h1 {  
    font-size: 70px;  
    margin-top: 80px;
```

```
}
```

```
.content p{  
    margin: 20px auto;  
    font-weight: 100;  
    line-height: 25px;  
    color: aliceblue;  
    font-family: 'Lucida Sans';  
}
```

```
.form h2{  
    width: 220px;  
    font-family: sans-serif;  
    text-align: center;  
    color: #99cce0;  
    font-size: 50px;  
    background-color: #fff;  
    border-radius: 10px;  
    margin: 2px;  
    padding: 8px;  
}
```

```
.form input{  
    width: 240px;  
    height: 35px;  
    background: transparent;  
    border-bottom: 1px solid #99cce0;  
    border-top: none;  
    border-right: none;  
    border-left: none;  
    color: #fff;  
    font-size: 15px;  
    letter-spacing: 1px;  
    margin-top: 30px;  
    font-family: sans-serif;  
}
```

```
.form input:focus{  
    outline: none;  
}
```

```
::placeholder{
  color: #fff;
  font-family: Arial;
}

.btnn{
  width: 240px;
  height: 40px;
  background: #99cce0;
  border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color: #fff;
  transition: 0.4s ease;
}

.btnn:hover{
  background: #fff;
  color: #99cce0;
}

.btnn a{
  text-decoration: none;
  color: #000;
  font-weight: bold;
}

.form .link{
  font-family: Arial, Helvetica, sans-serif;
  font-size: 17px;
  padding-top: 50px;
  text-align: center;
}

.form .link a{
  text-decoration: none;
  color: #99cce0;
}

.form{
  font-family: Arial, Helvetica, sans-serif;
```

```
font-size: 17px;
padding-top: 50px;
text-align: center;
}
.form a{
text-decoration: none;
color: #99cce0;
}
```

```
</style>
<title>Index form</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
```

```
<div class="banner">
<div class="navbar">


<ul>
<li><a href="#">HOME</a></li>
<li><a href="#">ABOUT</a></li>

<li><a href="#">CONTACT</a></li>
</ul>
</div>
```

```
</div>
<div class="content">
<h1>PLASMA DONOR<br><span>APPLICATION</span> <br></h1>
<p>Need a reason to donate Plasma? <br>
The reason is giving someone another chance in life!!</p>
<div class="form">

<a href="{{'login'}}">Login</a>

<p class="link">Don't have an account<br>
<a href="{{'register'}}">Sign up </a> here</a></p>
```

```
</div>,.  
</div>
```

```
</div>  
</div>  
<script src="https://unpkg.com/ionicons@5.4.0/dist/ionicons.js"></script>  
</body>  
</html>
```

registration page.html:

```
<Html>  
  
<head>  
<style>  
* {  
    padding: 0;  
    margin: 0;  
    font-family: Verdana, Geneva, Tahoma, sans-serif;  
}  
  
body {  
    background-color: rgb(223, 203, 218);  
    background-size: cover;  
}  
</style>  
    <title>Registration form</title>  
</head>  
<center>  
    <h1 class="word">DONOR REGISTRATION</h1>  
</center>  
  
    <br>  
    <form action="{ { url_for('register') } }" method="post">  
  
        <label><font size="5"> Username: </font></label>  
        <input type="text" name="username" placeholder="Enter your Username"  
required> <br> <br>  
        <label><font size="5"> Age: </font></label>  
        <input type="age" name="age" placeholder="How old are you?" required> <br>  
<br>
```

```
<label><font size="5">
  Blood Group: </font>
</label>
<input type="bloodgroup" name="bloodgroup" placeholder="Bloodgroup"
required>
<br>
<br>
<label><font size="5">
  Gender: </font>
</label>
<input type="gender" name="gender" placeholder="Gender" required>
<br>
<br>
<label><font size="5">
  Phone: </font>
</label>
<!--<input type="text" name="countrycode" value="+91" size="2" />-->
<input type="text" name="phone" size="12" required> <br> <br>
<font size="5"> Address </font>
<br>
<textarea name="address" cols="80" rows="4" value="address" required>
</textarea>
<br> <br>
<font size="5"> Email: </font>
<input type="email" id="email" name="email" placeholder="Enter your Email"
required> <br>
<br> <br>
<font size="5"> Password: </font>
<input type="password" id="password" name="password" placeholder="Enter
your Password" required> <br>
<br> <br>
<font size="5"> Confirm Password: </font>
<input type="password" name="confirmpassword" placeholder="Confirm your
Password" required> <br> <br>
<label><font size="5"> Height: </font></label>
<input type="height" name="height" placeholder="Please write your height in
centimetres" required><br><br>
<label><font size="5"> Weight: </font></label>
<input type="weight" name="weight" placeholder="Please write your weight in
centimetres" required>
```

```

        <br><br>
        <button>
            <input type="submit" value="REGISTER" />
        </button>
    </form>
</body>

</html>

```

login page.html:

```

<Html>

<head>
    <style>
    *{
        margin: 0%;
        padding: 0%;
        font-family: 'Verdana, Geneva, Tahoma, sans-serif'
    }

    body{
        background-color: rgb(223, 203, 218);
        background-size: cover;
    }
    </style>
    <title>Login form</title>
</head>
<center><br><br><br><br><br><br><br><br>
    <h1 class="word">DONOR LOGIN</h1>
</center>

<body>
    <br>
    <form action="{{ url_for('login') }}" method="post">
        <br> <center>
        <label> Username:</label>
        <input type="text" name="Username" size="15" /> <br> <br>
        <label> Password:</label>
        <input type="text" name="Password" size="15" />
        <br> <br> <br>
    </form>

```



```

<button>
  <input type="submit" value="LOGIN" />
</button>
</center>
</form>
</body>

</html>

```

app.py:

```

from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re

```

```

app = Flask(__name__)
app.secret_key = 'a'
conn =
ibm_db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-433e-8bf9-0fbb7
e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32459;SECURITY
=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=chd81862;PWD=5g7Pl
VGFKudIoKIn",",")
@app.route('/')
def home():
    return render_template('index.html')
@app.route('/login', methods=['GET', 'POST'])
def login():
    global userid
    msg = ""
    if request.method == 'POST' and 'username' in request.form and 'password' in
request.form:
        username = request.form['username']
        password = request.form['password']
        stmt = ibm_db.prepare(conn,'SELECT * FROM registration WHERE username =
? AND password = ?')
        ibm_db.bind_param(stmt,1,username)
        ibm_db.bind_param(stmt,2,password)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        if account:

```

```

        session['loggedin'] = True
        session['username'] = account['USERNAME']
        msg = 'Logged in successfully !'
        return render_template('index.html', msg = msg)
    else:
        msg = 'Incorrect username / password !'
    return render_template('login.html', msg = msg)

```

```

@app.route('/logout')
def logout():
    session.pop('loggedin', None)
    session.pop('id', None)
    session.pop('username', None)
    return redirect(url_for('login'))

```

```

@app.route('/register', methods=['GET', 'POST'])
def register():
    msg = "
    if request.method == 'POST':
        username = request.form['username']
        age = request.form['age']
        bloodgroup = request.form['bloodgroup']
        gender = request.form['gender']
        phone= request.form['phone']
        address= request.form['address']
        email = request.form['email']
        password = request.form['password']
        confirmpassword = request.form['confirmpassword']
        height= request.form['height']
        weight = request.form['weight']
        sql = "SELECT * FROM registration WHERE username = ? "
        stmt = ibm_db.prepare(conn,sql)
        ibm_db.bind_param(stmt,1,username)
        ibm_db.execute(stmt)
        account = ibm_db.fetch_assoc(stmt)
        print(account)
        if account:
            msg = 'Account already exists !'
        elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
            msg = 'Invalid email address !'

```

```


elif not re.match(r'[A-Za-z0-9]+', username):
    msg = 'Username must contain only characters and numbers !'
elif not username or not password or not username:
    msg = 'Please fill out the form !'
else:
    insert_sql = "INSERT INTO registration VALUES (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
    stmt = ibm_db.prepare(conn, insert_sql)
    ibm_db.bind_param(stmt, 1, username )
    ibm_db.bind_param(stmt, 2, age)
    ibm_db.bind_param(stmt, 3, bloodgroup)
    ibm_db.bind_param(stmt, 4, gender )
    ibm_db.bind_param(stmt, 5, phone )
    ibm_db.bind_param(stmt, 6, address )
    ibm_db.bind_param(stmt, 7, email )
    ibm_db.bind_param(stmt, 8, password )
    ibm_db.bind_param(stmt, 9, confirmpassword )
    ibm_db.bind_param(stmt, 10, height )
    ibm_db.bind_param(stmt, 11, weight )
    ibm_db.execute(stmt)

    msg = 'You have successfully registered !'
elif request.method == 'POST':
    msg = 'Please fill out the form !'

return render_template('registration page.html', msg = msg)
if __name__ == '__main__':
    app.run(debug = True)

```

OUTPUT:



A screenshot of the 'DONOR REGISTRATION' form in the same web browser. The browser tabs are 'Service Details - IBM Cloud', 'IBM Db2 on Cloud', and 'Registration form'. The address bar shows '127.0.0.1:5000/register'. The form has a light purple background and a title 'DONOR REGISTRATION' at the top. The form fields are as follows: 'Username:' with the value 'Mathi S'; 'Age:' with the value '20'; 'Blood Group:' with the value 'AB+ve'; 'Gender:' with the value 'Female'; 'Phone:' with the value '6374966397'; 'Address' with the value 'AURCT,Tirunelveli'; 'Email:' with the value 'saranmathis2006@gmail.c'; 'Password:' with masked input '...'; 'Confirm Password:' with masked input '...'; 'Height:' with the value '160'; and 'Weight:' with the value '50'.

Service Details - IBM Cloud x IBM Db2 on Cloud x Registration form x +

127.0.0.1:5000/register

Username:

Age:

Blood Group:

Gender:

Phone:

Address

Email:

Password:

Confirm Password:

Height:

Weight:

Service Details - IBM Cloud x IBM Db2 on Cloud x Login form x +

127.0.0.1:5000/login

DONOR LOGIN

Username:

Password:

IBM Db2 on Cloud

Load Data

Load History

Tables

Views

Indexes

Aliases

MQTs

Sequences

Application objects

SQL

CHD81862.REGISTRATION

Back

Export to CSV

USERNAME	AGE	BLOODGROUP	GENDER	PHONE	ADDRESS	EMAIL	PASSWORD	CONFIRMPASSWORD	HEIGHT	WEIGHT
Aathira	25	O+ve	Female	9080507125	Anna Nagar,Chennai	aathira25@gmail.com	Aathira123	Aathira123	163	52
Mathi S	20	AB+ve	Female	6374966397	AURCT,Tirunelveli	saranmathis2006@gmail.com	123	123	160	50