## **SPRINT 4**

DATE	19 November 2022
TEAM ID	PNT2022TMID49639
PROJECT JNAME	Plasma Donor Application

```
Index.html:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
 <title></title>
<style>
 *{
 margin: 0;
  padding: 0;
 font-family: sans-serif;
}
body{
  background-image:
url(https://png.pngtree.com/thumb_back/fh260/back_our/20190621/ourmid/
pngtree-blood-donation-art-free-simple-white-banner-image_180424.jpg);
  background-repeat: no-repeat;
  background-size: cover;
```

```
font-family: Verdana, Geneva, Tahoma, sans-serif;
}
.banner{
  width: 100%;
  height: 100vh;
  background: linear-gradient(rgba(0,0,0,0.75),rgba(0,0,0,0.75));
  background-size: cover;
  background-position: center;
}
. navbar \{\\
  width: 85%;
  margin: auto;
  padding: 35px 0;
  display: flex;
  align-items: center;
  justify-content: space-between;
}
.logo{
  width: 120px;
  cursor: pointer;
```

```
}
.navbar ul li{
  list-style: none;
  display: inline-block;
  margin: 0 20px;
  position: relative;
}
.navbar ul li a{
  text-decoration: none;
  color: black;
  text-transform: uppercase;
}
.navbar ul li::after{
  content: ";
  height: 3px;
  width: 0;
  background: #07445c;
  position: absolute;
  left: 0;
  bottom: -5px;
```

```
transition: 0.5s;
}
.navbar ul li:hover::after{
  width: 100%;
}
.content{
  width: 100%;
  position: absolute;
  top: 50%;
  transform: translateY(-50%);
  text-align: center;
  color: #07445c;
}
.content h1{
  font-size: 70px;
  margin-top: 80px;
}
.content p{
  margin: 20px auto;
```

```
font-weight: 100;
  line-height: 25px;
  color: black;
  font-family: 'Lucida Sans';
}
.form h2{
  width: 220px;
  font-family: sans-serif;
  text-align: center;
  color: #07445c;
  font-size: 50px;
  background-color: #000;
  border-radius: 10px;
  margin: 2px;
  padding: 8px;
}
. form \ input \{
  width: 240px;
  height: 35px;
  background: transparent;
  border-bottom: 1px solid #07445c;
```

```
border-top: none;
  border-right: none;
  border-left: none;
  color: rgb(138, 103, 103);
  font-size: 15px;
  letter-spacing: 1px;
  margin-top: 30px;
  font-family: sans-serif;
}
.form input:focus{
  outline: none;
}
::placeholder{
  color: rgb(138, 103, 103);
  font-family: Arial;
}
width: 240px;
  height: 40px;
  background: #07445c;
```

```
border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color: rgb(138, 103, 103);
  transition: 0.4s ease;
}
.btnn:hover{
  background: rgb(138, 103, 103);
  color: #07445c;
}
.btnn a{
  text-decoration: none;
  color: #000;
  font-weight: bold;
}
.form .link{
  font-family: Arial, Helvetica, sans-serif;
  font-size: 17px;
  padding-top: 50px;
  text-align: center;
}
```

```
.form .link a{
  text-decoration: none;
  color: #07445c;
}
.form{
  font-family: Arial, Helvetica, sans-serif;
  font-size: 17px;
  padding-top: 50px;
  text-align: center;
}
.form a{
  text-decoration: none;
  color: #07445c;
}
</style>
</head>
<body>
  <div class="full-page">
    <div class="navbar">
      <div>
         <a href='index.html'></a>
```

```
</div>
     <nav>
       <a href="{{'login'}}">LOGIN</a>
         <a href="{{'register'}}">DONOR</a>
         <a href="{{'registers'}}">RECIPIENT</a>
       </nav>
   </div>
   <div class="content">
       <h1>PLASMA DONOR APPLICATION<br></h1>
       Need a reason to donate Plasma? <br>
         The reason is giving someone another chance in life!!
 </div>
</body>
</html>
Donor.html:
<Html>
 <head>
   <title>Registration form</title>
```

```
</head>
  <center>
    <h1 class="word">DONOR REGISTRATION</h1>
  </center>
  <style>
    body{
      background-image:
url(https://c0.wallpaperflare.com/preview/970/18/534/antibiotic-blur-
cocktail-glass-cocktail-tablets.jpg);
      background-repeat: no-repeat;
      background-size: cover;
      font-family: Verdana, Geneva, Tahoma, sans-serif;
    }
  </style>
    <br>
    <form action="{{ url_for('register') }}" method="post">
      <label> Username:</label>
      <input type="text" name="username" size="15" placeholder="Enter
your Username" required /> <br> <br>
```

```
<label>Age:</label>
      <input type="age" name="age" placeholder="How old are you?"</pre>
required /> <br> <br>
      <label>
        Blood Group:
      </label>
      <input type="bloodgroup" name="bloodgroup" placeholder="Enter your
bloodgroup" required/>
      <br>
      <br>
        Gender:
      </label>
      <input type="gender" name="gender" required>
      <br>
      <br>
      <label>
        Phone:
      </label>
      <!--<input type="text" name="countrycode" value="+91" size="2" />-->
      <input type="text" name="phone" size="10" required /> <br> <br>
      Address<br>
      <textarea name="address" cols="80" rows="5" value="address"
required>
  </textarea>
```

```
<br> <br> <
      Email:
      <input type="email" id="email" name="email" placeholder="Enter your
email" required /> <br>
      <br> <br> <
      Password:
      <input type="password" id="password" name="password"
placeholder="Enter your password" required> <br>
      <br> <br>>
      Confirm Password:
      <input type="password" name="confirmpassword"</pre>
placeholder="Confirm your password" required> <br> <br>
      <label> Height*:
      <input type="height" name="height" placeholder="Please write your
height in centimetres" required><br><br>
      <label> Weight*:</label>
      <input type="weight" name="weight" placeholder="Please write your
weight in centimetres" required>
      <br><br><
      <br><br><
      <button>
      <input type="submit" value="REGISTER" />
    </button>
    </form>
  </body>
```

```
</html>
```

## Recipient.html:

```
<head>
    <title>Registration form</title>
  </head>
  <center>
    <h1 class="word">RECIPIENT REGISTRATION</h1>
  </center>
  <style>
    body{
      background-image:
url(https://c0.wallpaperflare.com/preview/970/18/534/antibiotic-blur-
cocktail-glass-cocktail-tablets.jpg);
      background-repeat: no-repeat;
      background-size: cover;
      font-family: Verdana, Geneva, Tahoma, sans-serif;
    }
  </style>
  <body style="background-color:lightcyan">
    <br>
    <form action="{{ url_for('registers') }}" method="post">
```

```
<label> Username:</label>
      <input type="text" name="username" size="15" placeholder="Enter
your username" required /> <br> <br>
      <label>Age:</label>
      <input type="age" name="age" placeholder="How old are you?"</pre>
required/> <br> <br>
      <label>
        Blood Group:
      </label>
      <input type="bloodgroup" name="bloodgroup" placeholder="Enter your
bloodgroup" required />
      <br>
      <br>
      <label>
        Gender:
      </label>
      <input type="gender" name="gender" required>
      <br>
      <br>
      <label>
        Phone:
      </label>
```

```
<!--<input type="text" name="countrycode" value="+91" size="2" />-->
      <input type="text" name="phone" size="10" required/> <br> <br>
      Address<br>
      <textarea name="address" cols="80" rows="5" value="address"
required>
  </textarea>
      <br> <br>>
      Email *:
      <input type="email" id="email" name="email" placeholder="Enter your
email" required/> <br>
      <br> <br>>
      Password:
      <input type="password" id="password" name="password"
placeholder="Enter your password" required> <br>
      <br> <br>>
      Confirm Password:
      <input type="password" name="confirmpassword"
placeholder="Confirm your password" required> <br> <br>
      <label> Height*:</label>
      <input type="height" name="height" placeholder="Please write your
height in centimetres" required><br><br>
      <label> Weight*:
      <input type="weight" name="weight" placeholder="Please write your
weight in centimetres" required>
      <br><br><
```

```
<br><br>>
      <button>
      <input type="submit" value="REGISTER" />
    </button>
    </form>
 </body>
  </html>
Login.html:
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Login form</title>
</head>
<center><br><br><br><br>
 <h1 class="word">LOGIN</h1>
</center>
<style>
  body{
      background-image:
url(https://i.pinimg.com/originals/1f/7f/dd/1f7fdd78b67bf83cdb0ad02915b8b
410.jpg);
      background-repeat: no-repeat;
```

```
background-size: cover;
      font-family: Verdana, Geneva, Tahoma, sans-serif;
    }
</style>
<body>
 <form action="/login" method="post">
  <div class="full-page">
    <div class="sub-page">
      <div class="navigation-bar">
        <div class="logo">
          <a href='login.html'></a>
        </div>
      </div>
      <div class="row">
        <div class="col-1">
           <div class="form-box">
             <div class="form">
               <form class="login-form">
                 <br>
               <center>
                 <input type="text" name="username" placeholder="Enter
Your Username" size="15" /><br>
                 <br>
```

```
<input type="text" name="password" placeholder="Enter
Your password" size="15" /><br><br>
                                 <but
                   <input type="submit" value="LOGIN" />
                 </button>
               </center>
               </form>
             </div>
              </div>
        </div>
      </div>
    </div>
  </div>
  <script src='https://code.jquery.com/jquery-3.2.1.min.js'>
  </script>
  <script>
    $('.message a').click(function(){$('form').animate({height: "toggle",opacity:
"toggle"},"slow");});
  </script>
 </form>
</body>
</html>
```

## <u>Userdashboard.html:</u>

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
  <meta charset="UTF-8">
  <!-- Boxicons CDN Link -->
  k href='https://unpkg.com/boxicons@2.0.7/css/boxicons.min.css'
rel='stylesheet'>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <style>
    /* Googlefont Poppins CDN Link */
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;50
0;600;700&display=swap');
*{
 margin: 0;
 padding: 0;
 box-sizing: border-box;
 font-family: 'Poppins', sans-serif;
}
.sidebar{
 position: fixed;
 height: 100%;
```

```
width: 240px;
 background: #a3e66d;
 transition: all 0.5s ease;
}
.sidebar.active{
 width: 60px;
}
.sidebar .logo-details{
 height: 80px;
 display: flex;
 align-items: center;
}
.sidebar .logo-details i{
 font-size: 28px;
 font-weight: 500;
 color: #fff;
 min-width: 60px;
 text-align: center
}
.sidebar .logo-details .logo_name{
 color: #fff;
 font-size: 24px;
 font-weight: 500;
```

```
}
.sidebar .nav-links{
 margin-top: 10px;
}
.sidebar .nav-links li{
 position: relative;
 list-style: none;
 height: 50px;
}
.sidebar .nav-links li a{
 height: 100%;
 width: 100%;
 display: flex;
 align-items: center;
 text-decoration: none;
 transition: all 0.4s ease;
}
.sidebar .nav-links li a.active{
 background: #a3e66d;
.sidebar .nav-links li a:hover{
 background: #a3e66d;
}
```

```
.sidebar .nav-links li i{
 min-width: 60px;
 text-align: center;
 font-size: 18px;
 color: #fff;
}
.sidebar .nav-links li a .links_name{
 color: #fff;
 font-size: 15px;
 font-weight: 400;
 white-space: nowrap;
}
.sidebar .nav-links .log_out{
 position: absolute;
 bottom: 0;
 width: 100%;
}
.home-section{
 position: relative;
 background: #f5f5f5;
 min-height: 100vh;
 width: calc(100% - 240px);
 left: 240px;
```

```
transition: all 0.5s ease;
}
.sidebar.active ~ .home-section{
 width: calc(100% - 60px);
 left: 60px;
}
.home-section nav{
 display: flex;
 justify-content: space-between;
 height: 80px;
 background: #fff;
 display: flex;
 align-items: center;
 position: fixed;
 width: calc(100% - 240px);
 left: 240px;
 z-index: 100;
 padding: 0 20px;
 box-shadow: 0 1px 1px rgba(0, 0, 0, 0.1);
 transition: all 0.5s ease;
}
.sidebar.active ~ .home-section nav{
 left: 60px;
```

```
width: calc(100% - 60px);
}
.home-section nav .sidebar-button{
 display: flex;
 align-items: center;
 font-size: 24px;
 font-weight: 500;
}
nav .sidebar-button i{
 font-size: 35px;
 margin-right: 10px;
}
.home-section nav .profile-details{
 display: flex;
 align-items: center;
 background: #F5F6FA;
 border: 2px solid #EFEEF1;
 border-radius: 6px;
 height: 50px;
 min-width: 190px;
 padding: 0 15px 0 2px;
}
nav .profile-details img{
```

```
height: 40px;
 width: 40px;
 border-radius: 6px;
 object-fit: cover;
}
nav .profile-details .admin_name{
 font-size: 15px;
 font-weight: 500;
 color: #333;
 margin: 0 10px;
 white-space: nowrap;
}
nav .profile-details i{
 font-size: 25px;
 color: #333;
}
.home-section .home-content{
 position: relative;
 padding-top: 104px;
.home-content .overview-boxes{
 display: flex;
 align-items: center;
```

```
justify-content: space-between;
 flex-wrap: wrap;
 padding: 0 20px;
 margin-bottom: 26px;
}
.overview-boxes .box{
 display: flex;
 align-items: center;
 justify-content: center;
 width: calc(100% / 4 - 15px);
 background: #fff;
 padding: 15px 14px;
 border-radius: 12px;
 box-shadow: 0 5px 10px rgba(0,0,0,0.1);
}
.overview-boxes .box-topic{
 font-size: 20px;
 font-weight: 500;
}
.home-content .box .number{
 display: inline-block;
 font-size: 35px;
 margin-top: -6px;
```

```
font-weight: 500;
}
.home-content .box .indicator{
 display: flex;
 align-items: center;
}
. home\text{-}content \ .box \ .indicator \ i\{
 height: 20px;
 width: 20px;
 background: #8FDACB;
 line-height: 20px;
 text-align: center;
 border-radius: 50%;
 color: #fff;
 font-size: 20px;
 margin-right: 5px;
}
.box .indicator i.down{
 background: #e87d88;
.home-content .box .indicator .text{
font-size: 12px;
}
```

```
.home-content .box .cart{
 display: inline-block;
 font-size: 32px;
 height: 50px;
 width: 50px;
 background: #cce5ff;
 line-height: 50px;
 text-align: center;
 color: #66b0ff;
 border-radius: 12px;
 margin: -15px 0 0 6px;
}
.home-content .box .cart.two{
 color: #2BD47D;
 background: #C0F2D8;
}
.home-content .box .cart.three{
 color: #ffc233;
 background: #ffe8b3;
}
.home-content .box .cart.four{
 color: #e05260;
 background: #f7d4d7;
```

```
}
.home-content .total-order{
 font-size: 20px;
 font-weight: 500;
}
.home-content .sales-boxes{
 display: flex;
justify-content: space-between;
/* padding: 0 20px; */
}
/* left box */
.home-content .sales-boxes .recent-sales{
 width: 65%;
 background: #fff;
 padding: 20px 30px;
 margin: 0 20px;
 border-radius: 12px;
 box-shadow: 0 5px 10px rgba(0, 0, 0, 0.1);
.home-content .sales-boxes .sales-details{
 display: flex;
 align-items: center;
```

```
justify-content: space-between;
.sales-boxes .box .title{
 font-size: 24px;
 font-weight: 500;
/* margin-bottom: 10px; */
}
.sales-boxes .sales-details li.topic{
 font-size: 20px;
 font-weight: 500;
}
.sales-boxes .sales-details li{
 list-style: none;
 margin: 8px 0;
}
.sales-boxes .sales-details li a{
 font-size: 18px;
 color: #333;
 font-size: 400;
 text-decoration: none;
}
.sales-boxes .box .button{
 width: 100%;
```

```
display: flex;
justify-content: flex-end;
}
.sales-boxes .box .button a{
 color: #fff;
 background: #a3e66d;
 padding: 4px 12px;
 font-size: 15px;
 font-weight: 400;
 border-radius: 4px;
 text-decoration: none;
 transition: all 0.3s ease;
}
.sales-boxes .box .button a:hover{
 background: #a3e66d;
}
/* Right box */
. home\text{-}content \ . sales\text{-}boxes \ . top\text{-}sales \{
 width: 35%;
 background: #fff;
 padding: 20px 30px;
 margin: 0 20px 0 0;
```

```
border-radius: 12px;
 box-shadow: 0 5px 10px rgba(0, 0, 0, 0.1);
}
.sales-boxes .top-sales li{
 display: flex;
 align-items: center;
 justify-content: space-between;
 margin: 10px 0;
}
.sales-boxes .top-sales li a img{
 height: 40px;
 width: 40px;
 object-fit: cover;
 border-radius: 12px;
 margin-right: 10px;
 background: #333;
}
.sales-boxes .top-sales li a{
 display: flex;
 align-items: center;
 text-decoration: none;
}
.sales-boxes .top-sales li .product,
```

```
.price{
 font-size: 17px;
 font-weight: 400;
 color: #333;
}
/* Responsive Media Query */
@media (max-width: 1240px) {
 .sidebar{
  width: 60px;
 .sidebar.active{
  width: 220px;
 }
 .home-section{
  width: calc(100% - 60px);
  left: 60px;
 .sidebar.active ~ .home-section{
  /* width: calc(100% - 220px); */
  overflow: hidden;
  left: 220px;
 }
 .home-section nav{
```

```
width: calc(100% - 60px);
  left: 60px;
 }
 .sidebar.active ~ .home-section nav{
  width: calc(100% - 220px);
  left: 220px;
}
}
@media (max-width: 1150px) {
 .home-content .sales-boxes{
 flex-direction: column;
 }
 .home-content .sales-boxes .box{
  width: 100%;
  overflow-x: scroll;
  margin-bottom: 30px;
 .home-content .sales-boxes .top-sales{
  margin: 0;
}
@media (max-width: 1000px) {
 .overview-boxes .box{
```

```
width: calc(100% / 2 - 15px);
  margin-bottom: 15px;
 }
}
@media (max-width: 700px) {
 nav .sidebar-button .dashboard,
 nav .profile-details .admin_name,
 nav .profile-details i{
  display: none;
 }
 .home-section nav .profile-details{
  height: 50px;
  min-width: 40px;
 .home-content .sales-boxes .sales-details{
  width: 560px;
}
@media (max-width: 550px) {
 .overview-boxes .box{
  width: 100%;
  margin-bottom: 15px;
 }
```

```
.sidebar.active ~ .home-section nav .profile-details{
  display: none;
}
}
 @media (max-width: 400px) {
 .sidebar{
  width: 0;
 }
 .sidebar.active{
  width: 60px;
 }
 . home\text{-}section \{
  width: 100%;
  left: 0;
 }
 .sidebar.active ~ .home-section{
  left: 60px;
  width: calc(100% - 60px);
 }
 .home-section nav{
  width: 100%;
  left: 0;
 }
```

```
.sidebar.active ~ .home-section nav{
 left: 60px;
 width: calc(100% - 60px);
}
}
  </style>
 </head>
<body>
<div class="sidebar">
 <div class="logo-details">
  <i class='bx bxl-c-plus-plus'></i>
  <span class="logo_name">PLASMA DONOR</span>
 </div>
  <a href="/profile">
      <i class='bx bx-box' ></i>
      <span class="links_name">profile</span>
     </a>
    <a href="/display">
      <i class='bx bx-box' ></i>
```

```
<span class="links_name">Request</span>
    </a>
   <a href="#">
     <i class='bx bx-list-ul' ></i>
     <span class="links_name">Contact Us</span>
    </a>
   <a href="#">
     <i class='bx bx-log-out'></i>
     <span class="links_name">Log out</span>
    </a>
   </div>
<section class="home-section">
</script>
</body>
```

```
</html>
Display.html:
<html>
      <head>
           <title>display</title>
      </head>
     <style>
           body{
      background-image:
url(https://png.pngtree.com/thumb_back/fh260/back_our/20190620/ourmid/
pngtree-blood-donation-love-dedication-public-welfare-poster-background-
template-image_145977.jpg);
      background-repeat: no-repeat;
      background-size: cover;
      font-family: Verdana, Geneva, Tahoma, sans-serif;
    }
     </style>
      <body>
<div>
     <center>
```

```
<div class="name"><span>DONORS</span></div>
<div class="val">
  {% for val in data %}
  <div>{{val}}</div>
  {% endfor %}
      </div>
   {% if state == "SENT" %}
      <!-- <div class="area">
```

```
</div> -->
</center>
        <div class="mail" >Request Email Sent Successfully...! </div>
        {% else %}
        <form action="/send_email" method="post">
                  <br>
                  <br>
                 <label> Blood Group:</label>
              <input type="text" name="bloodgroup"
value="{{bloodgroup}}"/>
                  <br>
                 <label> Email:</label>
              <input type="text" name="email1"/>
                  <br>
        <button type="submit" class="button1">NOTIFY</button>
```

```
</form>
       {% endif %}
    </div>
</body>
</html>
Profile.html:
<!DOCTYPE html>
<html lang="en">
<head>
 <title>Profile</title>
</head>
<body>
 <div class="nav">
    <div class="logo">
    <a href="/userdashboard"> <i class="fas fa-arrow-left"></i></a>
     <center> <h3>Profile</h3></center>
    </div>
 </div>
```

```
<div class="cont" align="center">
<div class="logo">
 <i class="fas fa-user-circle"></i>
</div>
<h3>
<div class="profile">
<h3>
 Name:
  {{username}}
  Age:
  {{age}}
  BloodGroup:
  {{bloodgroup}}
  Gender:
  {{gender}}
```

```
Phone:
{{phone}}
Address:
{{address}}
E-Mail:
{{email}}
Height:
{{height}}
Weight
```

```
{{weight}}
     <a href="/edit">Edit/Update</a>
   </div>
  </div>
</body>
</html>
App.py:
from flask import Flask, render_template, request, redirect, url_for, session
import ibm db
from flask_mail import Mail, Message
import re
app = Flask(_name_)
mail = Mail(app) # instantiate the mail class
# configuration of mail
app.config['MAIL_SERVER']='smtp.gmail.com'
app.config['MAIL_PORT'] = 465
```

```
app.config['MAIL USERNAME'] = 'saranmathis2006@gmail.com'
app.config['MAIL PASSWORD'] = 'iuxpzenmafdswiqv'
app.config['MAIL USE TLS'] = False
app.config['MAIL USE SSL'] = True
mail = Mail(app)
app.secret key = 'a'
conn = ibm db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-433e-
8bf9-
Ofbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=3245
9;SECURITY=SSL;SSLServerCertificate=DigiCertGlobalRootCA.crt;UID=chd81862
;PWD=5g7PlVGFKudloKln",",")
@app.route('/')
def home():
  return render template('index.html')
@app.route('/login', methods =['GET', 'POST'])
def login():
  msg = "
  if request.method == 'POST'and 'username' in request.form and 'password'
in request.form:
    username = request.form['username']
    password = request.form['password']
    stmt = ibm_db.prepare(conn,'SELECT * FROM registration WHERE
username = ? AND password = ?')
    ibm_db.bind_param(stmt,1,username)
```

```
ibm db.bind param(stmt,2,password)
    ibm_db.execute(stmt)
    account = ibm db.fetch tuple(stmt)
    stmt = ibm_db.prepare(conn, 'SELECT * FROM recipient WHERE username
= ? AND password = ?')
    ibm_db.bind_param(stmt,1,username)
    ibm db.bind param(stmt,2,password)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_tuple(stmt)
    if account:
      session['loggedin'] = True
      session['username'] = account[1]
      msg = 'Logged in successfully!'
      return redirect(url for('userdashboard'))
    else:
      msg = 'Incorrect username / password !'
      return render_template('login.html', a = msg)
  return render template('login.html')
@app.route('/userdashboard')
def userdashboard():
  return render template('userdashboard.html')
@app.route('/logout')
```

```
def logout():
  session.pop('loggedin', None)
  session.pop('id', None)
  session.pop('username', None)
  return redirect(url_for('login'))
@app.route('/profile',methods=["POST","GET"])
def profile():
  if 'username' in session:
    id = session['username']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM registration WHERE
username = ?')
    ibm_db.bind_param(stmt, 1, id)
    ibm db.execute(stmt)
    acc = ibm db.fetch tuple(stmt)
    stmt = ibm_db.prepare(conn, 'SELECT * FROM recipient WHERE username
= ?')
    ibm_db.bind_param(stmt, 1, id)
    ibm_db.execute(stmt)
    acc = ibm_db.fetch_tuple(stmt)
    return render template('profile.html',
username=acc[1],age=acc[2],bloodgroup=acc[3],gender=acc[4],phone=acc[5],a
ddress=acc[6],email=acc[7],passsword=acc[8],confirmpassword=acc[9],height=
acc[10],weight=acc[11])
```

```
@app.route('/send email', methods = ['POST'])
def send():
  if 'bloodgroup' in request.form:
    type = request.form['bloodgroup']
    remail=request.form['email1']
    stmt = ibm_db.prepare(conn, 'SELECT email FROM registration WHERE
bloodgroup = ?')
    ibm_db.bind_param(stmt,1,type)
    ibm_db.execute(stmt)
    acc = ibm_db.fetch_tuple(stmt)
    mails = []
    while acc != False:
      mails.append(acc[0])
      acc = ibm_db.fetch_tuple(stmt)
    msg = Message('Blood Request', sender='saranmathis2006@gmail.com',
recipients=mails)
    msg.body = "Here the " + request.form['bloodgroup'] + " Blood
Requested" + remail + "contact this"
```

return render template('profile.html')

```
mail.send(msg)
    return render_template('display.html', state="SENT")
  return 'Please Provide Blood in Form'
@app.route('/display',methods=["POST","GET"])
def display():
  if request.method == 'POST':
    alert = "
    if 'name' in session:
      id = session['username']
      bloodgroup = request.form['bloodgroup']
      sqlselect = "SELECT * FROM recipient WHERE bloodgroup = ? order by id
asc"
      stmt = ibm_db.prepare(conn,sqlselect)
      ibm_db.bind_param(stmt, 1, bloodgroup)
      ibm_db.execute(stmt)
      acc = ibm db.fetch tuple(stmt)
    return render_template('display.html',m=alert)
  return render template('display.html')
@app.route('/register', methods =['GET', 'POST'])
```

```
def register():
  msg = "
  if request.method == 'POST':
    username = request.form['username']
    age = request.form['age']
    bloodgroup = request.form['bloodgroup']
    gender = request.form['gender']
    phone= request.form['phone']
    address= request.form['address']
    email = request.form['email']
    password = request.form['password']
    confirmpassword = request.form['confirmpassword']
    height= request.form['height']
    weight = request.form['weight']
    sql = "SELECT * FROM registration WHERE username = ? "
    stmt = ibm_db.prepare(conn,sql)
    ibm_db.bind_param(stmt,1,username)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    msgg = Message(
        'Hello',
        sender = 'saranmathis2006@gmail.com',
        recipients = [email]
```

```
)
    msgg.body = 'thank you for register. '
    mail.send(msgg)
    if account:
      msg = 'Account already exists!'
    elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
      msg = 'Invalid email address!'
    elif not re.match(r'[A-Za-z0-9]+', username):
      msg = 'Username must contain only characters and numbers!'
    elif not username or not password or not username:
      msg = 'Please fill out the form!'
    else:
      insert sql = "INSERT INTO
donor(username,age,bloodgroup,gender,phone,address,email,password,confir
mpassword,height,weight) VALUES(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
      stmt = ibm db.prepare(conn,insert sql)
      ibm db.bind param(stmt, 1, username)
      ibm_db.bind_param(stmt, 2, age)
      ibm db.bind param(stmt, 3, bloodgroup)
      ibm_db.bind_param(stmt, 5, gender )
      ibm db.bind param(stmt, 6, phone)
      ibm_db.bind_param(stmt, 7, address )
      ibm db.bind param(stmt, 8, email)
```

```
ibm db.bind param(stmt, 9, password)
      ibm_db.bind_param(stmt, 10, confirmpassword )
      ibm db.bind param(stmt, 11, height)
      ibm db.bind param(stmt, 12, weight)
      ibm_db.execute(stmt)
      msg = 'You have successfully registered!'
  return render_template('donor.html', msg = msg)
@app.route('/registers', methods =['GET', 'POST'])
def registers():
  msg = "
  if request.method == 'POST':
    username = request.form['username']
    age = request.form['age']
    bloodgroup = request.form['bloodgroup']
    gender = request.form['gender']
    phone= request.form['phone']
    address= request.form['address']
    email = request.form['email']
    password = request.form['password']
    confirmpassword = request.form['confirmpassword']
    height= request.form['height']
    weight = request.form['weight']
```

```
sql = "SELECT * FROM recipient WHERE username = ? "
    stmt = ibm_db.prepare(conn,sql)
    ibm db.bind param(stmt,1,username)
    ibm db.execute(stmt)
    account = ibm db.fetch assoc(stmt)
    if account:
      msg = 'Account already exists!'
    elif not re.match(r'[^@]+@[^@]+\.[^@]+', email):
      msg = 'Invalid email address!'
    elif not re.match(r'[A-Za-z0-9]+', username):
      msg = 'Username must contain only characters and numbers!'
    elif not username or not password or not username:
      msg = 'Please fill out the form!'
    else:
      insert_sql = "INSERT INTO
recipient(username,age,bloodgroup,gender,phone,address,email,password,co
nfirmpassword, height, weight) VALUES(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)"
      stmt = ibm db.prepare(conn,insert sql)
      ibm_db.bind_param(stmt, 1, username)
      ibm db.bind param(stmt, 2, age)
      ibm_db.bind_param(stmt, 3, bloodgroup)
      ibm db.bind param(stmt, 4, gender)
      ibm_db.bind_param(stmt, 5, phone )
      ibm db.bind param(stmt, 6, address)
```

```
ibm_db.bind_param(stmt, 7, email )
ibm_db.bind_param(stmt, 8, password )
ibm_db.bind_param(stmt, 9, confirmpassword )
ibm_db.bind_param(stmt, 10, height)
ibm_db.bind_param(stmt, 11, weight )
ibm_db.execute(stmt)
msg = 'You have successfully registered !'
return render_template('recipient.html', msg = msg)
if _name_ == '_main_':
    app.run(debug = True)
```















