

### **ASSIGNMENT – 3**


TEAM ID	PNT2022TMID49639
PROJECT NAME	PLASMA DONOR APPLICATION
NAME	S.SHERMINA
REGISTER NUMBER	950019106040


### 1. Create a Bucket in IBM object storage.



# 2. Upload 5 images to ibm object storage and make it public. Write html code to displaying all the 5 images.








#### **Shermina.html:**


```
<html>
<head>
kead>
kead>
</head>
</head>
<div class="row">
<div class="column">
<ing src="C:\Users\Welcome\Desktop\bucket\img1.png" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<ing src="img2.jpg" alt="Disable" style="width: 200px;height: 200px;">
</ing src="img2.jpg" alt="Disable" style="width: 200px;height: 200px;">
</ing src="img2.jpg" alt="Disable" style="width: 200px;height: 200px;">
</inscription:

</td>
```

```
</div>
<div class="column">
<img src="img3.jpg" alt="Disable" style="width: 200px;height: 200px;"> </div>
<div class="column">
<img src="img4.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
</div>
<div class="column">
<img src="img5.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```

# 3.Upload a css page to the object storage and use the same page in your html code.







### Style.css:


```
.column {
float: left; width: 33.33%; padding: 5px;
}
.row::after {
content: "";
clear: both;
display: table; }
.row { display:
flex; }.column
{ flex: 33.33%;
padding: 5px;
}
```


4.Design a chatbot using IBM Watson assistant for hospitals. Ex: User comes with a query to know the branchesfor the hospitals in your city. Submit the web URL of that chat bot as an assignment.





### 5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in the html page.





#### Shermina.html

```
<html>
<head>
<link rel="stylesheet" href="style.css">
</head>
<div class="row">
<div class="column">
<img src="C:\Users\Welcome\Desktop\bucket\img1.png" alt="Disable"
style="width: 200px;height: 200px;">
</div>
```

```
<div class="column">
<img src="img2.jpg" alt="Disable" style="width: 200px;height: 200px;">
<div class="column">
<img src="img3.jpg" alt="Disable" style="width: 200px;height: 200px;"> </div>
<div class="column">
<img src="img4.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
<div class="column">
<img src="img5.jpg" alt="Disable" style="width: 200px;height: 200px;">
</div>
</div>
<script>
    window.watsonAssistantChatOptions = {
      integrationID: "d1110e9e-9188-4afe-891c-0f9dafbe0e99", // The ID of this
integration.
      region: "us-south", // The region your integration is hosted in.
      serviceInstanceID: "c4ee80a4-0609-4ee7-a874-3e5ab66062b8", // The ID of
your service instance.
     onLoad: function(instance) { instance.render(); }
    };
    setTimeout(function(){
      const t=document.createElement('script');
      t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion | 'latest') +
"/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
    });
  </script>
</html>
```