Assignment-3

Team id	PNT2022TMID49572
PROJECT NAME	PERSONAL EXPENSE TRACKER
NAME	AADITHYA PRASAD P
ROLL NO	950019104702

1.Create a Bucket in IBM object storage.

2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.

<html>

<head>

<title>

Images

</title>

<link rel="stylesheet" href="https://safeer.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css">

</head>

<body>

```html
<div class="box">
<div class="img1">
<h1 class="word">Bike1</h1>
<img src="https://aadithya.s3.jp-tok.cloud-object-storage.appdomain.cloud/bike1.jpg"
alt="Sun" width="200" height="200">
</div>
<div class="img2">
<h1 class="word">Bike2</h1>
<img src="https://aadithya.s3.jp-tok.cloud-object-storage.appdomain.cloud/bike2.jpg"
alt="Taj Mahal" width="200" height="200">
</div>
<div class="img3">
<h1 class="word">Bike3</h1>
<img src="https://aadithya.s3.jp-tok.cloud-object-storage.appdomain.cloud/bike3.jpg"
alt="Flower" width="200" height="200">
</div>
<div class="img4">
<h1 class="word">Bike4</h1>
<img src="https://aadithya.s3.jp-tok.cloud-object-storage.appdomain.cloud/bike4.jpg"
alt="Bike" width="200" height="200">
</div>
<div class="img5">
<h1 class="word">Bike5</h1>
<img src="https://aadithya.s3.jp-tok.cloud-object-storage.appdomain.cloud/bike5.jpg"
alt="logos" width="200" height="200">
</div>
</div>
</body>
</html>
```

Output:

3.Upload a css page to the object storage and use the same page in your HTML code.

@import url('https://fonts.googleapis.com/css2?family=Alkalami&display=swap');

body{

top: 0;

left: 0;

width: 100vw;

height: 100vh;

margin: 0;

padding: 0;

font-size: 1vmin;

font-family: 'Alkalami', serif;

color: white;

background: linear-gradient(90deg, #fc466aad 0%, #3f5efbb6 100%);

}

.word{

text-align: center;

text-transform: uppercase;

color: rgb(231, 226, 225);

```css
        }
        img{
         border-radius: 3px;
         position: relative;
         top: 34%;
         left: 50%;
         transform: translate(-50%, -50%);
         width: 99%;
         height: 70%;
        }
        .box{
         border-radius: 3px;
         height: 500px;
         width: 700px;
         background: linear-gradient(90deg, #38010c 0%, #08ad2c 100%);
         display: flex;
         flex-wrap: wrap;
         flex-direction: row;
         position: relative;
         top: 50%;
         left: 50%;
         transform: translate(-50%, -50%);

        }
        .img1 ,.img2 ,.img3, .img4, .img5{
         border-radius: 10px;
         height: 220px;
         width: 150px;
         margin: 15px;
         border: 1px solid rgb(224, 23, 23);
```

```css
 background: linear-gradient(90deg, #010c25 0%, #03df83 100%);

}

.img1{

 margin-left: 60px;

}

.img2{

 margin-left: 50px;

}

.img3{

 margin-left: 50px;

}

.img4{

 margin-left: 170px;

}

.img5{

 margin-left: 50px;

}
```

Output:

4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.

https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fupx-1067f2b5-f4cd-4ced-b7ae-ab425c8ad9f0%3A%3A736824b5-7c1a-4ed7-9f97-2521682bbd91&integrationID=9dc4a90e-9254-4048-872a-aca2a91edf97&region=au-syd&serviceInstanceID=1067f2b5-f4cd-4ced-b7ae-ab425c8ad9f0

5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

Index.html:

```html
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta http-equiv="X-UA-Compatible" content="IE=edge" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <link rel="stylesheet" href="/static/help.css" />
  <script
    src="https://kit.fontawesome.com/17041f96e9.js"
    crossorigin="anonymous"
  ></script>
  <link
    rel="shortcut icon"
    href="https://cdn-icons-png.flaticon.com/512/218/218390.png"
    type="image/x-icon"
  />
  <title>Help</title>
 </head>
 <body>
  <div class="nav">
   <div class="logo">
    <a href="/templates/dashboard.html">
     <i class="fas fa-arrow-left"></i
    ></a>
    <h3>Edit Profile</h3>
   </div>
   <div class="name">
    <h3>Name</h3>
   </div>
  </div>
```

```html
    <div align="center" class="mail">
     <h3>Ask Wallet Chat Bot</h3>
     <p>
      For Further Queries you can mail to our technical team by clicking the
      send Mail Button below ..
     </p>
     <a href="mailto:abc@example.com?subject = Feedback & body = Message"
      ><i class="fas fa-envelope"></i>
      <h2>Send Mail</h2></a
     >
    </div>

    <script>
     window.watsonAssistantChatOptions = {
      integrationID: "9dc4a90e-9254-4048-872a-aca2a91edf97", // The ID of this integration.
      region: "au-syd", // The region your integration is hosted in.
      serviceInstanceID: "1067f2b5-f4cd-4ced-b7ae-ab425c8ad9f0", // The ID of your service
instance.
      onLoad: function (instance) {
       instance.render();
      },
     };
     setTimeout(function () {
      const t = document.createElement("script");
      t.src =
       "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
       (window.watsonAssistantChatOptions.clientVersion || "latest") +
       "/WatsonAssistantChatEntry.js";
      document.head.appendChild(t);
     });
    </script>
   </body>
</html>
```

Output: