Sprint 3

Title	IoT Based Safety Gadget for Child Safety Monitoring and Notification.
Domain Name	Internet of Things (IOT)
Team Lead	Raguraman M
Team Member	Gurubalan S
	Purushothaman D
	Adhi Narayanan V
Mentor	Nishavithiri N
Team ID	PNT2022TMID29177
College Name	Mailam Engineering College
Department	Electronics and Communication Engineering

Sprint 3

LOCAL FORAGE:

```
!function(a)
{if("object"==typeof exports&&"undefined"!=typeof
module)module.exports=a();else if(''function''==typeof
define&&define.amd)define([],a);
else{var b;
   b="undefined"!=typeof window?window:"undefined"!=typeof global?global:"undefined"!=typeof
self?self:this,b.localforage=a()}{(function(){
 return function a(b,c,d){
  function e(g,h){if(!c[g]){if(!b[g]){
  var i="function"==typeof
  require&&require;if(!h&&i)return
  i(g,!0); if(f) return f(g,!0);
  var j=new Error("Cannot find module ""+g+""");
  throw j.code="MODULE_NOT_FOUND",j}var
               k=c[g]={exports:{}};
               b[g][0].call(k.exports,function(a){
                var c=b[g][1][a];return
          e(c||a)},k,k.exports,a,b,c,d)}return c[g].exports}
  for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
```

```
return e}({1:[function(a,b,c){(function(a){"use strict";
                         function c(){k=!0;for(var a,b,c=l.length;c;){
                          for(b=l,l=[],a=-1;++a<c;)b[a]();c=l.length\}k=!1
                         function d(a)\{1!==l.push(a)||k||e()\}var
e,f=a.MutationObserver||a.WebKitMutationObserver;
                        if(f){var g=0,h=new
f(c),i=a.document.createTextNode('''');h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}
} else if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
a.document.createElement("script") function(){var b=a.
document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
(b),b=null),a.document.documentElement.appendChild(b)}:function() (setTimeout(c,8));else{var j-
new a.MessageChannel;j.port1.onmessage=c,e-function(){j.port2.postMessage(0)}}var k,1-
[];b.exports- d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self:
"undefined"!=typeof window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function
e(a){if("function" I-typeofa) throw new TypeError("resolver must be a function"); this.states,
this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b,
this.callFulfilled-this.otherCallFulfilled), "function" type of c&&(this.onRejected=c,
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0"/>
      <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
<script src="./localforage.js"></script>
      <script>
           if (window.location.hostname !== "localhost")
                 {if (location.protocol !== "https:") {
                      location.replace(
                            `https:${location.href.substring(
                                  location.protocol.length
                            )}`
           async function check() {
   let data =
   localforage.getItem("userData")if (data
   == null) {
      window.location.href = "/login"
  check()
      </script>
</head>
<body
      style="
           height: 100%;
           margin: 0;
```

```
font-weight: 300;
           font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI',
                 Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans', 'Helvetica
                 Neue',
     • •
                 sans-serif;
>
      <di
       V
           class="wrapper
           "style="
                 height:
                 90%;
                 display:
                 flex;
                 flex-direction:
                 column; align-items:
                 center; justify-
                 content: center;
   text-align:
           center;"
     >
            <di
                 class="details
            V
                 "style="
                      display: flex;
                      flex-direction:
                      column; align-items:
                      center; gap: 20px;
                      padding: 1rem;
```

```
b
0
r
d
\mathbf{e}
r
r
a
d
u
p
X
box-shadow: 00
8px 0px
#4444444;
```

```
max-width: 80%;
               >
                     <h1 class="name" style="margin: 0"></h1>
                     <div
                          class="imageContainer"
                          style="padding: 10px; height: 10rem; width: 10rem"
                     >
                          <img class="image" alt="profile picture" />
                     </div>
                     <h2 class="email" style="margin: 0"></h2>
        <a style="text-decoration: none; text-align: center; font-size: 1.2rem; color: #0070f3; font-
weight:400;" href="./dashboard">Go to Dashboard?</a>
               </div>
          </div>
          <script>
               async function main() {
        let name =
        document.querySelector(".name") let image
        = document.querySelector(".image")let
       email = document.querySelector(".email")
       let userData = await localforage.getItem("userData")
       if(userData == null) {
          window.location.href = "/login"
       name.innerHTML = `Welcome ${userData.firstName}
        ${userData.lastName}!`image.src = userData.profilePic
```