# Sprint 3

| | |
|---|---|
| Date 17 November 2022 | |
| Team ID PNT2022TMID45390 | |
| Project Name IoT Based Safety Gadget for Child Safety Monitoring and notification | |
| Maximum Marks 8 Marks | |

**LOCAL FORAGE:**

```
 !function(a)
{if("object"==typeof exports&&"undefined"!=typeof
 module)module.exports=a(); else if("function"==typeof
 define&&define.amd)define([],a);
 else{var b;
    b="undefined"!=typeof window?window:"undefined"!=typeof
global?global:"undefined"!=typeof self?self:this,b.localforage=a()}}(function(){
  return function a(b,c,d){
   function e(g,h){if(!c[g]){if(!b[g]){
    var i="function"==typeof require&&require;
    if(!h&&i)return i(g,!0);if(f)return f(g,!0);
    var j=new Error("Cannot find module '"+g+"'");
    throw j.code="MODULE_NOT_FOUND",j}var k=c[g]={exports:{}};
            b[g][0].call(k.exports,function(a){
```

```
                    var c=b[g][1][a];return e(c||a)},k,k.exports,a,b,c,d)}
            return c[g].exports}
      for(var f="function"==typeof require&&require,g=0;g<d.length;g++)e(d[g]);
      return e}({1:[function(a,b,c){(function(a){"use strict";
                    function c(){k=!0;for(var a,b,c=l.length;c;){
                        for(b=l,l=[],a=-1;++a<c;)b[a]();c=l.length}k=!1}
                        function d(a){1!==l.push(a)||k||e()}var
    e,f=a.MutationObserver||a.WebKitMutationObserver;
                        if(f){var g=0,h=new
f(c),i=a.document.createTextNode("");h.observe(i,{characterData:!0}),e=function(){i.data=g=++g%2}
} else if(a.setImmediate void ea.MessageChannel)e="document"in all"onreadystatechange in
a.document.createElement("script") function(){var b=a.
 document.createElement("script");b.onreadystatechange-function()(c(),b.
onreadystatechange=null,b.parentNode.removeChild
 (b),b=null),a.document.documentElement.appendChild(b)}:function() (setTimeout(c,8));else{var j-new
a.MessageChannel;j.port1.onmessage=c,e-function(){j.port2.postMessage(0)}}var k,1-[];b.exports
d)).call(this, "undefined"!=typeof global?global: "undefined"!=typeof self?self: "undefined"!=typeof
window?window: {})},{}],2: [function(a,b,c){"use strict"; function d()() function e(a){if("function" I-typeof
a) throw new TypeError("resolver must be a function"); this.states, this.queue=[], this.outcome vald
0,aldi(this,a)} function f(a,b,c){this.promise-a, "function"==typeof b&&(this.onFulfilled-b,
this.callFulfilled this.otherCallFulfilled), "function"typeof c&&(this.onRejected=c,
```

```html
<!DOCTYPE html>
<html lang="en" style="height: 100%; margin: 0;">
    <head>
        <meta charset="UTF-8" />
        <meta name="description" content="The Home Page after Logged In" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <title>IOT Based Safety Gadget for Child Safety Monitoring and Notification</title>
        <script src="./localforage.js"></script>
        <script>
            if (window.location.hostname !== "localhost") {
                if (location.protocol !== "https:") {
                    location.replace(
                        `https:${location.href.substring(
                            location.protocol.length
                        )}`
                    )
                }
            }

            async function check() {
                let data = localforage.getItem("userData")
                if (data == null) {
                    window.location.href = "/login"
                }
            }
```

```
      check()
         </script>
</head>
<body
style="

height: 100%;
margin: 0;




"
>
<div
font-weight: 300;
font-family: -apple-system,
BlinkMacSystemFont, 'Segoe
UI', Roboto, Oxygen, Ubuntu,
Cantarell, 'Open Sans',
'Helvetica Neue', text-align:
center;
"
>

<div
class="details"
style="
display: flex;




sans-serif;




class="wrapper"
style="
height: 90%;
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
```

```
              flex-direction: column;
              align-items: center;
              gap: 20px;
               padding: 1rem;
               border-radius: 5px;
               box-shadow: 0 0 8px 0px #44444444;
max-width: 80%;
              "
      >
        <h1 class="name" style="margin: 0"></h1>
        <div
              class="imageContainer"
              style="padding: 10px; height: 10rem; width: 10rem"
        >
              <img class="image" alt="profile picture" />
        </div>
        <h2 class="email" style="margin: 0"></h2>
```

```html
          <a style="text-decoration: none;text-align: center;font-size: 1.2rem;color: #0070f3;font-weight: 400;" href="./dashboard">Go to Dashboard ?</a>
        </div>
      </div>
      <script>
          async function main() {
    let name = document.querySelector(".name")
    let image = document.querySelector(".image")
    let email = document.querySelector(".email")
    let userData = await localforage.getItem("userData")
    if(userData == null) {
      window.location.href = "/login"
    }
    name.innerHTML = `Welcome ${userData.firstName} ${userData.lastName}!`
    image.src = userData.profilePic
    email.innerHTML = `Your email is: <a style="text-decoration: none;color: #0072B5;" href="mailto:${userData.email}">${userData.email}</a>` }
    main()
      </script>
  </body>
</html>
```