#### **Sprint 3**

Date	12 November 2022
Team ID	PNT2022TMID17213
Project Name	IoT Based Safety Gadget for Child Safety Monitoring and Notification

# Sprint 3 is adding the geofence and changing the geofence when need

### **Coding:**

```
package com.example.geofence; import
android.app.PendingIntent; import
android.content.Context; import
android.content.ContextWrapper; import
android.content.Intent; import
android.widget.Toast;
import com.google.android.gms.common.api.ApiException; import
com.google.android.gms.location.Geofence; import
com.google.android.gms.location.GeofenceStatusCodes; import
com.google.android.gms.location.GeofencingRequest; import
com.google.android.gms.maps.model.LatLng;
public class GeofenceHelper extends ContextWrapper {
 private static final String TAG = "GeofenceHelper"; PendingIntent pendingIntent;
 public GeofencingRequest getGeofencingRequest(Geofence geofence) {
                                                                       return new
GeofencingRequest.Builder()
       .addGeofence(geofence)
       .setInitialTrigger(GeofencingRequest.INITIAL_TRIGGER_ENTER)
 public Geofence getGeofence(String ID, LatLng latLng, float radius, int transitionTypes) {
new Geofence.Builder()
       .setCircularRegion(latLng.latitude, latLng.longitude, radius)
       .setRequestId(ID)
       .setTransitionTypes(transitionTypes)
       .setLoiteringDelay(5000)
       .setExpirationDuration(Geofence.NEVER_EXPIRE)
       .build();
 public PendingIntent getPendingIntent() {
(pendingIntent != null) {
```

```
Intent intent = new Intent(this, GeofenceBroadcastReceiver.class);

pendingIntent = PendingIntent.getBroadcast(this, 2607, intent, PendingIntent.FLAG_IMMUTABLE);

return pendingIntent;
}

public String getErrorString(Exception e) {

if (e instanceof ApiException) {

    ApiException apiException = (ApiException) e;

switch (apiException.getStatusCode())
{

    case GeofenceStatusCodes

    .GEOFENCE_NOT_AVAILABLE: return

"GEOFENCE_NOT_AVAILABLE"; case

GeofenceStatusCodes

    .GEOFENCE_TOO_MANY_GEOFENCES:

return

"GEOFENCE_TOO_MANY_GEOFENCES";

case GeofenceStatusCodes

    .GEOFENCE_TOO_MANY_PENDING_INTENTS:

    return "GEOFENCE_TOO_MANY_PENDING_INTENTS";
}
}
return e.getLocalizedMessage();
}
```

My Location

#### Output:

## **Adding Geofence page**

