SPRINT-3

Team ID	PNT2022TMID01194
Project Name	Hazardous Area Monitoring for industrial Plant powered by IoT

Python code for the Temperature Alert and Humidity check

```
import time import sys

import ibmiotf.application

import ibmiotf.device

import random

# Initialize GPIO


#Provide your IBM Watson Device

Credentials organization = "0vbvyp"

deviceType = "hazardous_monitoring"

deviceId = "hazard_report" authMethod =

"token" authToken =

"7jZ6JKfpj!Cq7tTO5M"


def myCommandCallback(cmd):     print("Command

received: %s" % cmd.data['command'])

Status=cmd.data['command']     if Status=="Alert":

print("Alert")

 #print(cmd)


try:

        deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method":
authMethod, "auth-token": authToken}
        deviceCli = ibmiotf.device.Client(deviceOptions)

         #.....
```

```
except Exception as e:
        print("Caught exception connecting device: %s" % str(e))
        sys.exit()

# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type "greeting" 10 times
deviceCli.connect()
while True:
    #Get Sensor Data from DHT11
temp =random.randint(0,100)
humid =random.randint(0,100)
oxygen =random.randint(0,100)

    data = { 'temp' : temp, 'humidity': humid ,'oxygen': oxygen}
data1 = { 'High temperature' : temp>60}
    #print data      def
myOnPublishCallback():
        print ("Published Temperature = %s C" % temp, "humidity = %s %%" % humid,"alert",  "to IBM Watson")
     success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0, on_publish=myOnPublishCallback)

 if not success:          print("Not
connected to IoTF")
time.sleep(1)
    deviceCli.commandCallback = myCommandCallback

# Disconnect the device and application from the cloud
deviceCli.disconnect()
```

UI Dashboard




```
Published Temperature = 70 C humidity = 7 % alert to IBM Watson
Published Temperature = 36 C humidity = 39 % alert to IBM Watson
Published Temperature = 2 C humidity = 13 % alert to IBM Watson
Published Temperature = 36 C humidity = 3 % alert to IBM Watson
Published Temperature = 46 C humidity = 87 % alert to IBM Watson
Published Temperature = 57 C humidity = 95 % alert to IBM Watson
Published Temperature = 59 C humidity = 43 % alert to IBM Watson
Published Temperature = 50 C humidity = 33 % alert to IBM Watson
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Published Temperature = 59 C humidity = 95 % alert to IBM Watson
Published Temperature = 86 C humidity = 19 % alert to IBM Watson
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Published Temperature = 17 C humidity = 59 % alert to IBM Watson
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Published Temperature = 6 C humidity = 67 % alert to IBM Watson
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Command received: Alert:High Temperature
Published Temperature = 22 C humidity = 27 % alert to IBM Watson
Command received: Alert:High Temperature
Published Temperature = 99 C humidity = 16 % alert to IBM Watson
Published Temperature = 98 C humidity = 7 % alert to IBM Watson
Published Temperature = 94 C humidity = 85 % alert to IBM Watson
```

Ln: 5052 Col: 4

Design the application for the project using MIT App Inventor





Alert Command




MIT APP INVENTOR
Projects
Connect
Build
Settings
Help
My Projects
View Trash
Guide
Report an Issue
English
vaishnavipalani2002@gmail.com
HazardMonitoring
Screen1
Add Screen ...
Remove Screen
Publish to Gallery
Designer
Blocks
Blocks
Built-in
Control
Logic
Math
Text
Lists
Dictionaries
Colors
Variables
Procedures
Screen1
HorizontalArrangemen
Label1
TextBox1
HorizontalArrangemen
Label2
TextBox2
Rename
Delete
Media
Viewer
when Clock1 .Timer
do set Web1 . Url to " https://node-red-mfcnc-2022-11-08.eu-gb.mybluemi... "
call Web1 .Get
when Web1 .GotText
url responseCode responseType responseContent
do set TextBox1 . Text to look up in pairs key " temperature "
pairs call Web1 .JsonTextDecode
jsonText get responseContent
notFound " not found "
set TextBox2 . Text to look up in pairs key " humidity "
pairs call Web1 .JsonTextDecode
jsonText get responseContent
notFound " not found "
when Button1 .Click
do set Web2 . Url to " https://node-red-mfcnc-2022-11-08.eu-gb.mybluemi "
call Web2 .Get
0
0
Show Warnings