

ISO 9001:2015 Certified Institution
Military Road, Ammapet, Salem - 636 003.

EMERGING METHODS FOR EARLYDETECTION OF FOREST FIRES

TEAM ID:PNT2022TMID30863

DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

PRESENTED BY

K. S. ELAKKIYA S. ELAVARASI M. KEERTHANA S. MYTHILI

ABSTRACT:

Forest fire is an alarm in condition which occurs in boreal, tropical as well as temporal forests due to natural such as volcanic eruption, high atmospheric temperature and dryness (low humidity) and man made causes such as cigarettes discarded with flame, campus left burning of debris equipment unattended. malfunctions, leftovers of ignited flammable products which not only causes harmful effects on the ecosystem but also for human beings who are living in the forest(tribes) as well as the surrounding areas. So it is necessary to prevent fires that are occurring in the forest. Which saves not only the natural resources but also has a good impact in uplifting the quality of environment.

INTRODUCTION:

The main objective of a project is to detect the fires occurring in the forest. For this we have created a convolution neural network that predicts the fire. This project is an attempt to use convolutional neural networks (CNN) to detect the presence or the start of a forest fire in an image. The model could be process in open cv and applied in real-time to low-framerate surveillance video (with fires not moving that much fast, this assumption is somewhat sound) and give alert in case of fire.

EXISTING SOLUTIONS:

Aerial monitoring of forest fire using drone Cameras operated in remote locations

- Use of various sensors such as smoke, flame, gas etc...to sense and detect fire
- Human surveillance for forest
- Thermal imaging of forest
- Use of satellite images to detect fire

PROPOSED SOLUTION:

Using deep learning(Convolutional neural network) to predict the forest fires. The process is briefly described below.

COLLECTION OF DATABASE:

The model is trained on a provided dataset which contains images of: 'fire' and 'no fire', totally around 1900 images. These images are mostly of forest or forest-like environments like sea shore, river banks, ponds, beach, etc....


DATA PROCESSING:

First importing the required libraries and then splitting the collected data into training as well as testing.1520 images are used for training and 380 images are used for testing. Then we perform data augmentation where we increase our available datasets by rotating, flipping, shearing, scaling, cropping, etc..This helps in reducing the chances of overfitting when training our model. Now we have more data to perform better.

BUILDING THE MODEL:

Importing the required libraries and since we are building our model to get 1 input and give back 1 output we are initiating the model as sequential. Adding the convolution layer, max pooling layer as well as flatten layer. Then passing it to a fully connected layer which is nothing but a Artificial neural network layers(i.e. the input layer, hidden layer, output layer). The activation function for hidden layer is specified as RLAF(rectified linear activation function) and the activation function for output layer is given as sigmoid. Then the model is compiled with optimizer as Adam, loss function as binary-cross-entropy.

Classification model and setting the metrics to accuracy. training the model, setting epoch value as 10.



Accuracy VS Loss(during training):

| Epoch | Accuracy | Loss | Val-loss | Valaccuracy |
|-------|----------|--------|----------|-------------|
| | | | | |
| 1 | 0.8612 | 0.5750 | 0.9289 | 0.2057 |
| 2 | 0.9151 | 0.2386 | 0.9151 | 0.1584 |
| 3 | 0.9461 | 0.1595 | 0.9316 | 0.1794 |
| 4 | 0.9526 | 0.1530 | 0.9026 | 0.2408 |
| 5 | 0.9480 | 0.1525 | 0.9237 | 0.1976 |
| 6 | 0.9342 | 0.1873 | 0.9289 | 0.1569 |
| 7 | 0.9507 | 0.1657 | 0.9421 | 0.1541 |
| 8 | 0.9533 | 0.1549 | 0.9316 | 0.1917 |
| 9 | 0.9513 | 0.1451 | 0.9368 | 0.1848 |
| 10 | 0.9520 | 0.1589 | 0.1496 | 0.9447 |

After this saving our model in .H5 format.

TESTING THE MODE:

Then testing our model by providing the data that is allocated for testing. We can use our saved model file for video analysis of forest fire and use it in real time surveillance camera for real time prediction.

REFERENCES:

- [1] Zhentian Jiao1, Youmin Zhang, Jing Xin, Lingxia Mu, Yingmin Yi, Han Liu and Ding Liu, "A Deep Learning based forest fire detection approach using UAV and YOLOv3," 1st International Conference on Industrial Artificial Intelligence (IAI), 2019.
- [2] Qingjie Zhang, Jiaolong Xu, Liang Xu and Haifeng Guo, "Deep Convolutional Neural Networks for forest fire detection," in Proceed ings of the 2016 International Forum on Management, Education and Information Technology Application, Atlantis Press, 2016.
- [3] Qi-xing ZHANG, Gao-hua LIN, Yong-ming ZHANG, Gao

XU, Jin-jun WANG, "Wildland forest fire smoke detection on Faster R-CNN using synthetic smoke images," 8th International Conference on Fire Science and Fire Protection Engineering(on the Development of Performance based Fire Code), 2017.

- [4] Genovese, Angelo and Labati, Ruggero and Piuri, Vincenzo and Scotti, Fabio, "Wildfire smoke detection using computational intelligence techniques," IEEE International Conference on Computational Intelligence for Measurement Systems and Applications Proceedings, 2011.
- [5] C. Yuan, Z. X. Liu, and Y. M. Zhang, "UAV-based forest fire detection 5 and tracking using image processing techniques," in 2015 International Conference on Unmanned Aircraft Systems. IEEE, 2015, pp. 639–643.
- [6] C. Yuan, Z. X. Liu, and Y. M. Zhang, "Aerial images based forest fire detection for firefighting using optical remote sensing techniques and unmanned aerial vehicles," Journal of Intelligent & Robotic Systems, vol. 88,no. 2-4, pp. 635–654, 2017.
- [7] X. Z. Chunyu Yu, Zhibin Mei, "A real-time video fire flame and smoke detection algorithm," in Asia-Oceania Symposium on Fire Science and Technology, 2013.

- [8] YongMin Liu, YiMing Liu, HongLei Xu, Kok Lay Teo, "Forest fire monitoring, detection and decision making systems by wireless sensor network," IEEE Chinese Control And Decision Conference (CCDC), 2018.
- [9] Pulkit Chugh, Eric Tom Mathews, G. Barath Kumar, "Forest fire detection through UAV imagery using CNNs," unpublished.
- [10]A. Koubaa and B. Qureshi, "Dronetrack: Cloud-based real-time object then testing our model by providing the data that is allocated for testing. We can use our saved model file for video analysis of forest fire and use it in real time surveillance camera for real time prediction.