


ASSIGNMENT – 3

TEAM ID:PNT2022TMID14431

1.Create a Bucket in IBM object storage.



2.Upload 5 images to IBM object storage and make it public. write html code to displaying all the 5 images.

```
<!-- Image section -->
<div class="container-fluid text-center">

  <h1>Amigurumi - Japanese art of knitting</h1>

  <div class="row">
    <div class="col-lg-6 col-md-6">
      
    </div>
    <div class="col-lg-6 col-md-6">
      
    </div>
  </div>

  <div class="row">
    <div class="col-12">
      
    </div>
  </div>

  <div class="row">
    <div class="col-lg-6 col-md-6">
      
    </div>
    <div class="col-lg-6 col-md-6">
      
    </div>
  </div>
</div>
</div>
```

3. Upload a CSS page to the object storage and use the same page in your HTML code.

style.css

Download object

Delete object

Overview

Lifecycle

Object details

Last modified	Object size	Storage class	Tags
2022-11-05 8:48 PM	372 bytes	Smart Tier	0 Tags

Object Public URL

https://amigurumi-images.s3.jp-tok.cloud-object-storage.appdomain.cloud/style.css

Access with Data Engine

If this file is of a supported format, you can access the object using an Data Engine instance. To learn more about support file formats, [visit our docs](#).



Object Data Engine URL

cos://jp-tok/amigurumi-images/style.css

4. Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as an assignment.

```
<!-- For watson assistant -->
<script>
  window.watsonAssistantChatOptions = {
    integrationID: "b8b38143-a95d-44b4-84f6-eef3ebb479f5", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "d05024f0-2dbf-4ca1-9961-dc3402b37937", // The ID of your service instance.
    onLoad: function(instance) {
      instance.render();
    }
  };
  setTimeout(function() {
    const t = document.createElement('script');
    t.src = "https://web-chat.global.assistant.watson.appdomain.cloud/versions/" + (window.watsonAssistantChatOptions.clientVersion || 'latest') + "/"
    WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
  });
</script>
```

5. Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.



Output:

