









SMART FASHION RECOMMENDER APPLICATION

IBM - DOCUMENTATION

UNDER THE GUIDANCE OF

INDUSTRY MENTOR(S) NAME: KRISHNA CHAITANYA

FACULTY MENTOR(S) NAME: MOHANRAJ E

TEAM ID: PNT2022TMID11712

SUBMITTED BY

SURYAPRAKASH P 73771914181

RAJESH C R 73771914156

VIGNESH N 73771914190

VANATHI S 73771914187

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING



K.S.RANGASAMY COLLEGE OF TECHNOLOGY (Autonomous Institution) TIRUCHENGODE - 637 215

S.NO	TABLE OF CONTENT	PG.NO
1	INTRODUCTION	1
1.1	PROJECT OVERVIEW	1
1.2	PURPOSE	1
2	LITERATURE SURVEY	2
2.1	EXISTING PROBLEM	2
2.2	REFERENCES	3
2.3	PROBLEM STATEMENT DEFINITION	3
3	IDEATION & PROPOSED SOLUTION	4
3.1	EMPATHY MAP CANVAS	4
3.2	IDEATION & BRAINSTORMING	4
3.3	PROPOSED SOLUTION	5
3.4	PROBLEM SOLUTION FIT	6
4	REQUIREMENT ANALYSIS	7
4.1	FUNCTIONAL REQUIREMENT	7
4.2	NON-FUNCTIONAL REQUIREMENT	7
5	PROJECT DESIGN	8
5.1	DATA FLOW DIAGRAM	8
5.2	SOLUTION & TECHNICAL ARCHITECTURE	8
5.3	USER STORIES	9
6	PROJECT PLANNING & SCHEDULING	10
6.1	SPRINT PLANNING & ESTIMATION	10
6.2	SPRINT DELIVERY SCHEDULE	10
6.3	REPORTS FROM JIRA	11
7	CODING & SOLUTIONING	12
7.1	FEATURE 1	12

7.2	FEATURE 2	12
7.3	DATABASE SCHEMA	13
8	TESTING	14
8.1	TEST CASES	14
8.2	USER ACCEPTANCE TESTING	15
9	RESULTS	16
9.1	PERFORMANCE METRICS	16
10	ADVANTAGES & DISADVANTAGES	17
11	CONCLUSION	18
12	FUTURE SCOPE	19
13	APPENDIX	20
13.1	SOURCE CODE	20
13.2	GITHUB & PROJECT DEMO LINK	121

1. INTRODUCTION

1.1 PROJECT OVERVIEW

Nowadays, fashion applications and e-commerce are growing more and more, and it also has some problems when finding the customer's wanted product in the web applications. Having a chatbot that understands the algorithm of a specific application can be of great aid. We are implementing such a chat bot in a web application, which is fed with the knowledge of the application's algorithm and helps the user completely from finding their needs to processing the payment and initiating delivery. It works as an advanced filter search that can bring the user what they want with the help of pictorial and named representation by getting simple user information and activities. The application also has two main UI interactions: one is the user panel and the other one is the admin panel. Users can interact with the chat bot to search for products, order them from the manufacturer or distributor through chatbot AI, and it can also make payment transactions, track the delivery, and so on. The admin interface enables the user to upload products' details, user details, orders and find how many products have been bought; supervise the stock availability; and interact with the buyer regarding the product reviews.

We have come up with a new innovative solution through which you can directly do your online shopping based on your choice without any search. It can be done by using the chat bot.

In this project you will be working on two modules:

- 1. Admin and
- 2. User

Admin:

The role of the admin is to check out the database about the stock and have a track of all the things that the users are purchasing.

User:

The user will login into the website and go through the products available on the website. Instead of navigating to several screens for booking products online, the user can directly talk to Chat bot regarding the products. Get the recommendations based on information provided by the user.

1.2 PURPOSE

- a) Using chatbot we can manage user's choices and orders.
- b) The chatbot can give recommendations to the users based on their interests.
- c) It can promote the best deals and offers on that day.
- d) It will store the customer's details and orders in the database.
- e) The chatbot will send a notification to customers if the order is confirmed.
- f) Chatbots can also help in collecting customer feedback.

2. LITERATURE SURVEY

2.1 EXISTING PROBLEM

1. Fashion item representation

Traditional recommender systems such as Collaborative Filtering or Content-Based Filtering have difficulties in the fashion domain due to the sparsity of purchase data, or the insufficient detail about the visual appearance of the product in category names. Instead, more recent literature has leveraged models that capture a rich representation of fashion items through product images, text descriptions or customer reviews, or videos which are often learned through surrogate tasks like classification or product retrieval. However, learning product representations from such input data requires large datasets to generalize well across different image (or text) styles, attribute variations, etc. Furthermore, constructing a representation that learns which product features customers take most into account when evaluating fashion products is still an open research problem.

2. Fashion item compatibility

Training a model that is able to predict if two fashion items 'go together,' or directly combine several products into an outfit, is a challenging task. Different item compatibility signals studied in recent literature include co-purchase data, outfits composed by professional fashion designers, or combinations found by analyzing what people wear in social media pictures.

3. Personalization and fit.

The best fashion product to recommend depends on factors such as the location where the outfit will be used, the season or occasion, or the cultural and social background of the customer. A challenging task in fashion recommendation systems is how to discover and integrate these disparate factors. Current research often tackles these tasks by utilizing large-scale social media data.

4. Interpretability and explanation

Most of the existing fashion recommender systems in the literature focus on improving predictive performance, treating the model as a black box. However, deploying accountable and interpretable systems able to explain their recommendations can foster user loyalty in the long term and improve the shopping experience

5. Discovering trends

Being able to forecast consumer preferences is valuable for fashion designers and retailers in order to optimize product-to-market fit, logistics and advertising.

2.2 REFERENCES

"A Systematic Study on the Recommender Systems in the E-Commerce"

Electronic commerce or e-commerce includes the service and good exchange through electronic support like the Internet. It plays a crucial role in today's business and users' experience. Also, e-commerce platforms produce a vast amount of information. So, Recommender Systems (RSs) are a solution to overcome the information overload problem. They provide personalized recommendations to improve user satisfaction. The present article illustrates a comprehensive and Systematic Literature Review (SLR) regarding the papers published in the field of e-commerce recommender systems. We reviewed the selected papers to identify the gaps and significant issues of the RSs' traditional methods, which guide the researchers to do future work. So, we provided the traditional techniques, challenges, and open issues concerning traditional methods of the field of review based on the selected papers. This review includes five categories of the RSs' algorithms, including Content-Based Filtering (CBF), Collaborative Filtering (CF), Demographic-Based Filtering (DBF), hybrid filtering, and Knowledge-Based Filtering (KBF).

2.3 PROBLEM STATEMENT DEFINITION

Problem Statement 1:

The User Needs a way to Find Trending Fashion Clothes so that Here find the All Collections Problem Statement 2:


The User Needs a way to Find Offers and Discounts so that Here User easy to find Daily Offers Problem Statement 3:

The User Needs a way to Assistant for finding Clothes so that Here User got the Chat Bot assistant Problem Statement 4:


The Sellers Needs a way to struggling to sells products offline so that Here Sellers will Sell Products via our application.

3. IDEATION & PROPOSED SOLUTION

3.1 EMPATHY MAP CANVAS



3.2 IDEATION & BRAINSTORMING



3.3 PROPOSED SOLUTION

S. No	Parameter	Description
1.	Problem Statement (Problem to be solved)	Customers feels difficult when Search many websites to find Fashion clothes and accessories.
2.	Idea / Solution description	Customers directly make online shopping based on customer choice without any search.
3.	Novelty / Uniqueness	The customer will talk to Chat Bot regarding the Products. Get the recommendations based on information provided by the user
4.	Social Impact / Customer Satisfaction	The user friendly interface, Assistants form chat bot finding dress makes customer satisfied.
5.	Business Model (Revenue Model)	The chat bot sells our Products to customer. Customers buy our products and generate revenue
6.	Scalability of the Solution	We can easily scalable our Applications by increases the items and products

3.4 PROBLEM SOLUTION FIT

Define CS, fit into	1. Customers Segment(s) Common man (12+ years) Fashionists Celebrity Fashion Stylist	No cash on budget Network facilities Available devices	AVAILABLE SOLUTIONS Customers tries to purchase fashion products from local shops and other fashion apps where they spend a lot of time to get their dealed products, the solution provides smart recommended (chatbot), cool offers, and flexible retain policies for easy shopping.	AS
ocus on J&P, tap into BE, understand	2. JOBS-TO-BE-DONE / PROBLEMS Build a solution through which a user can directly do their online shopping based on they choice without any search by using a 'chatbot'.	9. PROBLEM ROOT CAUSE Customers with busy schedules, choose to shop online. They wish to be updated and try out the latest trends. They wish to be updated.	7. BEHAVIOUR • fashion applications other than what customers are currently using. • Go to various shops spending lots of time and energy which may or may not be a benefit to them. • Visit directly to places where particular products are meant for, i.e., for examples people visit Kanchipuram for Kanchipuram slik sales.	BE
ng TR & EM	3. TRIGGERS Offers Trends clothes at cheaper price Return policy Charbot that helps in recommendation	10. YOUR SOLUTION *The solution is to baild a chatbot that helps customers to recommend fashion products based on his/her choice without any search. It asks customers as many questions as it needed for better recommendation.	8. CHANNELS of BEHAVIOUR 8.1 ONLINE If by fashion applications other than what customers are currently using.	СН
Identify strong	4. EMOTIONS: BEFORE / AFTER Disappointed > Satisfied, after getting affordable fashion goods Frustrated > Contented, after seeing trendy, brandedcollections of desired products		8.2 OFFLINE Ot o various shops spending lots of time and energy which may or may not be a benefit to them. Visit directly to places where particular products are meant for, i.e., for examples people visit Kanchipuram for Kanchipuram silk sales.	

4. REQUIREMENT ANALYSIS

4.1 FUNCTIONAL REQUIREMENTS

Following are the functional requirements of the proposed solution.

FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Form
FR-2	User Interaction	Interact through the Chat Bot
FR-3	Buying Products	Through the chat Bot Recommendation
FR-4	Track Products	Ask the Chat Bot to Track my Orders
FR-5	Return Products	Through the chat Bot
FR_6	New Collections	Recommended from chat Bot

4.2 NON-FUNCTIONAL REQUIREMENTS


Following are the non-functional requirements of the proposed solution.

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	Using Android or IOS or windows applications.
NFR-2	Security	The user data is stored securely in IBM cloud.
NFR-3	Reliability	The Quality of the services are trusted.
NFR-4	Performance	Its Provide smooth user experience.
NFR-5	Availability	The services are available for 24/7.
NFR-6	Scalability	It's easy to scalable size of users and products.


5. PROJECT DESIGN

5.1 DATA FLOW DIAGRAMS

A Data Flow Diagram (DFD) is a traditional visual representation of the information flows within a system. A neat and clear DFD can depict the right amount of the system requirement graphically. It shows how data enters and leaves the system, what changes the information, and where data is stored.



5.2 SOLUTION & TECHNICAL ARCHITECTURE



5.3 USER STORIES

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile user)	Registration	USN-1	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard	High	Sprint-1
		USN-2	As a user, I will receive confirmation email once I have registered for the application	I can receive confirmation email & click confirm	High	Sprint-1
		USN-3	As a user, I can register for the application through Facebook	I can register & access the dashboard with Facebook Login	Low	Sprint-2
		USN-4	As a user, I can register for the application through Gmail		Medium	Sprint-1
	Login	USN-5	As a user, I can log into the application by entering email & password	I can access my data by login	High	Sprint-1
	Dashboard	USN-6	As a user , I can view the dashboard and by products		High	Sprit -2
Customer (Web user)	Registration / Login	USN-7	As a user, I can register for the application by entering my email, password, and confirming my password.	I can access my account / dashboard		Sprint -1
Customer Care Executive	Contact with Customers	USN-8	As a Customer customers care executive, I solve the customer Requirements and feedback	I can receive calls from customers	High	Sprint-1
Administrator	Check stock and Price , orders	USN_9	As a Administrator , I can Check the database And stock details and buying and selling prices	I am the administrator of the company	High	Sprint -2

6. PROJECT PLANNING & SCHEDULING

6.1 SPRINT PLANNING & ESTIMATION

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story points	Priority	Team Members
Sprint-1	Setting up App environment	USN-1	As a user, I can register in ICTA Academy and create IBM cloud account.	2	High	Kuberan V Sharulatha I
Sprint-1		USN-2	As a user, I will create a flask project	1	Low	Maruthan G Jafri melba W
Sprint-1		USN-3	As a user, I will install IBM Cloud CLI	2	Medium	Kuberan V Maruithan G
Sprint-2	Setting up App environment	USN-4	As a user, I can install Docker CLI	1	Low	Kuberan V Sharulatha I
Sprint-2		USN-5	As a user, I will Create an account in sendgrid	2	Medium	Maruthan G Jafri melba W

6.2 SPRINT DELIEVERY SCHEDULE

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planne d)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	18	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	18	6 Days	31 Oct 2022	05 Nov 2022	20	05 Nov 2022
Sprint-3	18	6 Days	07 Nov 2022	12 Nov 2022	20	12 Nov 2022
Sprint-4	18	6 Days	14 Nov 2022	19 Nov 2022	20	19 Nov 2022


6.3 REPORTS FROM JIRA



7.CODING & SOLUTIONING


7.1 FEATURE 1

Using chat bot we can manage user's choices and orders.




7.2 FEATURE 2

Chat Bot promote the best deals and offers on that day.



7.3 DATABASE SCHEMA



7. TESTING

8.1 TEST CASES

This report shows the number of test cases that have passed, failed, and untested

Section	Total Cases	Not Tested	Fail	Pass
Login	5	0	0	5
Register	7	0	0	7
Home Page	2	0	0	2
Order page	3	0	0	3
Order products	9	0	0	9
Final Report Output	4	0	0	4
Version Control	2	0	0	2

8.2 USER ACCEPTANCE TESTING

Purpose of Document

The purpose of this document is to briefly explain the test coverage and open issues of the Smart Fashion Recommender Application project at the time of the release to User Acceptance Testing (UAT).

Defect Analysis

This report shows the number of resolved or closed bugs at each severity level, and how they were resolved

Resolution	Severity 1	Severity 2	Severity 3	Severity 4	Subtotal
By Design	5	5	2	3	21
Duplicate	1	0	3	0	4
External	2	3	0	1	6
Fixed	11	2	4	20	37
Not Reproduced	0	0	1	0	1
Skipped	0	0	1	1	2
Won't Fix	0	5	2	1	8
Totals	24	14	13	26	77

8. RESULT

9.1 PERFORMANCE METRICS

Project team shall fill the following information in model performance testing.

S.No	Project Name	Scope/feature	Functional Changes	Hardware Changes	Software Changes	Impact of Downtime	Load/Voluem Changes	Risk Score	Justification
1	Smart Fashion Recommender Application	New	Low	No Changes	Moderate		>5 to 10%	ORANGE	As we have seen the chnages
				I - SSC-INVERSALIV	NFT - Detailed	Test Plan	NO. COLUMN TO A PROPERTY OF THE PROPERTY OF TH		
			S.No	Project Overview	NFT Test approach	Assumptions/Dependencies/Risks	Approvals/SignOff		
				Smart Fashion Recommender Application	Manual testing	laptop or mobile with internet connection	n vkparameshwaran		
								•	
End Of Test Report								2/	
) A		Identified Defects	300 300	
S.No	Project Overview	NFT Test approach	NFR - Met	Test Outcome	GO/NO-GO decision	Recommendations	(Detected/Closed/Open)	Approvals/SignOff	
	Smart Fashion Recommender Application	Manule		Worked as we expected		Use Laptop / desktop Mode	No Defects	Kuberan V	

9. ADVANTAGES & DISADVANTAGES

ADVANTAGES:

- Its helps to user Shopping with Assistant
- Its helps to user manage there order list
- Its helps to user shopping at home

DISADVANTAGES:

- User have fear about online shopping
- User have sometimes received wrong items
- User have fear about online payment

10. CONCLUSION

Recommendation systems have the potential to explore new opportunities for retailers by enabling them to provide customized recommendations to consumers based on information retrieved from the Internet. They help consumers to instantly find the products and services that closely match with their choices. Moreover, different stat-of-the-art algorithms have been developed to recommend products based on users' interactions with their social groups. Therefore, research on embedding social media images within fashion recommendation systems has gained huge popularity in recent times. This paper presented a review of the fashion recommendation systems, algorithmic models and filtering techniques based on the academic articles related to this topic. The technical aspects, strengths and weaknesses of the filtering techniques have been discussed elaborately, which will help future researchers gain an in-depth understanding of fashion recommender systems. However, the proposed prototypes should be tested in commercial applications to understand their feasibility and accuracy in the retail market, because inaccurate recommendations can produce a negative impact on a customer. Moreover, future research should concentrate on including time series analysis and accurate categorization of product images based on the variation in color, trend and clothing style in order to develop an effective recommendation system. The proposed model will follow brand specific personalization campaigns and hence it will ensure highly curated and tailored offerings for users. Hence, this research will be highly beneficial for researchers interested in using augmented and virtual reality features to develop recommendation systems.

11. FUTURE SCOPE

There has been significant progress recently in fashion recommendation system research, which will benefit both consumers and retailers soon. The use of product and user images, textual content, demographic history, and cultural information is crucial in developing recommendation frameworks. Product attributes and clothing style matching are common features of collaborative and content-based filtering techniques. Researchers can develop more sophisticated hyper personalized filtering techniques considering the correlation between consumers' clothing styles and personalities. The methods based on employing a scoring system for quantifying each product attribute will be helpful in increasing the precision of the model. The use of virtual sales advisers in an online shopping portal would provide consumers with a real time offline shopping experience. Retailers can collect the data on users' purchase history and product reviews from the recommendation system and subsequently use them in style prediction for the upcoming seasons. The integration of different domain information strengthens the deep learning paradigm by enabling the detection of design component variation, which improves the performance of the recommendation system in the long run. Deep learning approaches should be more frequently used to quickly explore fashion items from different online databases to provide prompt recommendations to users or consumers.

12. APPENDIX

12.1 SOURCE CODE

App.py

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re
from flask_mail import Mail, Message
app = Flask(__name__,template_folder="templates")
mail = Mail(app) # instantiate the mail class
# configuration of mail
app.config['MAIL_SERVER']='smtp.gmail.com'
app.config['MAIL_PORT'] = 465
app.config['MAIL_USERNAME'] = 'smartfashionibm@gmail.com'
app.config['MAIL_PASSWORD'] = 'hi hello welcome'
app.config['MAIL_USE_TLS'] = False
app.config['MAIL_USE_SSL'] = True
mail = Mail(app)
app.secret_key = 'a'
conn = ibm db.connect("DATABASE=bludb;HOSTNAME=b1bc1829-6f45-4cd4-bef4-
10cf081900bf.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32304;Security=SSL;UID=zgp86687;PWI
qIed5beBPGveTpAo;",",")
@app.route('/')
def home():
  return render_template('homepage.html')
```

```
@app.route('/login')
def log():
  return render_template('index.html')
@app.route('/index', methods =['GET', 'POST'])
def login():
  msg = "
  if request.method == 'POST' and 'username' in request.form and 'password' in request.form:
    username = request.form['username']
    password = request.form['password']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM register WHERE username = ? AND password = ?')
    ibm_db.bind_param(stmt,1,username)
    ibm_db.bind_param(stmt,2,password)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_assoc(stmt)
    if account:
       session['loggedin'] = True
       session['username'] = account['USERNAME']
       msg = 'Logged in successfully!'
       return render_template('home1.html', msg = msg)
    else:
       msg = 'Incorrect username / password !'
  return render_template('index.html', msg = msg)
@app.route('/profile',methods=["POST","GET"])
def profile():
  if 'username' in session:
    uid = session['username']
    stmt = ibm_db.prepare(conn, 'SELECT * FROM register WHERE username = ?')
    ibm_db.bind_param(stmt, 1, uid)
    ibm db.execute(stmt)
```

```
acc = ibm_db.fetch_tuple(stmt)
    return render_template('profile.html',username=acc[0],email=acc[1])
  return render_template('profile.html')
@app.route('/edit')
def edit():
  return render_template('editprofile.html')
@app.route('/editprofile', methods=["POST","GET"])
def editprofile():
  if request.method == 'POST':
    msg = "
    if 'username' in session:
       uid = session['username']
       username = request.form['username']
       email = request.form['email']
       stmt = ibm_db.prepare(conn, "UPDATE register SET username = ?, email = ? WHERE username = ?")
       ibm_db.bind_param(stmt, 1, username)
       ibm_db.bind_param(stmt, 2, email)
       ibm_db.bind_param(stmt, 3, uid)
       ibm_db.execute(stmt)
       msg = 'Profile Updated Successfully!'
       return render_template('editprofile.html',a = msg)
  return render_template('editprofile.html')
@app.route('/logout')
def logout():
  session.pop('loggedin', None)
  session.pop('id', None)
  session.pop('username', None)
  return redirect(url_for('login'))
```

```
@app.route('/reg', methods =['GET', 'POST'])
def register():
  msg = "
  if request.method == 'POST' and 'username' in request.form and 'password' in request.form and 'email' in
request.form:
     username = request.form['username']
     password = request.form['password']
    email = request.form['email']
     stmt = ibm_db.prepare(conn, 'SELECT * FROM register WHERE username = ?')
    ibm_db.bind_param(stmt,1,username)
    ibm_db.execute(stmt)
     account = ibm_db.fetch_assoc(stmt)
    if account:
       msg = 'Account already exists!'
     elif not re.match(r'[^{\circ}@]+@[^{\circ}@]+\.[^{\circ}@]+', email):
       msg = 'Invalid email address!'
    elif not re.match(r'[A-Za-z0-9]+', username):
       msg = 'Username must contain only characters and numbers!'
     elif not username or not password or not email:
       msg = 'Please fill out the form!'
     else:
       prep_stmt = ibm_db.prepare(conn,"INSERT INTO register VALUES(?, ?, ?)")
       ibm_db.bind_param(prep_stmt, 1, username)
       ibm_db.bind_param(prep_stmt, 2, password)
       ibm_db.bind_param(prep_stmt, 3, email)
       ibm_db.execute(prep_stmt)
       return render_template('email.html')
     msg = 'You have successfully registered!'
  elif request.method == 'POST':
    msg = 'Please fill out the form!'
```

```
return render_template('reg.html', msg = msg)
@app.route('/email', methods=['GET', 'POST'])
def email():
  if request.method == 'POST':
    email1 = request.form['email1']
    sql = "SELECT * FROM email WHERE email = ? "
    stmt = ibm_db.prepare(conn,sql)
    ibm_db.bind_param(stmt,1,email1)
    ibm_db.execute(stmt)
    account = ibm_db.fetch_tuple(stmt)
    print(account)
    if account:
      msg = 'Account already exists!'
    else:
      insert_sql = "INSERT INTO email(email) VALUES(?)"
      stmt = ibm_db.prepare(conn,insert_sql)
      ibm_db.bind_param(stmt, 1, email1)
      ibm_db.execute(stmt)
      msg = Message('SMART FASHION RECOMMENDER', sender = 'smartfashionibm@gmail.com', recipients =
[email1])
      msg.body = 'Hello user,THIS IS YOUR ONE TIME PASSWORD'
      msg.body = 'hello user!'
      msg.body = 'sucessfully registed'
      msg.body = 'welcome to smart fashion recommender'
      mail.send(msg)
    return render_template('index.html')
  return render_template('index.html')
```

```
@app.route('/admin')
def admin():
  return render_template('admin.html')
@app.route('/page2')
def page2():
  return render_template('page2.html')
@app.route('/cart')
def cart():
  return render_template('cart.html')
@app.route('/single')
def single():
  return render_template('single.html')
@app.route('/single1')
def single1():
  return render_template('single1.html')
@app.route('/single2')
def single2():
  return render_template('single2.html')
@app.route('/single3')
def single3():
  return render_template('single3.html')
```

```
@app.route('/single4')
def single4():
  return render_template('single4.html')
@app.route('/single5')
def single5():
  return render_template('single5.html')
@app.route('/single6')
def single6():
  return render_template('single6.html')
@app.route('/single7')
def single7():
  return render_template('single7.html')
@app.route('/single8')
def single8():
  return render_template('single8.html')
@app.route('/single9')
def single9():
  return render_template('single9.html')
@app.route('/single10')
def single10():
  return render_template('single10.html')
@app.route('/single11')
def single11():
  return render_template('single11.html')
```

```
@app.route('/single12')
def single12():
  return render_template('single12.html')
@app.route('/single13')
def single13():
  return render_template('single13.html')
@app.route('/single14')
def single14():
  return render_template('single14.html')
@app.route('/single15')
def single15():
  return render_template('single15.html')
@app.route('/pay')
def pay():
  return render_template('pay.html')
@app.route('/home1')
def home1():
  return render_template('home1.html')
@app.route('/homepage')
def homepage():
  return render_template('homepage.html')
@app.route('/add')
def add():
```

```
return render_template('add.html')

if __name__ == '__main__':

app.debug = True

app.run(host='0.0.0.0')
```

homepage.html

```
<html lang="en">
  <head>
    <title> FASHIONS</title>
    k rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
  </head>
  <style>
    *{
  margin: 0;
  padding: 0;
  font-family: "Century Gothic", Century Gothic, AppleGothic, sans-serif;
}
.main{
  width: 100%;
  background: linear-gradient(to top, rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);
  background-position: center;
  background-size: cover;
  height: 100%;
  font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
```

```
}
.navbar{
  width: 100%;
  height: 75px;
  margin: auto;
}
.icon\{
  width: 200px;
  float: left;
  height: 70px;
.logo{
  color:rgb(98, 246, 152);
  font-size: 35px;
  padding-left: 20px;
  float: left;
  padding-top: 10px;
.menu{
  width: 400px;
  float: left;
  height: 70px;
}
ul{
 float: left;
 display: flex;
```

```
justify-content: center;
 align-items: center;
}
ul li{
  list-style: none;
  margin-left: 62px;
  margin-top: 27px;
  font-size: 14px;
}
ul li a{
  text-decoration: none;
  color: #ffff;
  font-weight: bold;
  transition: 0.4s ease-in-out;
}
ul li a:hover{
  color: rgb(98, 246, 152);
}
.search{
  width: 330px;
  float: left;
  margin-left: 270px;
}
.srch{
  width: 200px;
```

```
height: 40px;
  background: transparent;
  border: 1px solid rgb(98, 246, 152);
  margin-top: 13px;
  color: #ffff;
  border-right: none;
  font-size: 16px;
  float: left;
  padding: 10px;
  border-bottom-left-radius: 5px;
  border-top-left-radius: 5px;
.btn{}
  width: 100px;
  height: 40px;
  background:rgb(98, 246, 152);
  border: 2px solid rgb(98, 246, 152);
  margin-top: 13px;
  color: #ffff;
  font-size: 15px;
  border-bottom-right-radius: 5px;
  border-bottom-right-radius: 5px;
}
.btn:focus{
  outline: none;
}
.srch:focus{
  outline: none;
}
```

```
.content \{\\
  width: 1200px;
  height: auto;
  margin: auto;
  color: #ffff;
  position: relative;
}
.content.par{
  padding-left: 20px;
  padding-bottom: 25px;
  letter-spacing: 1.2px;
  line-height: 30px;
}
.content h1{
  font-size: 50px;
  padding-left: 20px;
  margin-top: 1%;
  letter-spacing: 2px;
  color: black;
}
.content h5{
  font-size: 50px;
  padding-left: 10px;
  margin-top: 9%;
  letter-spacing: 2px;
  color: black;
```

```
}
.content .cn{
  width: 160px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
}
.content .cn a{
  text-decoration: none;
  color: #000;
  transition: .3s ease;
.cn:hover{
  background-color: #fff;
.content span{
  color:red;
  font-size: 60px;
```

```
. form \{
  width: 250px;
  height: 380px;
  background: linear-gradient (to\ top, rgba(0,0,0,0.8)50\%, rgba(0,0,0,0.8)50\%);
  position: absolute;
  top: -20px;
  left: 870px;
  border-radius: 10px;
  padding: 25px;
.form h2{
  width: 220px;
  text-align: center;
  color:green;
  font-size: 22px;
  border-radius: 10px;
  margin: 2px;
  padding: 8px;
.form input{
  width: 240px;
  height: 35px;
  background: transparent;
}
.form input{
  width: 240px;
  height: 35px;
```

```
background: transparent;
  border-bottom: 1px solid rgb(98, 246, 152);
  border-top: none;
  border-right: none;
  border-left: none;
  color: #fff;
  font-size: 15px;
  letter-spacing: 1px;
  margin-top: 30px;
}
.form input:focus{
  outline: none;
}
::placeholder{
  color: #fff;
}
.reg{
  position:fixed;
  width: 240px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-top:15px;
  margin-left:20px;
  border-radius:10px;
  font-size: 18px;
```

```
border-radius: 10px;
  cursor: pointer;
  color: #fff;
  transition: 0.4s ease;
.btnn:hover{
  background: #fff;
  color: rgb(98, 246, 152);
}
.btnn a{
  text-decoration: none;
  color: #000;
  font-weight: bold;
}
.form .link{
  font-size: 17px;
  padding-top: 20px;
  text-align: center;
.form .link a{
  text-decoration: none;
  color: rgb(98, 246, 152);
}
.liw{
  padding-top: 15px;
  padding-bottom: 10px;
```

```
text-align: center;
}
.reg{
  color: white;
     background-color: #1c1c1e;
     border: none;
     outline: none;
     border-radius: 2px;
     font-size: 14px;
     padding: 5px 12px;
     font-weight: 500;
#header {
  display: flex;
  align-items: center;
  justify-content: center;
  padding: 5px 30px;
  z-index: 999;
  position: sticky;
  top: 0;
  left: 0;
body{
  background-color:pink;
  background-image: url("/static/image.jpeg");
  height: 90vh;
  width: 100%;
  background-size: cover;
  background-position: top 25% right 0;
  </style>
```

```
<body>
   <section id="header">
    <div class="main">
      <div class="navbar">
        <div class="icon">
          <h2 class="logo">FASHOINS</h2>
        </div>
                 <div class="menu">
          ul>
             <a href="/">HOME</a>
             <a href="/admin">ADMIN</a>
          </div>
                 <div class="search">
          <input class="srch" type="search" name="" placeholder="Type to search">
          <a href="/registertemp"><button class="btn">Search</button></a>
          <a href="/index"><button class="reg" type='submit'>LOGIN</button></a>
        </div>
      </div>
    </section>
      <div class="content">
        <h5 class="leo">Welcome To </h5>
        <h1> Smart Fashion <br><span>Up to 50% offer</span></h1>
          </div>
      </body>
</html>
```

Login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Smart Fashion Login</title>
  <!-- favicon -->
  <!-- <li>rel="shortcut icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
  <!-- <li>rel="icon" href="/assets/img/favicon.ico" type="image/x-icon"> -->
  k rel="icon" type="image/png" sizes="16x16" href="/assets/img/favicon-32x32.png">
  <!-- bootstrap css cdn -->
  k rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/css/bootstrap.min.css"
    integrity="sha384-
JcKb8q3iqJ61gNV9KGb8thSsNjpSL0n8PARn9HuZOnIxN0hoP+VmmDGMN5t9UJ0Z"
crossorigin="anonymous">
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.css">
  <!-- css stylesheet -->
  <link rel="stylesheet" href="/static/style3.css">
  <!-- font styles cdn -->
  k rel="preconnect" href="https://fonts.gstatic.com">
  <link href="https://fonts.googleapis.com/css2?family=Alegreya&display=swap" rel="stylesheet">
  <link href="https://fonts.googleapis.com/css2?family=Alegreya:wght@600&display=swap"</pre>
rel="stylesheet">
</head>
```

```
<body>
  <div class="login text-center mt-5">
    <form action="/" method="post">
      <h2 class="form-text-h2"> Login Form </h2>
      <div class="msg">{{ msg }}</div>
      <div class="form-group mb-3">
        <label class="label" for="username">Username</label>
        <input type="text" class="form-control" placeholder="Username" name="username" required>
      </div>
      <div class="form-group mb-3">
        <label class="label" for="password">Password</label>
        <input type="password" class="form-control" placeholder="Password" name="password"</pre>
required>
      </div>
      <button type="submit" id="button" class="btn btn-primary"> Login </button>
      <div class="note mt-3 text-center">
        <!--Register form -->
         Don't have an account yet? Click here to <a href="/signup">register! </a> 
      </div>
    </form>
 </div>
</body>
</html>
```

Index.html

```
<html>
  <head>
    <title> FASHIONS</title>
    k rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
  </head>
  <style>
    *{
       margin: 0;
       padding: 0;
       font-family:"Century Gothic", Century Gothic, Apple Gothic, sans-serif;
    .main{
       width: 100%;
       background: linear-gradient(to top, rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);
       background-position: center;
       background-size: cover;
       height: 100%;
       font-family:"Century Gothic", Century Gothic, Apple Gothic, sans-serif;
     }
    .navbar{
       width: 100%;
       height: 75px;
       margin: auto;
    }
    .icon{
       width: 200px;
       float: left;
       height: 70px;
    .logo{
       color:rgb(98, 246, 152);
       font-size: 35px;
       padding-left: 20px;
       float: left;
       padding-top: 10px;
    }
    .menu{
       width: 400px;
       float: left;
       height: 70px;
    ul{
      float: left;
```

```
display: flex;
 justify-content: center;
 align-items: center;
ul li{
  list-style: none;
  margin-left: 62px;
  margin-top: 27px;
  font-size: 14px;
}
ul li a{
  text-decoration: none;
  color: #ffff;
  font-weight: bold;
  transition: 0.4s ease-in-out;
}
ul li a:hover{
  color: rgb(98, 246, 152);
.search{
  width: 330px;
  float: left;
  margin-left: 270px;
.srch\{
  width: 200px;
  height: 40px;
  background: transparent;
  border: 1px solid rgb(98, 246, 152);
  margin-top: 13px;
  color: #ffff;
  border-right: none;
  font-size: 16px;
  float: left;
  padding: 10px;
  border-bottom-left-radius: 5px;
  border-top-left-radius: 5px;
.btn{
  width: 100px;
  height: 40px;
  background:rgb(98, 246, 152);
  border: 2px solid rgb(98, 246, 152);
  margin-top: 13px;
  color: #ffff;
  font-size: 15px;
```

```
border-bottom-right-radius: 5px;
  border-bottom-right-radius: 5px;
.btn:focus{
  outline: none;
.srch:focus{
  outline: none;
}
.content{
  width: 1200px;
  height: auto;
  margin: auto;
  color: #ffff;
  position: relative;
.content.par{
  padding-left: 20px;
  padding-bottom: 25px;
  letter-spacing: 1.2px;
  line-height: 30px;
.content h1{
  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  letter-spacing: 2px;
.content .cn{
  width: 160px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
.content .cn a{
  text-decoration: none;
  color: #000;
  transition: .3s ease;
```

```
.cn:hover{
  background-color: #fff;
.content span{
  color:rgb(98, 246, 152);
  font-size: 60px;
.form{
  width: 250px;
  height: 380px;
  background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
  position: absolute;
  top: -20px;
  left: 870px;
  border-radius: 10px;
  padding: 25px;
.form h2{
  width: 220px;
  text-align: center;
  color:rgb(98, 246, 152);
  font-size: 22px;
  border-radius: 10px;
  margin: 2px;
  padding: 8px;
.form input{
  width: 240px;
  height: 35px;
  background: transparent;
.form input{
  width: 240px;
  height: 35px;
  background: transparent;
  border-bottom: 1px solid rgb(98, 246, 152);
  border-top: none;
  border-right: none;
  border-left: none;
  color: #fff;
  font-size: 15px;
  letter-spacing: 1px;
  margin-top: 30px;
}
```

```
.form input:focus{
  outline: none;
::placeholder{
  color: #fff;
}
.btnn{
  width: 240px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color: #fff;
  transition: 0.4s ease;
.btnn:hover{
  background: #fff;
  color: rgb(98, 246, 152);
.btnn a{
  text-decoration: none;
  color: #000;
  font-weight: bold;
. form . link \{\\
  font-size: 17px;
  padding-top: 20px;
  text-align: center;
.form .link a{
  text-decoration: none;
  color: rgb(98, 246, 152);
}
.liw{
  padding-top: 15px;
  padding-bottom: 10px;
  text-align: center;
body{
  background-color:pink;
  background-image: url("/static/image.jpeg");
  height: 90vh;
```

```
width: 100%;
    background-size: cover;
    background-position: top 25% right 0;
    </style>
<body>
  <div class="main">
    <div class="navbar">
      <div class="icon">
        <h2 class="logo">SFR FASHIONS</h2>
      </div>
      <div class="menu">
        <ul>
           <a href="/admin">ADMIN</a>
        </div>
      <div class="search">
        <input class="srch" type="search" name="" placeholder="Type to search">
        <a href="#"><button class="btn">Search</button></a>
      </div>
    </div>
    <div class="content">
      <h1>Smart Fashion <br><span>Application</span></h1>
        <div class="form">
           <form action="{{ url_for('login') }}" method="post">
             <div class="msg">{{ msg }}</div>
           <h2>SMART LOGIN</h2>
           <form action="/Login" method="post">
           <input type="text" name="username"</pre>
                                                 placeholder="Enter Username Here">
           <input type="password" name="password" placeholder="Enter Password here">
           <button type="submit" class="btnn"><a href="home1.html">Login</a></button>
           Don't have an account<br>
           <a href="/reg">Sign up </a> here</a></p>
           </form>
        </div>
    </div>
  </div>
```

```
</body>
```

Admin.html

```
<html>
  <head>
    <title> SFRA </title>
    k rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
    <link href="./static/style.css">
  </head>
  <style>
    *{
       margin: 0;
       padding: 0;
       font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
    }
    .main{
       width: 100%;
       background: linear-gradient(to top, rgba(0,0,0,0.5),rgba(0,0,0,0.5)50%);
       background-position: center;
       background-size: cover;
       height: 100%;
       font-family:"Century Gothic", Century Gothic, Apple Gothic, sans-serif;
    }
    .navbar{
       width: 100%;
       height: 75px;
       margin: auto;
    .icon{
       width: 200px;
       float: left;
       height: 70px;
    }
    .logo{
       color:rgb(98, 246, 152);
       font-size: 35px;
       padding-left: 20px;
       float: left;
       padding-top: 10px;
    .menu{
       width: 400px;
       float: left;
       height: 70px;
```

```
ul{
 float: left;
 display: flex;
 justify-content: center;
 align-items: center;
ul li{
  list-style: none;
  margin-left: 62px;
  margin-top: 27px;
  font-size: 14px;
}
ul li a{
  text-decoration: none;
  color: #ffff;
  font-weight: bold;
  transition: 0.4s ease-in-out;
ul li a:hover{
  color: rgb(98, 246, 152);
.search{
  width: 330px;
  float: left;
  margin-left: 270px;
.srch{
  width: 200px;
  height: 40px;
  background: transparent;
  border: 1px solid rgb(98, 246, 152);
  margin-top: 13px;
  color: #ffff;
  border-right: none;
  font-size: 16px;
  float: left;
  padding: 10px;
  border-bottom-left-radius: 5px;
  border-top-left-radius: 5px;
.btn{
  width: 100px;
  height: 40px;
  background:rgb(98, 246, 152);
  border: 2px solid rgb(98, 246, 152);
```

```
margin-top: 13px;
  color: #ffff;
  font-size: 15px;
  border-bottom-right-radius: 5px;
  border-bottom-right-radius: 5px;
.btn:focus{
  outline: none;
.srch:focus{
  outline: none;
.content{
  width: 1200px;
  height: auto;
  margin: auto;
  color: #ffff;
  position: relative;
.content.par{
  padding-left: 20px;
  padding-bottom: 25px;
  letter-spacing: 1.2px;
  line-height: 30px;
.content h1{
  font-size: 50px;
  padding-left: 20px;
  margin-top: 9%;
  letter-spacing: 2px;
.content .cn{
  width: 160px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-bottom: 10px;
  margin-left: 20px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  transition: .4s ease;
.content .cn a{
  text-decoration: none;
```

```
color: #000;
  transition: .3s ease;
.cn:hover{
  background-color: #fff;
.content span{
  color:rgb(98, 246, 152);
  font-size: 60px;
.form{
  width: 250px;
  height: 380px;
  background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
  position: absolute;
  top: -20px;
  left: 870px;
  border-radius: 10px;
  padding: 25px;
.form h2{
  width: 220px;
  text-align: center;
  color:rgb(98, 246, 152);
  font-size: 22px;
  border-radius: 10px;
  margin: 2px;
  padding: 8px;
.form input{
  width: 240px;
  height: 35px;
  background: transparent;
.form input{
  width: 240px;
  height: 35px;
  background: transparent;
  border-bottom: 1px solid rgb(98, 246, 152);
  border-top: none;
  border-right: none;
  border-left: none;
  color: #fff;
  font-size: 15px;
  letter-spacing: 1px;
  margin-top: 30px;
```

```
.form input:focus{
  outline: none;
::placeholder{
  color: #fff;
}
.btnn{
  width: 240px;
  height: 40px;
  background: rgb(98, 246, 152);
  border: none;
  margin-top: 30px;
  font-size: 18px;
  border-radius: 10px;
  cursor: pointer;
  color: #fff;
  transition: 0.4s ease;
}
.btnn:hover{
  background: #fff;
  color: rgb(98, 246, 152);
.btnn a{
  text-decoration: none;
  color: #000;
  font-weight: bold;
.form .link{
  font-size: 17px;
  padding-top: 20px;
  text-align: center;
.form .link a{
  text-decoration: none;
  color: rgb(98, 246, 152);
}
.liw{
  padding-top: 15px;
  padding-bottom: 10px;
  text-align: center;
body{
```

```
background-color:pink;
      background-image: url("/static/image.jpeg");
      height: 90vh;
      width: 100%;
      background-size: cover;
      background-position: top 25% right 0;
      </style>
  <body>
    <div class="main">
      <div class="navbar">
         <div class="icon">
           <h2 class="logo">SFR FASHIONS</h2>
         </div>
         <div class="menu">
           \langle ul \rangle
             <a href="#">ADMIN</a>
           </div>
         <div class="search">
           <input class="srch" type="search" name="" placeholder="Type to search">
           <a href="#"><button class="btn">Search</button></a>
         </div>
      </div>
      <div class="content">
         <h1>Smart Fashion <br><span>Application</span></h1>
           <div class="form">
             <h2>ADMIN LOGIN</h2>
             <input type="text" name="username" placeholder="Username">
             <input type="password" name="password" placeholder="Password">
             <a href="/home1"><button type="submit" class="btnn">LOGIN</button></a>
             <a href="/homepage"><button type="submit" class="btnn">BACK</button></a>
             </form>
           </div>
      </div>
    </div>
  </body>
</html>
```

Cart.html

```
<!DOCTYPE html>
<html>
<head>
  <title> FASHIONS </title>
 <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css">
  k rel="stylesheet" href="https://unpkg.com/swiper/swiper-bundle.min.css" />
  k rel="stylesheet" href="/static/style.css">
  <script>
   window.watsonAssistantChatOptions = {
    integrationID: "aaaf7abf-17ba-428c-9a28-5efeac60506d", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "76aac77a-9dd4-4f60-b169-6fecece3d4b1", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
  </script>
</head>
<body>
 <section id="header">
  <div class="main">
    <div class="navbar">
      <div class="icon">
         <h2 class="logo">FASHOINS</h2>
      </div>
      <div class="menu">
         \langle ul \rangle
           <div id="menu-bar" class="fas fa-bars"></div> 
           <a href="/home1">HOME</a>
           <a href="#">SHOP</a>
           <a href="#">ORDERS</a>
           <a href="#">ABOUT</a>
           <h1><a href="/add"><i class=" fa fa-shopping-cart"></i></h1> 
         </u1>
       </div>
      <div class="search">
         <input class="srch" type="search" name="" placeholder="Type to search">
```

```
<a href="/registertemp"><button class="btn">Search</button></a>
       <a href="/profile"><button class="reg" type='submit'>My account</button></a>
    </div>
  </div>
</section>
<section id="product1" class="section-p1">
  <h2>Featured products</h2>
  Summer collection New Morden Design
  <div class="pro-container">
   <div class="pro" onclick="window.location.href='/single';">
    <img src="/static/img/products/f1.jpg" alt="">
    <div class="des">
    <span>adidas</span>
    <h5>T-shirts</h5>
    <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
    </div>
    <h4>$78</h4>
    </div>
    <a href="#"><i class="fal fa-shopping-cart cart"></i>
   </div>
   <div class="pro" onclick="window.location.href='/single1';">
    <img src="/static/img/products/f2.jpg" alt="">
    <div class="des">
    <span>adidas</pan>
    <h5>T-shirts</h5>
    <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
    </div>
    <h4>RS78</h4>
    </div>
    <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
   </div>
   <div class="pro" onclick="window.location.href='/single2';">
    <img src="/static/img/products/f3.jpg" alt="">
    <div class="des">
    <span>adidas</span>
    <h5>T-shirts</h5>
    <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
```

```
</div>
<h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro" onclick="window.location.href='/single3';">
<img src="/static/img/products/f4.jpg" alt="">
<div class="des">
<span>adidas</span>
<h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
</div>
<h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i>
<div class="pro" onclick="window.location.href='/single4';">
<img src="/static/img/products/f5.jpg" alt="">
<div class="des">
<span>adidas</span>
<h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
</div>
<h4>RS 78</h4>
<a href="#"><i class="fal fa-shopping-cart cart"></i>
</div>
<div class="pro" onclick="window.location.href='/single5';">
<img src="/static/img/products/f6.jpg" alt="">
<div class="des">
<span>adidas</span>
<h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
<h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
<div class="pro" onclick="window.location.href='/single6';">
```

```
<img src="/static/img/products/f7.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro" onclick="window.location.href='/single7';">
<img src="/static/img/products/f8.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro" onclick="window.location.href='/single8';">
<img src="/static/img/products/n1.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro" onclick="window.location.href='/single9';">
<img src="/static/img/products/n2.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
```

```
<i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro" onclick="window.location.href='/single10';">
<img src="/static/img/products/n3.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
<div class="pro" onclick="window.location.href='/single11';">
<img src="/static/img/products/n4.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro" onclick="window.location.href='/single12';">
<img src="/static/img/products/n5.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
```

```
<h4>RS 78</h4>
  </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
  <div class="pro" onclick="window.location.href='/single13';">
  <img src="/static/img/products/n6.jpg" alt="">
  <div class="des">
   <span>adidas</span>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
   </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
  <div class="pro" onclick="window.location.href='/single14';">
  <img src="/static/img/products/n7.jpg" alt="">
  <div class="des">
   <span>adidas</pan>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
   </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  <div class="pro" onclick="window.location.href='/single15';">
  <img src="/static/img/products/n8.jpg" alt="">
   <div class="des">
   <span>adidas</span>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
 </div>
</section>
```

```
<section id="pagination" class="section-p1">
    <a href="/cart">1</a>
    <a href="/page2">2</a>
  </section>
  <div class="foot">
   <h1> ABOUT US </h1>
    We are maximisers. We're out on our own journeys to maximise - <br>
    be the best at what we choose and care about the most - whether it be <br/> <br/>br>
    our impact, voice, potential, ideas, influence, well-being or more. <br/> <br/>br>
    Because when we maximise ourselves in our inclusive teams, our site <br/> <br/>br>
     is able to deliver the best imaginable value for our customers, <br/> <br/>br>
     stakeholders and the planet!
  <footer>
   <h1>Contact</h1>
   \langle ul \rangle
     Phone: +919123456780
     Email: smartfashion@gmail.com
     Address :N0:33 , Abhudhabi street, <br > Dubai kurukkusanthu, <br > Dubai main road , <br > Dubai 
    </footer>
 </div>
    <script src="script.js" ></script>
  </body>
 </html>
  <!-- products section starts -->
Add.html
<!DOCTYPE html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <meta name="author" content="CodeHim">
  <title>Shopping Cart Example</title>
  <!-- Style CSS -->
  <link rel="stylesheet" href="/static/add.css">
```

<!-- Demo CSS (No need to include it into your project) -->

<link rel="stylesheet" href="demo.css">

```
</head>
 <body>
  <section id="header">
    <div class="main">
      <div class="navbar">
         <div class="icon">
           <h2 class="logo">FASHOINS</h2>
         </div>
         <div class="menu">
           \langle ul \rangle
             <div id="menu-bar" class="fas fa-bars"></div> 
             <a href="/home1">HOME</a>
             <a href="/cart">SHOP</a>
             <a href="#">ORDERS</a>
             <a href="#">ABOUT</a>
             <h1><i class=" fa fa-shopping-cart"></i></h1> 
           </div>
         <div class="search">
           <input class="srch" type="search" name="" placeholder="Type to search">
           <a href="/registertemp"><button class="btn">Search</button></a>
           <a href="profile.html"><button class="reg" type='submit'>My account</button></a>
         </div>
      </div>
    </section>
<main>
  <!-- Start DEMO HTML (Use the following code into your project)-->
  <div class="container">
 <div id="alerts"></div>
<div class="productcont">
  <div class="product">
     <section id="product1" class="section-p1">
      <div class="pro-container">
          <div class="pro">
           <img src="/static/img/products/f1.jpg" alt="">
            <div class="des">
             <h3 class="productname">sunny</h3>
             <span>adidas</span>
              <h5>T-shirts</h5>
               <div class="star">
               <i class="fas fa-star"></i>
               <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
     </div>
     $900.05
    <button class="addtocart">Add To Cart</button>
   </div>
</div>
<div class="pro">
 <img src="/static/img/products/f2.jpg" alt="">
  <div class="des">
   <h3 class="productname">Jhony</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/f3.jpg" alt="">
  <div class="des">
   <h3 class="productname">summer</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/f4.jpg" alt="">
  <div class="des">
   <h3 class="productname">Dany</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/f5.jpg" alt="">
  <div class="des">
   <h3 class="productname">Aegon</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/f6.jpg" alt="">
  <div class="des">
   <h3 class="productname">Thomas</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/f7.jpg" alt="">
  <div class="des">
   <h3 class="productname">vikram</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/f8.jpg" alt="">
  <div class="des">
   <h3 class="productname">Thalapathy</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n1.jpg" alt="">
  <div class="des">
   <h3 class="productname">Thala</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n2.jpg" alt="">
  <div class="des">
   <h3 class="productname">Ragnar</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n3.jpg" alt="">
  <div class="des">
   <h3 class="productname">Wallter</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n4.jpg" alt="">
  <div class="des">
   <h3 class="productname">Hisenberg</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n5.jpg" alt="">
  <div class="des">
   <h3 class="productname">Mia</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n6.jpg" alt="">
  <div class="des">
   <h3 class="productname">Leah</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n7.jpg" alt="">
  <div class="des">
   <h3 class="productname">Jhon Snow</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     </div>
    $900.05
    <button class="addtocart">Add To Cart</button>
  </div>
</div>
<div class="pro">
 <img src="/static/img/products/n8.jpg" alt="">
  <div class="des">
   <h3 class="productname">Deamend</h3>
   <span>adidas</span>
    <h5>T-shirts</h5>
     <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
           <i class="fas fa-star"></i>
           <i class="fas fa-star"></i>
           </div>
          $900.05
          <button class="addtocart">Add To Cart</button>
         </div>
       </div>
     </div>
   </section>
 </div>
</div>
   <div class="cart-container">
    <h2>Cart</h2>
    <thead>
      <strong>Product</strong>
      <strong>Price</strong>
     </thead>
     <hr>
    <trong>Total</trong>
     x <span id="itemsquantity">0</span>
      $<span id="total">0</span>
     <div class="cart-buttons">
     <button id="emptycart">Empty Cart</button>
     <A href="/pay">
     <button id="checkout">BUY NOW</button></a>
    </div>
   </div>
<!-- partial -->
  <!-- END EDMO HTML (Happy Coding!)-->
</main>
<div class="foot">
<h1> ABOUT US </h1>
```

```
We are maximisers. We're out on our own journeys to maximise - <br>
  be the best at what we choose and care about the most - whether it be <br/> <br/>br>
  our impact, voice, potential, ideas, influence, well-being or more. <br/> <br/>br>
  Because when we maximise ourselves in our inclusive teams, our site <br/> <br/>br>
  is able to deliver the best imaginable value for our customers, <br/> <br/>br>
   stakeholders and the planet!
<footer>
 <h1>Contact</h1>
 ul>
  Phone: +919123456780
  Email: smartfashion@gmail.com
  Address :N0:33 , Abhudhabi street, <br/>br> Dubai kurukkusanthu, <br/>br>Dubai main road , <br/>br> Dubai 
 </footer>
</div>
 <footer></footer>
    <script>
       /* get cart total from session on load */
updateCartTotal();
/* button event listeners */
document.getElementById("emptycart").addEventListener("click", emptyCart);
var btns = document.getElementsByClassName('addtocart');
for (var i = 0; i < btns.length; i++) {
  btns[i].addEventListener('click', function() {addToCart(this);});
/* ADD TO CART functions */
function addToCart(elem) {
  //init
  var sibs = [];
  var getprice;
  var getproductName;
  var cart = [];
   var stringCart;
  //cycles siblings for product info near the add button
  while(elem = elem.previousSibling) {
    if (elem.nodeType === 3) continue; // text node
    if(elem.className == "price"){
       getprice = elem.innerText;
    if (elem.className == "productname") {
       getproductName = elem.innerText;
    sibs.push(elem);
  //create product object
  var product = {
```

```
productname: getproductName,
    price: getprice
  //convert product data to JSON for storage
  var stringProduct = JSON.stringify(product);
  /*send product data to session storage */
  if(!sessionStorage.getItem('cart')){
    //append product JSON object to cart array
    cart.push(stringProduct);
    //cart to JSON
    stringCart = JSON.stringify(cart);
    //create session storage cart item
    sessionStorage.setItem('cart', stringCart);
    addedToCart(getproductName);
    updateCartTotal();
  else {
    //get existing cart data from storage and convert back into array
    cart = JSON.parse(sessionStorage.getItem('cart'));
    //append new product JSON object
    cart.push(stringProduct);
    //cart back to JSON
    stringCart = JSON.stringify(cart);
    //overwrite cart data in sessionstorage
    sessionStorage.setItem('cart', stringCart);
    addedToCart(getproductName);
    updateCartTotal();
  }
/* Calculate Cart Total */
function updateCartTotal(){
  //init
  var total = 0;
  var price = 0;
  var items = 0;
  var productname = "";
  var carttable = "";
  if(sessionStorage.getItem('cart')) {
    //get cart data & parse to array
    var cart = JSON.parse(sessionStorage.getItem('cart'));
    //get no of items in cart
    items = cart.length;
    //loop over cart array
    for (var i = 0; i < items; i++){
       //convert each JSON product in array back into object
       var x = JSON.parse(cart[i]);
       //get property value of price
       price = parseFloat(x.price.split('$')[1]);
       productname = x.productname;
       //add price to total
       carttable += "" + productname + "$" + price.toFixed(2) + "";
       total += price;
```

```
//update total on website HTML
  document.getElementById("total").innerHTML = total.toFixed(2);
  //insert saved products to cart table
  document.getElementById("carttable").innerHTML = carttable;
  //update items in cart on website HTML
  document.getElementById("itemsquantity").innerHTML = items;
//user feedback on successful add
function addedToCart(pname) {
 var message = pname + " was added to the cart";
 var alerts = document.getElementById("alerts");
 alerts.innerHTML = message;
 if(!alerts.classList.contains("message")){
  alerts.classList.add("message");
 }
/* User Manually empty cart */
function emptyCart() {
  //remove cart session storage object & refresh cart totals
  if(sessionStorage.getItem('cart')){
    sessionStorage.removeItem('cart');
    updateCartTotal();
   //clear message and remove class style
   var alerts = document.getElementById("alerts");
   alerts.innerHTML = "";
   if(alerts.classList.contains("message")){
     alerts.classList.remove("message");
    </script>
 </body>
</html>
Single.html
<!DOCTYPE html>
<html>
<head>
  <title> FASHION </title>
 k rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
  k rel="stylesheet" href="https://unpkg.com/swiper/swiper-bundle.min.css" />
  k rel="stylesheet" href="/static/style.css">
  <script>
   window.watsonAssistantChatOptions = {
    integrationID: "aaaf7abf-17ba-428c-9a28-5efeac60506d", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "76aac77a-9dd4-4f60-b169-6fecece3d4b1", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
   setTimeout(function(){
```

```
const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
  </script>
</head>
<body>
 <section id="header">
  <div class="main">
    <div class="navbar">
      <div class="icon">
         <h2 class="logo">FASHOINS</h2>
      </div>
      <div class="menu">
         \langle ul \rangle
           <div id="menu-bar" class="fas fa-bars"></div> 
           <a href="/home1">HOME</a>
           <a href="/cart">SHOP</a>
           <a href="#">ORDERS</a>
           <a href="#">ABOUT</a>
           <h1><a href="/add"><i class=" fa fa-shopping-cart"></i></a></h1> 
         </div>
      <div class="search">
         <input class="srch" type="search" name="" placeholder="Type to search">
         <a href="/registertemp"><button class="btn">Search</button></a>
         <a href="/profile"><button class="reg" type='submit'>My account</button></a>
       </div>
    </div>
  </section>
 <section id="prodetails" class="section-p1">
  <div class="single-pro-image">
    <img src="/static/img/products/f1.jpg" width="100%" id="MainImg" alt="">
  <div class="small-img-group">
    <div class="small-img-col">
      <img src="/static/img/products/f1.jpg" width="100%" id="small-Img" alt="">
    </div>
     <div class="small-img-col">
       <img src="/static/img/products/f2.jpg" width="100%" class="small-img"</pre>
                                                                             alt="">
    </div>
    <div class="small-img-col">
      <img src="/static/img/products/f3.jpg" width="100%" class="small-img"</pre>
    </div>
     <div class="small-img-col">
```

```
<img src="/Static/img/products/f4.jpg" width="100%" class="small-img" alt="">
   </div>
</div>
</div>
<div class="single-pro-details">
  <h6> Home/shirt</h6>
  <h4>MEN FASHION SHIRT</h4>
  <h2>RS.200 </h2>
  <select>
     <option>Select size</option>
     <option>S</option>
     <option>M</option>
     <option>L</option>
     <option>XL</option>
     <option>XXL</option>
  </select>
  <input type="number" value="1">
  <a href="/pay">
  <button class="buy" >BUY NOW</button></a>
</div>
</section>
<section id="product1" class="section-p1">
<h2>Recommended Product</h2>
New Morden Design
<div class="pro-container">
 <div class="pro">
  <img src="/static/img/products/n1.jpg" alt="">
  <div class="des">
  <span>adidas</span>
  <h5>T-shirts</h5>
  <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
  </div>
  <h4>RS 78</h4>
  </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
 </div>
 <div class="pro">
  <img src="/static/img/products/n2.jpg" alt="">
  <div class="des">
  <span>adidas</span>
  <h5>T-shirts</h5>
  <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
  </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
  <div class="pro">
  <img src="/static/img/products/n3.jpg" alt="">
   <div class="des">
   <span>adidas</span>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
   </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
  <div class="pro">
  <img src="/static/img/products/n4.jpg" alt="">
   <div class="des">
   <span>adidas</span>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
  </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
 </div>
</section>
<script>
 var MainImg = document.getElementById("MainImg");
 var smallimg = document.getElementsByClassName("small-img");
 smallimg[0].onclick =function(){
   MainImg.src = smallimg[0].src;
 smallimg[1].onclick =function(){
   MainImg.src = smallimg[1].src;
 smallimg[2].onclick =function(){
```

```
MainImg.src = smallimg[2].src;
  smallimg[3].onclick =function(){
    MainImg.src = smallimg[3].src;
 </script>
    <script src="script.js" ></script>
  </body>
 </html>
  <!-- products section starts -->
Account.html
<!DOCTYPE html>
<html>
  <head>
  <title> SFRA </title>
    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
    k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css">
    rel="stylesheet" href="https://unpkg.com/swiper/swiper-bundle.min.css" />
    <link rel="stylesheet" href="">
  </head>
  <body>
    <section id="option">
      <div class="list">
         <111>
           <a href="profile.html">Edit profile</a>
           <a href="help.html">Help & support</a>
           <a href="homepage.html">Log out</a>
         </div>
    </section>
  </body>
  <style>
    li{
      font-size: 100%;
      width: 100%;
  </style>
</html>
Home.html
<!DOCTYPE html>
<html>
<head>
  <title> FASHIONS</title>
 <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.15.4/css/all.css">
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css">
  k rel="stylesheet" href="https://unpkg.com/swiper/swiper-bundle.min.css" />
```

```
k rel="stylesheet" href="/static/style.css">
  <script>
   window.watsonAssistantChatOptions = {
    integrationID: "aaaf7abf-17ba-428c-9a28-5efeac60506d", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "76aac77a-9dd4-4f60-b169-6fecece3d4b1", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
   };
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
  </script>
</head>
<body>
 <section id="header">
  <div class="main">
    <div class="navbar">
       <div class="icon">
         <h2 class="logo">FASHIONS</h2>
       </div>
      <div class="menu">
         \langle ul \rangle
           <div id="menu-bar" class="fas fa-bars"></div> 
           <a href="/home1">HOME</a>
           <a href="/cart">SHOP</a>
           <a href="#">ORDERS</a>
           <a href="#">ABOUT</a>
           <h1><a href="/add"><i class=" fa fa-shopping-cart"></i></a></h1> 
         </div>
       <div class="search">
         <input class="srch" type="search" name="" placeholder="Type to search">
         <a href="/registertemp"><button class="btn">Search</button></a>
         <a href="/profile"><button class="reg" type='submit'>My account</button></a>
      </div>
    </div>
  </section>
  <section class="category">
    <div class="box-container">
```

```
<div class="box">
       <img src="/static/images/cat-1.jpg" alt="">
       <div class="content">
         <span>upto 50% off</span>
         <h3>for womens</h3>
         <a href="/cart" class="btn">shop now</a>
       </div>
    </div>
    <div class="box">
       <img src="/static/images/cat-2.jpg" alt="">
       <div class="content">
         <span>upto 50% off</span>
         <h3>for mens</h3>
         <a href="/cart" class="btn">shop now</a>
       </div>
    </div>
  </div>
</section>
<section id="product1" class="section-p1">
  <h2>Featured products</h2>
  Summer collection New Morden Design
  <div class="pro-container">
   <div class="pro">
    <img src="/static/img/products/f1.jpg" alt="">
    <div class="des">
    <span>adidas</span>
    <h5>T-shirts</h5>
    <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
    </div>
    <h4>$78</h4>
    </div>
    <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
   </div>
   <div class="pro">
    <img src="/static/img/products/f2.jpg" alt="">
    <div class="des">
    <span>adidas</pan>
    <h5>T-shirts</h5>
    <div class="star">
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
     <i class="fas fa-star"></i>
    </div>
    <h4>RS78</h4>
```

```
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/f3.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/f4.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/f5.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i>
</div>
<div class="pro">
<img src="/static/img/products/f6.jpg" alt="">
<div class="des">
```

```
<span>adidas</span>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
   </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
  <div class="pro">
  <img src="/static/img/products/f7.jpg" alt="">
  <div class="des">
   <span>adidas</pan>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
  </div>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
  <div class="pro">
  <img src="/static/img/products/f8.jpg" alt="">
  <div class="des">
   <span>adidas</span>
   <h5>T-shirts</h5>
   <div class="star">
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
    <i class="fas fa-star"></i>
   </div>
   <h4>RS 78</h4>
  <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
  </div>
 </div>
</section>
<section id="product1" class="section-p1">
 <h2>New Arrivals</h2>
 Summer collection New Morden Design
 <div class="pro-container">
  <div class="pro">
```

```
<img src="/static/img/products/n1.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/n2.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/n3.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/n4.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
```

```
<i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/n5.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/n6.jpg" alt="">
<div class="des">
 <span>adidas</span>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
</div>
<a href="#"><i class="fal fa-shopping-cart cart"></i></a>
</div>
<div class="pro">
<img src="/static/img/products/n7.jpg" alt="">
<div class="des">
 <span>adidas</pan>
 <h5>T-shirts</h5>
 <div class="star">
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
  <i class="fas fa-star"></i>
 </div>
 <h4>RS 78</h4>
```

```
</div>
      <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
      </div>
      <div class="pro">
      <img src="/static/img/products/n8.jpg" alt="">
      <div class="des">
       <span>adidas</pan>
       <h5>T-shirts</h5>
       <div class="star">
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
        <i class="fas fa-star"></i>
       </div>
       <h4>RS 78</h4>
      </div>
      <a href="#"><i class="fal fa-shopping-cart cart"></i></a>
      </div>
    </div>
    <div class="foot">
      <h1> ABOUT US </h1>
      We are maximisers. We're out on our own journeys to maximise - <br>
       be the best at what we choose and care about the most - whether it be <br/> <br/>br>
       our impact, voice, potential, ideas, influence, well-being or more. <br/> <br/>br>
       Because when we maximise ourselves in our inclusive teams, our site <br/> <br/>br>
       is able to deliver the best imaginable value for our customers, <br/> <br/>br>
       stakeholders and the planet!
    <footer>
      <h1>Contact</h1>
      ul>
        Phone : +919123456780
        Email: smartfashion@gmail.com
                      :N0:33, Abhudhabi street,<br/>br> Dubai kurukkusanthu,<br/>br>Dubai main road,<br/>br> Dubai
<br>
      </footer>
   </div>
    <script src="script.js" ></script>
  </body>
 </html>
```

Pay.html

<!DOCTYPE html> <html lang="en">

```
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- custom css file link -->
  <link rel="stylesheet" href="/static/pay.css">
</head>
<body>
<div class="container">
  <form action="">
    <div class="row">
       <div class="col">
         <h3 class="title">billing address</h3>
         <div class="inputBox">
           <span>full name :</span>
           <input type="text" placeholder="alex">
         </div>
         <div class="inputBox">
           <span>email :</span>
           <input type="email" placeholder="example@example.com">
         </div>
         <div class="inputBox">
           <span>address :</span>
           <input type="text" placeholder="room - street - locality">
         </div>
         <div class="inputBox">
           <span>city :</span>
           <input type="text" placeholder="chennai">
         </div>
         <div class="flex">
           <div class="inputBox">
              <span>state :</span>
              <input type="text" placeholder="india">
           </div>
           <div class="inputBox">
              <span>zip code :</span>
              <input type="text" placeholder="123 456">
           </div>
         </div>
       </div>
       <div class="col">
         <h3 class="title">payment</h3>
```

```
<div class="inputBox">
         <span>cards accepted :</span>
         <img src="images/card_img.png" alt="">
      </div>
      <div class="inputBox">
         <span>name on card :</span>
         <input type="text" placeholder="mr.alex">
      </div>
      <div class="inputBox">
         <span>credit card number :</span>
         <input type="number" placeholder="1111-2222-3333-4444">
      </div>
      <div class="inputBox">
         <span>exp month :</span>
         <input type="text" placeholder="january">
      </div>
      <div class="flex">
         <div class="inputBox">
           <span>exp year :</span>
           <input type="number" placeholder="2022">
         </div>
         <div class="inputBox">
           <span>CVV :</span>
           <input type="text" placeholder="1234">
         </div>
      </div>
    </div>
  </div>
</form>
<div class="pop">
<button type="submit" class="btn" onclick="openPopup()">Proceed To Pay</button>
  <div class="popup" id="popup">
   <img src="ticker.png">
   <h2>Thank You</h2>
   Payment Successful. Thank You
   <a href="/home1">
   <button type="button" onclick="closePopup()">OK</button></a>
  </div>
 </div>
<script>
let popup= document.getElementById("popup");
function openPopup(){
  popup.classList.add("open-popup");
function closePopup(){
  popup.classList.remove("open-popup");
</script>
```

```
</body>
```

Editprofile.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Edit Profile Card </title>
  k rel="stylesheet" href="/static/profilestyle.css">
  <script>
   window.watsonAssistantChatOptions = {
    integrationID: "aaaf7abf-17ba-428c-9a28-5efeac60506d", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "76aac77a-9dd4-4f60-b169-6fecece3d4b1", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
   }:
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
  </script>
</head>
<body>
  <link rel="stylesheet" href="/static/profile.css">
  <div class="navigation">
    <div class="toggle"></div>
     <111>
       <a href="/home1">
        <span class="icon"><ion-icon name="home-outline"></ion-icon></span>
          <span class="title">Home</span>
        </a>
       <a href="/profile">
        <span class="icon"><ion-icon name="person-circle-outline"></ion-icon></span>
          <span class="title">Profile</span>
       </a>
       <a href="/homepage">
        <span class="icon"><ion-icon name="log-out-outline"></ion-icon></span>
          <span class="title">logout</span>
       </a>
     </u1>
   </div>
   <script type="module" src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.esm.js"></script>
    <script nomodule src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.js"></script>
```

```
<script>
     let navigation = document.querySelector('.navigation');
     let toggle = document.querySelector('.toggle');
     toggle.onclick = function(){
      navigation.classList.toggle('active')
    </script>
 <div class="wrapper">
  <form action="{{url_for('editprofile')}}" method="post" >
   <div class="buttons"><br><center>
    Username :<div class="form-row"><input type="text" id="username" name="username"</p>
placeholder="username"></div><br>
    Email : <div class="form-row"><input type="email" id="email" name="email"</p>
placeholder="email"></div><br>
    <center><span>{{a}}</span></center>
    <button class="button-85" role="button">Save profile</button>
  </center>
  </div>
 </form>
  </div>
 </div>
</body>
</html>
```

Profile.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Profile Card </title>
  k rel="stylesheet" href="/static/profilestyle.css">
  k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css"/>
   window.watsonAssistantChatOptions = {
    integrationID: "aaaf7abf-17ba-428c-9a28-5efeac60506d", // The ID of this integration.
    region: "au-syd", // The region your integration is hosted in.
    serviceInstanceID: "76aac77a-9dd4-4f60-b169-6fecece3d4b1", // The ID of your service instance.
    onLoad: function(instance) { instance.render(); }
   setTimeout(function(){
    const t=document.createElement('script');
    t.src="https://web-chat.global.assistant.watson.appdomain.cloud/versions/" +
(window.watsonAssistantChatOptions.clientVersion || 'latest') + "/WatsonAssistantChatEntry.js";
    document.head.appendChild(t);
   });
```

```
</script>
</head>
<body>
  <link rel="stylesheet" href="/static/profile.css">
  <div class="navigation">
    <div class="toggle"></div>
      \langle ul \rangle
        <a href="/home1">
         <span class="icon"><ion-icon name="home-outline"></ion-icon></span>
          <span class="title">Home</span>
         </a>
        <a href="/profile">
         <span class="icon"><ion-icon name="person-circle-outline"></ion-icon></span>
          <span class="title">Profile</span>
        </a>
        <a href="/homepage">
         <span class="icon"><ion-icon name="log-out-outline"></ion-icon></span>
          <span class="title">logout</span>
        </a>
     </div>
   <script type="module" src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.esm.js"></script>
    <script nomodule src="https://unpkg.com/ionicons@5.5.2/dist/ionicons/ionicons.js"></script>
     let navigation = document.querySelector('.navigation');
     let toggle = document.querySelector('.toggle');
     toggle.onclick = function(){
      navigation.classList.toggle('active')
    </script>
  <div class="cls">
    <h1>PROFILE</h1>
  </div>
 <div class="wrapper">
   <div class="buttons"><br>
    Username :<div class="name">{{ username }}</div><br>
    Email : <div class="name">{{ email }}</div><br>
    <div class="links">
      <a href="/edit">Edit profile</a>
    </div>
  </div>
 </div>
 </div>
</body>
</html>
```

Popup.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- custom css file link -->
  <link rel="stylesheet" href="/static/pay.css">
</head>
<body>
<div class="container">
  <form action="">
    <div class="row">
       <div class="col">
         <h3 class="title">billing address</h3>
         <div class="inputBox">
           <span>full name :</span>
           <input type="text" placeholder="alex">
         </div>
         <div class="inputBox">
           <span>email :</span>
           <input type="email" placeholder="example@example.com">
         </div>
         <div class="inputBox">
           <span>address :</span>
           <input type="text" placeholder="room - street - locality">
         </div>
         <div class="inputBox">
           <span>city :</span>
           <input type="text" placeholder="chennai">
         </div>
         <div class="flex">
           <div class="inputBox">
              <span>state :</span>
              <input type="text" placeholder="india">
           </div>
           <div class="inputBox">
              <span>zip code :</span>
              <input type="text" placeholder="123 456">
           </div>
         </div>
       </div>
```


```
<div class="col">
      <h3 class="title">payment</h3>
      <div class="inputBox">
         <span>cards accepted :</span>
         <img src="images/card_img.png" alt="">
      </div>
      <div class="inputBox">
         <span>name on card :</span>
         <input type="text" placeholder="mr.alex">
      </div>
      <div class="inputBox">
         <span>credit card number :</span>
         <input type="number" placeholder="1111-2222-3333-4444">
      <div class="inputBox">
         <span>exp month :</span>
         <input type="text" placeholder="january">
      </div>
      <div class="flex">
         <div class="inputBox">
           <span>exp year :</span>
           <input type="number" placeholder="2022">
         </div>
         <div class="inputBox">
           <span>CVV :</span>
           <input type="text" placeholder="1234">
         </div>
      </div>
    </div>
  </div>
</form>
<div class="pop">
<button type="submit" class="btn" onclick="openPopup()">Proceed To Pay</button>
  <div class="popup" id="popup">
   <img src="ticker.png">
   <h2>Thank You</h2>
   Payment Successful. Thanks
   <a href="/home1">
   <button type="button" onclick="closePopup()">OK</button></a>
  </div>
 </div>
<script>
let popup= document.getElementById("popup");
function openPopup(){
  popup.classList.add("open-popup");
function closePopup(){
```


```
popup.classList.remove("open-popup");
}
</script>
</body>
</html>
```


Chatbot Integration

SCREENSHOTS


Register/Login page:










Home Page







Chatbot



13.2 GITHUB & PROJECT DEMO LINK						
>	GitHub Repos	tory Link				
	https://	github.com/IBM-EPBL	_/IBM-Project-3	0921-1660192	<u>575</u>	
>	Project Demon	stration Video Direct Li	nk			
ps:	//drive.google.c	om/file/d/1 7cAZXHXv	w4ZzW3LIYeu2r	ıqzSa900PkL /\	riew?usp=share	link