

## Assignment-3

Student Name	PREETHI R
Student Roll No	510519205015
Maximum Marks	2 marks

### 1.Create a Bucket in IBM object storage.

IBM Cloud

Cloud Object Storage

Storage instances

Cloud Object Storage-5t

**Buckets**

Integrations

Endpoints

Usage details

Service credentials

Connections

Plan

### Buckets

Buckets serve as containers for objects, and can be individually configured in terms of their location, resiliency, billing rates, security, and object lifecycle rules.

Search


Create bucket +

Name	Public access ⓘ	Location ⓘ	Storage class	Created
preethir	No	jp-tok	Smart Tier	2022-10-31 4:16 PM

Type here to search

16:16 31-10-2022

## 2.Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.



### Source code:

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>
```

```
    Images From Cloud Object Storage
```

```
  </title>
```

```
  <link rel="stylesheet" href="style.css">
```

```
</head>
```

```
<body>
```

```
  <h2>Phone Images In Cloud Object Storage</h2>
```

```
</img>

</img>

</img>

</img>

</img>

</body>
</html>
```


### **3.Upload a CSS page to the object storage and use the same page in your HTML code.**

#### **Source code:**

```
body {    font-family: 'Nunito',
sans-serif;    color: #021233;
    } h2{
    text-align: center;
}

img {    border-radius: 100px;
height: 250px;    width: 250px;
margin: 10px 100px 30px 20px;
background-color: rgb(187,190,189)
```

}



**4.Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city. Submit the web URL of that chat bot as a assignment.**

**ChatBot Link :**

**[https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fup\\_x-84a95c8a-f77f-4a9f-9fe2-83c6c633eb73%3A%3Ad2c33b7c8cb8-46b7-92cb-6882346edc04&integrationID=39b44b9b-ef19-4126-bf53-86fc28c4f6c4&region=au-syd&serviceInstanceID=84a95c8a-f77f-4a9f-9fe2-83c6c633eb73](https://web-chat.global.assistant.watson.appdomain.cloud/preview.html?backgroundImageURL=https%3A%2F%2Fau-syd.assistant.watson.cloud.ibm.com%2Fpublic%2Fimages%2Fup_x-84a95c8a-f77f-4a9f-9fe2-83c6c633eb73%3A%3Ad2c33b7c8cb8-46b7-92cb-6882346edc04&integrationID=39b44b9b-ef19-4126-bf53-86fc28c4f6c4&region=au-syd&serviceInstanceID=84a95c8a-f77f-4a9f-9fe2-83c6c633eb73)**

## **5.Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.**

### **Source code:**

```
<!DOCTYPE html>

<html>

<head>

  <title>

    IBM Watson ChatBot

  </title>

  <link rel="stylesheet" href="style.css">

  <script>

window.watsonAssistantChatOptions = {

  integrationID: "39b44b9b-ef19-4126-bf53-86fc28c4f6c4", //
The ID of this integration.

  region: "au-syd", // The region your integration is hosted in.

  serviceInstanceID: "84a95c8a-f77f-4a9f-9fe2-83c6c633eb73", //
The ID of your service instance.

  onLoad: function(instance) { instance.render(); }

};

setTimeout(function(){      const

t=document.createElement('script');

t.src="https://web-

chat.global.assistant.watson.appdomain.cloud/versions/" +

(window.watsonAssistantChatOptions.clientVersion || 'latest') +

"/WatsonAssistantChatEntry.js";
```

```
document.head.appendChild(t);  
});  
</script>
```

```
</head>
```

```
<body>
```

```
  <h1>ChatBot Page </h1>
```

```
</body>
```

```
</html>
```

