Question:

- 1) Create a Flask App
- 2) Add the Home page, About Page
- 3) Add the bootstrap
- 4) Add the Sign in page and Add the Signup Page

About.html

```
{% extends "base.html" %}
{% block title %}Aboutpage{% endblock %}

{% block body %}

<div class="about-section">
  <h1>About Us Page</h1>
  Smart Fashion Recommender Application
  Balamurugan G(lead)
  </div>

<h2 style="text-align:center">Our Team</h2>
  <div class="row">
  <div class="column">
  <div class="column">
  <div class="card">
```

```
<div class="container">
<h2>Catherine S</h2>
designer
teammember1.
catherine@gmail.com
<button class="button">Contact</button>
</div>
</div>
</div>
<div class="column">
<div class="card">
<div class="container">
<h2>Kalaivani T V</h2>
frontend developer
team member2
kalai@example.com
<button class="button">Contact</button>
</div>
</div>
</div>
<div class="column">
<div class="card">
<div class="container">
<h2>Kumaragurumoorthy R</h2>
Backend developer
guru@example.com
```

```
<button class="button">Contact</button>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```

Base.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
<!-- CSS only -->
k href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
iYQeCzEYFbKjA/T2uDLTpkwGzCiq6soy8tYaI1GyVh/UjpbCx/TYkiZhlZB6+fzT"
crossorigin="anonymous">
<!-- JavaScript Bundle with Popper -->
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"</p>
integrity="sha384-u10knCvxWvY5kfmNBILK2hRnQC3Pr17a+RTT6rlHI7NnikvbZlHgTPOOmMi466C8"
crossorigin="anonymous"></script>
{% block head %} {% endblock %}
</head>
<body>
<nav class="navbar navbar-expand-lg bg-light">
<div class="container-fluid">
<a class="navbar-brand" href="{{url_for('index')}}">Home</a>
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
class="nav-item">
<a class="nav-link active" aria-current="page" href="{{url_for('chat')}}">Chat</a>
class="nav-item">
<a class="nav-link" href="{{url_for('signup')}}">Sign Up</a>
class="nav-item">
<a class="nav-link" href="{{url_for('signin')}}">Sign In</a>
class="nav-item">
<a class="nav-link" href="{{url_for('create')}}">Create</a>
class="nav-item">
<a class="nav-link" href="{{url_for('about')}}">About</a>
<!-- <li>class="nav-item dropdown">
<a class="nav-link dropdown-toggle" href="#" role="button" data-bs-toggle="dropdown" aria-
expanded="false">
Dropdown
</a>
<a class="dropdown-item" href="#">Action</a>
<a class="dropdown-item" href="#">Another action</a>
<hr class="dropdown-divider">
<a class="dropdown-item" href="#">Something else here</a>
class="nav-item">
```

```
<a class="nav-link disabled">Disabled</a>
<form class="d-flex" role="search">
<input class="form-control me-2" type="search" placeholder="Search" aria-label="Search">
<button class="btn btn-outline-success" type="submit">Search</button>
</form> -->
</div>
</div>
</nav>
<div class="container mt-5">
{% block body %} {% endblock%}
</div>
</body>
</html>
Chat.html
{% extends 'base.html' %}
{% block body %}
<h1>{% block title %} Messages {% endblock %}</h1>
<hr>
{% for messages in messages %}
<div class="message">
<h3>{{ messages['title'] }}</h3>
{{ messages['content'] }}
```

</div>

```
{% endfor %}
{% endblock %}
```

Create.html

```
{% extends 'base.html' %}
{% block body %}
<h1> {% block title %} Add a New Message {% endblock %} </h1>
<form method ="post">
<label for="title">Title</label >
<input type ="text" name ="title" placeholder ="Message Title" value ="{{ request.form['title'] }}"
class="form-control">
</input >
<br>
<label for = "content"> Message Content </label>
<br>
<textarea name ="content" placeholder = "Message Content" value="{{ request.form['content'] }}"
class="form-control" ></textarea >
<br>
<button type="Submit" class="btn btn-success"> Submit</button>
</form>
{% endblock %}
```

Index.html

```
{% extends 'base.html' %}
{% block head %}
<title>Home page</title>
{% endblock %}
```

```
{% block body %}
<div class="p-5 mb-4 bg-light rounded-3">
<div class="container-fluid py-5">
<h1 class="display-5 fw-bold">Home Page</h1>
Hii there, This is a Home page.
All the CSS properties are built using Bootstrap
Page routes are built by Jinja2 Template
Click on Chat on the nav bar to see the chats.
 Click on Sign up to enter into the Sign up form.
 Click on Sign in to enter into the Sign in form.
 Click on About to see About Us.
Click on Create to create a new message.
<!-- <button class="btn btn-primary btn-lg" type="button">Example button</button> -->
</div>
</div>
{% endblock %}
Signin.html
{% extends 'base.html' %}
{% block head %}
<title>Signup page</title>
{% endblock%}
{% block body %}
```

<h2>Signup forms</h2>

<form action="/signup">

<label for="fname">First name:</label>

<label for="Iname">Last name:</label>

<input type="text" id="fname" name="fname" class="form-control">


```
<label for="pswd">Password:</label><br>
<input type="text" id="pswd" name="pswd"class="form-control"><br>
<label for="Rpswd">Re-type Password</label><br>
<input type="text" id="Rpswd" name="Rpswd"class="form-control"><br>
<input type="submit" value="Submit" class="btn btn-primary">
{% endblock %}
```

Signup.html

```
{% extends "base.html" %}
{% block title %}Signuppage{% endblock %}
{% block body %}
<body>
<!-- Main div code -->
<div id="main">
<div class="h-tag">
<h2>Create Your Account</h2>
</div>
<!-- create account div -->
<div class="login">

Enter Name :
<input type="text" placeholder="Enter user here" class="tb" />
Enter Email ID :
<input type="text" placeholder="Enter Email ID here" class="tb" />
Enter Username :
```

```
<input type="text" placeholder="Enter Username here" class="tb" />
Enter Password :
<input type="password" placeholder="Enter Password here" class="tb" />
Enter Confirm Password :
<input type="password" placeholder="Enter Password here" class="tb" />
>
<input type="reset" value="Clear Form" id="res" class="btn" />
<input type="submit" value="Create Account" class="btn" />
</div>
<!-- create account box ending here.. -->
</div>
<!-- Main div ending here... -->
</body>
{% endblock %}
App.py
from flask import Flask,
url_for,render_template,request,config,session,make_response,abort,redirect,flash;
from markupsafe import escape;
```

app = Flask(__name__);

app.config['SECRET_KEY'] = 'the secret key'

```
# @app.route("/post/<int:post_id>")
# def post(post_id):
# return f"Post {escape(post_id)} Integer"
@app.route("/about")
def about():
return render_template("about.html")
@app.route("/")
def index():
return render_template("index.html");
@app.route("/users/")
def users():
return render_template("profile.html")
@app.route("/users/<username>")
def profile(username):
return render_template("profile.html", username=username);
@app.route("/signup/")
def signup():
return render_template("signup.html")
@app.route("/signin/")
def signin():
return render_template("signin.html")
@app.errorhandler(404)
```

```
def page_not_found(error):
return render_template("page_not_found.html"),404
messages=[{'title':'Message One',
'content':'Message one content' },
{'title':'Message Two',
'content':'Message Two content' },
@app.route("/chat")
def chat():
return render_template("chat.html", messages=messages);
@app.route('/create/', methods=('GET', 'POST'))
def create():
if request.method=="POST":
title = request.form['title']
content = request.form['content']
if not title:
flash('Title is required!')
elif not content:
flash('Content is required!')
messages.append({'title':title,'content':content})
name = "Bala G"
return redirect(url_for("chat", messages=name ))
return render_template("create.html")
```

Home Page

Hii there, This is a Home page.

All the CSS properties are built using Bootstrap

Page routes are built by Jinja2 Template

Click on Chat on the nav bar to see the chats.

Click on Sign up to enter into the Sign up form.

Click on Sign in to enter into the Sign in form.

Click on About to see About Us.

Click on Create to create a new message.

Home that signific Signin Greats About

Messages

Message One

Message Two

Message Two content

Home Chat Sign Up Sign in Crease About

Add a New Message

Title

Message Conte

Submit

Last name:

Password:

Re-type Password

Home Out Sign Up Sign In Create About

Create Your Account

Enter Name : Enter user here

Enter Email ID : Enter Enter ID here

Enter Utername : Enter Username here

Enter Password : Enter Password here

Confirm Password : Enter Password here

Clear Form Create Accoun