MODEL BUILDING
Adding Dense layers

Date	17 November 2022
Team ID	PNT2022TMID30054
Project Name	Emerging Methods for Early Detection of Forest Fires.

##Importing The ImageDataGenerator Library

import keras
from keras.preprocessing.image import ImageDataGenerator

###Define the parameters/arguments for ImageDataGenerator class

train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,rotation_range=180,zoom_range=0.2,horizontal_flip=True)

test_datagen=ImageDataGenerator(rescale=1./255)

###Applying ImageDataGenerator Functionality to trainset
x_train=train_datagen.flow_from_directory(r'C:\archive\Dataset\Dataset\train_set', target_size=(128,128),batch_size=32,class_mode='binary')

###Applying ImageDataGenerator Functionality to testset
x_test=test_datagen.flow_from_directory(r'C:\archive\Dataset\Dataset\test_set',target_size=(128,128),batch_size=32,class_mode='binary')

##Import model building libraries

#To Define linear initialization import Sequential

from keras.models import Sequential

#To add layers import Dense

from keras.layers import Dense

#To create Convolution kernel import Convolution 2D

from keras.layers import Convolution2D

#import maxpooling layers

from keras.layers import MaxPooling2D

#import flatten Layer

from keras.layers import Flatten import

warnings

warnings.filterwarnings('ignore')

#Initializing the Model
model=Sequential()

##adding CNN layers
model.add(Convolution2D(32,(3,3),input_shape=(128,128,3),activation='relu'))

##adding maxpooling layer
model.add(MaxPooling2D(pool_size=(2,2)))

##adding flatten Layer model.add(Flatten())
##add hidden layer
model.add(Dense(150,activation='relu'))
##add output layer model.add(Dense(1,activation='sigmoid'))