# AI BASED DISCOURSE FOR BANKING INDUSTRY

#### A PROJECT REPORT

### Submitted by

GOKUL R [111519104031]

HARIRAM S [111519104043]

ARUNACHALAM S [111519104009]

DHELWIN S [111519104025]

in partial fulfilment for the award of the degree

of

#### **BACHELOR OF ENGINEERING**

IN

COMPUTER SCIENCE AND ENGINEERING

RMD ENGINEERING COLLEGE, KAVERAPETTAI

ANNA UNIVERSITY :: CHENNAI 600 025

#### **ABSTRACT**

Chatbot is a computer program that simulates and processes human conversation (either written or spoken), allowing humans to interact with digital devices as if they were communicating with a real person. Chatbot's can be as simple as rudimentary programs that answer a simple query with a single-line response, or as sophisticated as digital assistants that learn and evolve to deliver increasing levels of personalization as they gather and process information. Chatbot's boost operational efficiency and bring cost savings to businesses while offering convenience and added services to internal employees and external customers. They allow companies to easily resolve many types of customer queries and issues while reducing the need for human interaction. With chatbot's, a business can scale, personalize, and be proactive all at the same time—which is an important differentiator. The scope of this project is to develop an AI chatbot to answer college related queries like admissions, course details, etc, using Artificial Intelligence and Machine Learning algorithms. Integrate the chatbot into a website with authentication capabilities.

# TABLE OF CONTENTS

CHAPTER NO.	TITLE	PAGE NO
	ABSTRACT	i
	LIST OF TABLES	ii
	LIST OF FIGURES	iv
	LIST OF ABBREVIATIONS	v
1.	INTRODUCTION	1
	1.1 PROJECT OVERVIEW	1
	1.2 PURPOSE	1
2.	LITERATURE SURVEY	2
	2.1 EXISTING PROBLEM	2
	2.2 REFERENCES	2
	2.3 PROBLEM STATEMENT DEFINITION	4
3.	IDEATION AND PROPOSED SOLUTION	5
	3.1 EMPATHY MAP CANVAS	5
	3.2 IDEATION AND BRAINSTORMING	6
	3.3 PROPOSED SOLUTION	11
	3.4 PROBLEM SOLUTION FIT	11
4.	REQUIREMENT ANALYSIS	13
	4.1 FUNCTIONAL REQUIREMENTS	13
	4.2 NON-FUNCTIONAL REQUIREMENTS	14
5.	PROJECT DESIGN	15
	5.1 DATA FLOW DIAGRAM	15
	5.2 SOLUTION & TECHNICAL	17
	ARCHITECTURE	
	5.3 USER STORIES	18
6.	PROJECT PLANNING AND SCHEDULING	20
	6.1 SPRINT PLANNING AND ESTIMATION	20
	6.2 SPRINT DELIVERY SCHEDULE	22
7.	CODING AND SOLUTIONING	23
	7.1 FEATURE 1	23
	7.2 FEATURE 2	23

8.	TESTING	24
	8.1 TEST CASES	24
	8.2 USER ACCEPTANCE TESTING	25
	8.2.1 Defect Analysis	25
	8.2.2 Test Case Analysis	25
9.	RESULTS	26
	9.1 PERFORMANCE METRICS	26
10.	ADVANTAGES AND DISADVANTAGES	27
11.	CONCLUSION	28
12.	FUTURE SCOPE	29
13.	APPENDIX	30
	13.1 SOURCE CODE	30
	13.2 GITHUB LINK	41
14.	REFERENCES	42

# **LIST OF FIGURES**

FIG NO.	FIGURE NAME	PAGE NO.
5.1	Data Flow Diagram	14
5.1.1	DFD Level 0	15
5.1.2	DFD Level 1	15
5.1.3	DFD Level 2	16

### LIST OF ABBREVIATIONS

ML Machine Language

NLP Natural Language Processing

AI Artificial Intelligence

HTML Hypertext Markup Language

CSS Cascading Style Sheet

SQL Structure Query Language

#### **INTRODUCTION**

#### 1.1 PROJECT OVERVIEW

A chatbot is one of the blooming technologies to interact with users more efficiently. It can be used 24\*7 with the same effect. Chatbot reduces human power and answers queries based on its database collection. Conventionally, to enquire about any banking people either visit the bank physically.

Chatbot, on the other hand, interacts with the users and answers all theories with high efficiency. People only have to update the activities in the database sothat chatbot gets trained with the dataset. The authentication factor enables the administrator to identify the hacker who tries to inject any malware websites.

#### 1.2 PURPOSE

The Banking chatbot allows you to:

- Ask query.
- Search courses available.
- Check the availability of transport.
- All the conversations are secured with help of a database.
- All the new queries can be monitored by the bot admin.

#### LITERATURE SURVEY

#### 2.1 EXISTING PROBLEM

In the earlier days, customers had to visit the bank to enquire about details like loan, transaction processess, account details and othin formation's about the bank, whichis a tiresome process as well as long process for customers. Nowadays there are many changes occurred in the Banking system with help of advanced technology. Everything is happening over the internet without any trouble. In those days for enquiring about loan we have to visit the bank, but as the days are passing away it's completing changing. Collecting the loan details, structure manually will be hectic procedure and it also needs manpower. For reducing that manpower and avoid such difficulties and time consuming many devices or systems were emerged day by day.

#### 2.2 REFERENCES

Conversation to Automation in Banking Through Chatbot Using Artificial Machine Intelligence Language.

Sasha Fathima Suhel; Vinod Kumar Shukla; Sonali Vyas; Ved Prakash Mishra

**Deep Chatbot learning:** A deep learning chatbot learns from ground up in a process known "Deep Learning." The chatbot will be developed using machine learning algorithms in this process. From his data and human-to-human dialogue, a deep learning chatbot learns everything, it talks about how the general vast types of chatbots operate where the user types in their input through any messaging platform being websites or mobile applications using high level language (Natural Language Processing) being the normal understanding language used by humans on a daily basis for communication.

#### A Review of Chatbots in the Banking Sector.

Shashank Bairy R , Rashmi R

CHATBOTS IN BANKING - Digital banking is being automated currently as it frees up the employees to concentrate on more complex inquiries. Banks are able to automate their customer interactions through chatbots, two-thirds of those surveyed felt that an AI-powered chatbot would be useful in assisting them and 44% would rather communicate with a chatbot than a real person to get their queries answered.

#### **Chatbots and Virtual Assistant in Indian Banks**

Singh, Netra & Singh, Devender.

Chatbots/ Virtual Assistant-The Indian banking industry comprises of approximately 20 banks in the public sector, 22 banks in the private sector, 56 regional rural banks, 44 foreign-owned banks, 22 scheduled state cooperatives banks, 11 non-scheduled state cooperatives banks, 54 scheduled urban cooperative banks, 1488 non-scheduled urban cooperative banks and 364 district central cooperative banks. Banks of the public sector dominate approximately 80 per cent of the business share, transmitting relatively small fragments to its private rivals.

#### **Artificial Intelligence Powered Banking Chatbot**

K.Satheesh Kumar, S.Tamilselvan, B.Ibrahim Sha, S.Harish

Preparing Data Set: We have started to prepare our own data set as questions and answers that banking customer's used to ask the bank staffs, at customer care centers or enquiry desks. In this we have referred a number of banking websites and collected FAQs as our data. We have used different web scrapping tools for this task. The following diagram shows the Distribution of questions in the Data-set format. Data-set format: The Queries that customers requested were entered, the entered queries will get the approximate desired answer from the model by using Natural language

#### CHATBOT: Architecture, Design, & Development

Natural Language Processing - The goal of natural language processing (NLP) is to take the unstructured output of the ASR and produce a structured representation of the text that contains spoken language understanding (SLU) or, in the case of text input, natural language understanding (NLU). In this section, we explore a number of methods for extracting semantic information and meaning from spoken and written language in order to create grammatical data structures that can be processed by the Dialogue Management unit in the next step. This is non-trivial because speech may contain: (i)identity-specific encodings (e.g. pitch, tone, etc.) in addition to meaning-encodings and (ii) noise from the environment. Likewise, both speech and text inputs to a chatbot may contain (iii)grammatical mistakes, (iv) disfluencies, (v) interruptions, and (vi) self-corrections.

### 2.3 PROBLEM STATEMENT DEFINITON


Banking related Chatbot is simply a chatbot that responds to user queries. UI plays a major role in this Project. The flexible UI makes the web app easily interact with the Client. AI-powered chatbot used for enquiring and helps people to sort out a clear idea about banking activities and transaction processes. Clearly defines the Banking activities like loan details, transaction process, general bank query.

#### IDEATION AND PROPOSED SOLUTION

#### 3.1 EMPATHY MAP CANVAS

An empathy map is a simple, easy-to-digest visual that captures knowledge about a user's behaviours and attitudes. It is a useful tool to helps teams better understand their users. Creating an effective solution requires understanding the true problem and the person who is experiencing it. The exercise of creating the map helps participants consider things from the user's perspective along with his or her goals and challenges.

Users think that these types of applications should have a very simple interface and need to be visually appearing for them to use, these can be also given to them as a mobile application for easy access. They feel that the application is very exciting as the digits are recognized but are confused whether they need these types of applications. They start trying to check the application by feeding various inputs get fascinated by the output produced by the application and then start recommending the application to their colleagues. Even though the application reduces the manual work and increase the efficiency of recognizing the digit, users thinks that there are few disadvantages also. Users feel that they may accidentally upload some sensitive files and taking photos of the digits is very annoying.



### 3.2 IDEATION AND BRAINSTORMING

Brainstorming provides a free and open environment that encourages everyone within a team to participate in the creative thinking process that leads to problem solving. Prioritizing volume over value, out-of-the-box ideas are welcome and built upon, and all participants are encouraged to collaborate, helping each other develop a rich number of creative solutions.

Brainstorm
& idea prioritization

Use this template in your own briefschorms (con unleds) when you was a manual interest to the part of the state of

Step-1: Team Gathering, Collaboration and Select the Problem Statement

Step-2: Brainstorm, Idea Listing and Grouping




# **Brainstorm**

Write down any ideas that come to mind that address your problem statement.

# 10 minutes








### **Group ideas**

Take turns sharing your ideas while clustering similar or related notes as you go. Once all sticky notes have been grouped, give each cluster a sentence-like label. If a cluster is bigger than six sticky notes, try and see if you and break it up into smaller sub-groups.

#### ( 20 minutes




### **Step-3: Idea Prioritization**



# **Prioritize**

Your team should all be on the same page about what's important moving forward. Place your ideas on this grid to determine which ideas are important and which are feasible.

### 0 20 minutes



#### 3.3 PROPOSED SOLUTION


Chatbot is a computer program that simulates and processes human conversation(either written or spoken), allowing humans to interact with digital devices as if they were communicating with a real person. Chatbot's can be as simple as rudimentary programs that answer a simple query with a single-line response, or as sophisticated as digital assistants that learn and evolve to deliver increasing levels of personalization as they gather and process information.

Chatbot's boost operational efficiency and bring cost savings to businesses while offering convenience and added services to internal employees and external customers. They allow companies to easily resolve many types of customer queries and issues while reducing the need for human interaction. With chatbots, a business can scale, personalize, and be proactive all at the same time—which is an important differentiator. The scope of this project is to develop an AI chatbot to answer banking-related queries like loan details, transaction processes account details, etc., using Artificial Intelligence and Machine Learning algorithms. Integrate the chatbot into a website with authentication capabilities.

#### 3.4 PROBLEM SOLUTION FIT

The Problem-Solution Fit means that we have found a problem with our customer and that the solution we have realized for it actually solves the customer's problem. It helps entrepreneurs, marketers and corporate innovators identify behavioural patterns and recognize what would work and why. Few purposes of Problem-Solution Fit are:

- It can be used to solve complex problems in a way that fits the state of our customers
- Succeed faster and increase our solution adoption by tapping into existing mediums and channels of behaviour
- Sharpen our communication and marketing strategy with the right triggers and messaging
- Increase touch-points with our company by finding the right problem-behaviour fit and building trust by solving frequent annoyances, or urgent or costlyproblems
- Understand the existing situation in order to improve it for our target group



# REQUIREMENT ANALYSIS

# **4.1 FUNCTIONAL REQUIREMENTS**

FR.NO	FUNCTIONAL REQUIREMENTS	SUB REQUIREMENTS
FR-1	Savings Account Related Actions	<ul> <li>Type of Savings Account Creation Details</li> <li>Interest Rate</li> <li>Minimum Balance</li> <li>Debit Card</li> <li>Credit Card</li> </ul>
FR-2	Current Account Related Actions	<ul> <li>Type of Company</li> <li>Current Account Closure Steps</li> <li>Update GSTIN</li> <li>Zero Balance Current Account</li> </ul>
FR-3	Loan Account Related Actions	<ul> <li>Type of Loan</li> <li>How long for approval</li> <li>Available Loan Amounts</li> <li>Loan Status</li> <li>Joint Loan</li> </ul>
FR-4	General Queries Related Actions	<ul> <li>Bank Working Days</li> <li>List of Braches</li> <li>Storage Locker Facility</li> <li>Currency Conversion Facility</li> <li>CIBIL</li> <li>Find a nearest branch</li> </ul>
FR-5	Net Banking Related Actions	<ul> <li>Login Steps</li> <li>Change Net Banking Password</li> <li>Daily Limit</li> <li>Types of Fund Transfer</li> <li>Add Beneficiary</li> </ul>

# 4.2 NON-FUNCTIONAL REQUIREMENTS

ED NO	NON-FUNCTIONAL	DESCRIPTION		
FR.NO	REQUIREMENTS	DESCRIPTION		
NFR-1	Usability	Chatbots developed using AI should be able to answer any general banking queries on account creation, loan, net banking, other services etc. It addresses the queries of customers immediately and effectively in a cost-efficient manner.		
NFR-2	Security	The AI Chatbot maintains a confidential conversation with customers. Chatbot will provide personal and efficient communication between the user and the bank.		
NFR-3	Reliability	Chatbots are trained very well using AI to provide solutions for the popular and frequently asked questions, thereby providing the best suited service quickly. AI Chatbots has a reliable end-user experience.		
NFR-4	Performance	AI Chatbots is a great way to overcome the limitation of workload of humans. There can be multiple instances of a single chatbot inquiring different people at the same time. Such chatbots work in real time with no need for the customersto wait. This ensures faster, easier and more efficient face-time with customers.		
NFR-5	Availability	AI Chatbots provides 24/7 service to clear allcustomer queries and guide them through all the banking processes. It is available to anyone withaccess to the internet with basic hardware.		
NFR-6	Scalability	AI Chatbots is helping banking industry to scale their customer service and to improve customer service satisfaction at the same time. It can be scaled as per the requirements of the bank to include answers to queries related to any new feature or service introduced by the bank.		

#### PROJECT DESIGN

#### 5.1 DATA FLOW DIAGRAM

Data flow diagram is used to describe how the information is processed and stored and identifies how the information flows through the processes. Data flow diagram illustrates how the data is processed by a system in terms of inputs and outputs. The data flow diagram also depicts the flow of the process and it has various levels. The initial level is context level which describes the entire system functionality and the next level describes eachand every sub module in the main system as a separate process or describes all the process involved in the system separately. Data flow diagram are made up of number of symbols,

	Square presenting external entities, which are sources or destination of data
	Circle representing processes, which take data as input, do something to it and output it
-	Arrow representing the data flows, which can either be electronic data or physical items
	Parallel lines representing data stores including electronic stores such as databases or XML files and physical stores

### 5.1.1 DFD LEVEL 0

The users of the system upload an image in the web application to recognize the handwritten digits in it. The image is feed into a model for recognition and the answer is sent back to the web application.




Fig.5.1.1 DFD LEVEL 0

#### **5.1.2 DFD LEVEL 1**

The image uploaded by the user is initially stored in the image database, then image is pre-processed for recognition. The processed data is sent into the model to predict the result. Finally, the output is displayed in the web application.




Fig.5.1.2 DFD LEVEL 1

### **5.1.3 DFD LEVEL 2**

CNN Model is first trained with the MNIST dataset, then processed image is sent into the model which passes through various layers present in the CNN Model for further processing then the digit is recognized.





Fig.5.1.2 DFD LEVEL 1

### 5.2 SOLUTION AND TECHNICAL ARCHITECTURE



# **5.3 USER STORIES**

User Type	Functional Requiremen t (Epic)	User Story Numb er	User Story / Task	Acceptance criteria	Priority	Release
Customer (Mobile or Web user)	Savings Account Related Actions	USN-1	As a user, in the Savings Account option, I can select Types of Savings Account to get details regarding documents required for creating those savings accounts.	I can clear my queries regarding types of savings account	High	Sprint-1
		USN-2	As a user, I can check the Interest Rates of Savings Account	I can clear my queries regarding interest rates of savings account	High	Sprint-1
		USN-3	As a user, I can check the Minimum Balance of Savings Account	I can clear my queries regarding minimum balance of savings account	Medium	Sprint-2
	Current Account Related Actions	USN-4	As a user, I can choose the Type of Companies that know the information on documents to be submitted for creating current account	I can clear my queries regarding types of companies	High	Sprint-1
		USN-5	As a user, I want to get details on the Procedure to close my Current Account	I can clear my queries regarding current account closure	High	Sprint-2
	Loan Account Related Actions	USN-6	As a user, I can choose the Type of Loan to know the information on choosing an essential loan scheme	I can clear my queries regarding types of loan account	High	Sprint-1

	USN-7	As a user, I can check the loan Amounts that can be offered for corresponding Loan Accounts chosen	I can clear my queries regarding loan amounts of loan account	High	Sprint-2
	USN-8	As a user, I can check the Status of Loans for my Loan Accounts	I can clear my queries regarding the loan status the of loan account	Low	Sprint-2
General Queries Related Actions	USN-9	As a user, I want to get the procedure details for Currency Conversion the facility of my bank account	I can clear my queries regarding currency conversion facilities of bank account	Low	Sprint-1
	USN-10	As a user, I want to check my CIBIL score for my loan application and to ensure that my loan application is approved by the bank.	I can clear my queries regarding CIBIL score of loan application	Medium	Sprint 3
	USN-11	As a user, I want to get the procedure details for maintaining the Storage Locker the facility of my bank account	I can clear my queries regarding storage locker facilities of bank account	High	Sprint-3

### PROJECT PLANNING AND SCHEDULING

# **6.1 SPRINT PLANNING AND ESTIMATION**

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Savings Account- Related Actions	USN-1	As a user, in the Savings Account option, I canselect Types of Savings Account to get details regarding documents required for creating thatsavings account.	4	High	GOKUL R HARIRAM S
Sprint-1		USN-2	As a user, I can check the Interest Rates of Savings Account	4	High	ARUNACHA LAM S
Sprint-1		USN-3	As a user, I can check the Minimum Balance of my Savings Account	3	Medium	DHELWIN S
Sprint-1	Current Account- Related Actions	USN-4	As a user, I can choose the Type of Companyto know the information on documents to be submitted for creating a current account	5	High	HARIRAM S
Sprint-1		USN-5	As a user, I want to get details on the procedure to close my Current Account	4	High	HARIRAM S DHELWIN S
Sprint-2	Loan Account- Related Actions	USN-6	As a user, I can choose the Type of Loans to know the information on choosing an essentialloan scheme	3	High	GOKUL R
Sprint-2		USN-7	As a user, I can check the Loan Amounts that can be offered for corresponding Loan Accounts chosen	3	High	ARUNACHAL AM S
Sprint-2		USN-8	As a user, I can check the Status of Loans for my Loan Accounts	1	Low	GOKUL R
Sprint-2	General QueriesRelated Actions	USN-9	As a user, I want to get the procedure details for Currency Conversion facility of my bank account	2	Medium	HARIRAM S


Sprint-2	General QueriesRelated Actions	USN-9	As a user, I want to get the procedure details for Currency Conversion facility of my bankaccount	2	Medium	DHELWIN S
Sprint-2		USN-10	As a user, I want to check my CIBIL score for my loan application and to ensure whether myloan application is approved by the bank.	1	Low	ARUNACHAL AM S
Sprint-2		USN-11	As a user, I want to get the procedure details for maintaining Storage Locker facility of my bank account	3	High	GOKUL R DHELWIN S
Sprint-2	Net Banking RelatedActions	USN-12	As a user, I want to get the procedure details for changing the Net Banking password of my bank account	3	High	ARUNACHAL AM S
Sprint-2		USN-13	As a user, I can select types of fund transfers toget details regarding different services availablein net banking	2	Medium	HARIRAM S
Sprint-2		USN-14	As a user, I want to get the procedure details foradding beneficiaries to my net banking account.	2	Medium	DHELWIN S HARIRAM S
Sprint-3	Web Application	USN-15	As a user, I want to access the chatbot in a web browser that can be accessed from almost all devices.	20	High	HARIRAM S ARUNACHAL AM S
Sprint-4	User Interface andWeb Pages	USN-16	As a user, I want to view pages of the banking website and have access to the chatbot easily.	20	High	GOKUL R ARUNACHA LAM S

# **6.2 SPRINT DELIVERY SCHEDULE**


Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed	Sprint Release Date (Actual)
Sprint-1	11	6 Days	24 Oct 2022	29 Oct 2022	11	29 Oct 2022
Sprint-2	9	6 Days	31 Oct 2022	05 Nov 2022	9	05 Nov 2022
Sprint-3	10	6 Days	07 Nov 2022	12 Nov 2022	10	12 Nov 2022
Sprint-4	9	6 Days	14 Nov 2022	19 Nov 2022	9	19 Nov 2022

# **CODING AND SOLUTIONIN**

### **7.1 FEATURE 1**



# **7.1 FEATURE 2**



# **TESTING**

# 8.1 TEST CASES

TEST CASE ID	FEATURE TYPE	COMPONENT	TEST SCENARIO	EXPECTED RESULT	ACTUAL RESULT	STATUS
TC_001	UI	Home Page	Verify user is able to see the chatbot icon when website is launched	It should show the chatbot icon	Working as expected	PASS
TC_002	UI	Home Page	URL of the bank's website	It should display the home page	Working as expected	PASS
TC_003	Functional	Chatbot	Verify user is able to receive dynamic greeting message	It should be popup when clicking of the bot icon	Working as expected	PASS
TC_004	Functional	Backend	Check if all routes are working properly	It should store the form data In the database	Working as expected	PASS
TC_005	Functional	Chatbot	Verify user is able to select the action suggested by chatbot	It should list the queries and display the answer	Working as expected	PASS
TC_006	Functional	Chatbot	Verify user is able to type query in text field.	it should allow the user to type the queries	Working as expected	PASS

TC_007	Functional	Chatbot	Verify user is able to get the response from chatbot	It should process the query of user	Working as expected	PASS
TC_008	Functional	Chatbot	Verify user to display the general queries	It should display the list of queries	Working as expected	PASS
TC_009	Functional	Chatbot	Verify the answer of the net banking details	It should display the net banking details	Working as expected	PASS

#### 8.2 USER ACCEPTANCE TESTING

Acceptance Testing is a level of the software testing where a system is tested for acceptability. The purpose of this test is to evaluate the system's compliance with the business requirements and assess whether it is acceptable for delivery. Formal testing with respect to user needs, requirements, and business processes conducted to determine whether or not a system satisfies the acceptance criteria and to enable the user, customers or other authorized entity to determine whether or not to accept the system. In this application, the customer's acceptance is been monitored and it is been put into usage.

#### 8.2.1 TEST CASE ANALYSIS

SECTION	TOTAL CASES	NOT TESTED	FAIL	PASS
Print Engine	5	0	1	4
Client Application	1	0	0	1
Performance	3	0	0	3
Exception Reporting	1	0	0	1

# **RESULTS**

# 9.1 PERFORMANCE METRICS

S.No	PARAMETER	VALUES	SCREENSHOT			
1	MODEL SUMMARY	The chatbot is used by the user to interact and select queries that are populated based on frequently asked question of banking customers. There can be multiple instances of a single chatbot inquiring different user at the sametime. It quickly responds with expected answers to frequently asked customer queries. It can be scaled as per the requirements of the bank to include answers to queries related to any new feature or service introduced by the bank.	Al Based Discourse for Banking Industry Cluateds for banking and finance operations.			
2.	ACCURACY	Training Accuracy – 100% Validation Accuracy – 100%	Unique users  26  Conversations  59  Action completion  Recognition  How often are requests recognized by your assistant?   Average recognition  Average recognition  100%  Average recognition  100%  Average recognition  100%  Average recognition  100%  20%  20%  20%  20%  20%  20%  20			

#### ADVANTAGES AND DISADVANTAGES

### **10.1 ADVANTAGES**

- Round-the-clock service.
- Brand Consistency.
- Increased Productivity.
- Reduced Staffing Needs.
- Consistent Response Rate and Availability.
- Helps with Fraud Prevention.
- Chats can be saved.
- Lower costs.

### **10.2 DISADVANTAGES**

- Questions must be programmed beforehand.
- Impersonal
- Must keep information up-to-date.
- Technology issues.
- Needs additional measures to protect identities.

### **CONCLUSION**

As we can see, chatbots and other types of AI assistants are of great use in any industry that has to provide high-quality customer support. One such industry is the finance or banking area, and it is rapidly integrating these technologies into its workflow. Banking is all about money and reputation, and AI chatbots offer numerous benefits for both.

### **FUTURE SCOPE**

In the future, application can be improved with following features:

- This project is focused on bot that easly intract with the user.
- The future enhancements can be done by using the voice recognition mechanism
- The bot can be deployed in various social channels and it can be made to implement in different languages

### CHAPTER 13 APPENDIX

#### 13.1 SOURCE CODE

### App.py:

```
from flask import Flask, render_template
app = Flask(__name__)

@app.route('/')
def login():
    return render_template("index.html")

@app.route('/base' )
def login1():
    return render_template("base.html")

@app.route('/cards' )
def login2():
    return render_template("cards.html")

if__name__ == '__main__':
    app.run(debug=True)
```

### Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"</pre>
content="IE=edge">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0-
beta1/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-
0evHe/X+R7YkIZDRvuzKMRqM+OrBnVFBL6D0itfPri4tjfHxaWutUpF
mBp4vmVor" crossorigin="anonymous">
    <title>Index</title>
<style>
html {
 height: 100%;
}
body {
 margin:0;
```

```
padding:0;
 font-family: sans-serif;
 background: linear-gradient(#141e30, #243b55);
}
.login-box
  { position:
 absolute; top: 50%;
 left: 100%;
 width: 400px;
 padding: 40px;
 transform: translate(-140%, -50%);
 background: rgba(0,0,0,.5);
 box-sizing: border-box;
 box-shadow: 0 15px 25px rgba(0,0,0,.6);
 border-radius: 10px;
}
.login-box h2
 { margin: 0 0 30px;
 padding: 0;
 color: #fff;
 text-align: center;
.login-box .user-box
 {position: relative;
}
.login-box .user-box input
 {width: 100%;
 padding: 10px 0;
 font-size: 16px;
 color: #fff;
 margin-bottom: 30px;
 border: none;
 border-bottom: 1px solid #fff;
 outline: none;
 background: transparent;
}
.login-box .user-box label
 {position: absolute;
 top:0;
 left: 0;
 padding: 10px 0;
 font-size: 16px;
 color: #fff;
 pointer-events: none;
 transition: .5s;
.login-box .user-box input:focus ~ label,
.login-box .user-box input:valid ~ label
 {top: -20px;
 left: 0;
```

```
color: #03e9f4;
  font-size: 12px;
}
.login-box form a
  { position: relative;
  display: inline-block;
  padding: 10px 20px;
  color: #03e9f4;
  font-size: 16px;
  text-decoration: none;
  text-transform: uppercase;
  overflow: hidden;
  transition: .5s;
  margin-top: 40px;
  letter-spacing: 4px
.login-box a span
  { position:
  absolute; display:
  block;
}
.login-box a span:nth-child(1)
  {top: 0;
  left: -100%;
  width: 100%;
  height: 2px;
  background: linear-gradient(90deg, transparent,
#03e9f4);
  animation: btn-anim1 1s linear infinite;
}
.login-box a span:nth-child(2)
  {top: -100%;
  right: 0;
  width: 2px;
  height: 100%;
  background: linear-gradient(180deg, transparent,
#03e9f4);
  animation: btn-anim2 1s linear infinite;
  animation-delay: .25s
}
.login-box a span:nth-child(3)
  {bottom: 0;
  right: -100%;
  width: 100%;
  height: 2px;
  background: linear-gradient(270deg, transparent,
#03e9f4);
  animation: btn-anim3 1s linear infinite;
  animation-delay: .5s
}
```

.login-box a span:nth-child(4) {

```
bottom: -100%;
  left: 0;
  width: 2px;
  height: 100%;
  background: linear-gradient(360deg, transparent,
#03e9f4);
  animation: btn-anim4 1s linear infinite;
  animation-delay: .75s
}
.btn{
  display: inline-block;
  border: 2px solid #03e9f4;
}
</style>
</head>
<body>
  <div class="rp">
    <img src="/static/ii.jpg" class="card-img-top thumb</pre>
position-fixed"/>
  </div>
    <div class="login-box">
        <h2>Login</h2>
        <form name="myForm" >
          <div class="user-box">
            <input type="text" id="username"</pre>
name="username" required>
            <label>Name</label>
          </div>
          <div class="user-box">
            <input type="email" id="email"</pre>
name="email" required>
            <label>Email</label>
          </div>
          <div class="user-box">
            <input type="phone number"</pre>
id="phone number" name="Phone Number" required>
            <label>Phone Number</label>
          </div>
          <div class="user-box">
            <button id="saveData" class="btn btn-</pre>
outline-light" type="submit"
value="Login">Submit</button>
        </div>
        </form>
      </div>
<script type="module">
  import { initializeApp } from
"https://www.gstatic.com/firebasejs/9.8.3/firebase-
app.js";
```

```
import { getDatabase, ref, set } from
"https://www.gstatic.com/firebasejs/9.8.3/firebase-
database.js";
 const firebaseConfig = {
  apiKey: "AIzaSyDwQuixdxrFpb-NEz1e9KfUEn30M3s1-40",
 authDomain: "trpbank-c9cba.firebaseapp.com",
 databaseURL: "https://trpbank-c9cba-default-
rtdb.firebaseio.com",
 projectId: "trpbank-c9cba",
 storageBucket: "trpbank-c9cba.appspot.com",
 messagingSenderId: "114953945978",
 appId: "1:114953945978:web:68af5e48197747f48e4cc3",
 measurementId: "G-2QVBJY3L63"
};
 // Initialize Firebase
 const app = initializeApp(firebaseConfig);
 const database = getDatabase(app);
 saveData.addEventListener('click',(e) => {
      var username =
document.getElementById('username').value;
      var email =
document.getElementById('email').value;
      var phone number =
document.getElementById('phone number').value;
      var today = new Date();
      var time = today.getHours() + ":" +
today.getMinutes() + ":" + today.getSeconds();
      set(ref(database, 'users/' + username),
          {username: username,
          email: email,
          phone number: phone number,
          date: today,
          time : time
      });
      document.getElementById('username').value="";
      document.getElementById('email').value="";
      document.getElementById('phone_number').value="";
      alert('Details saved');
      setTimeout(function(){ window.
          location = '/base';
       }, 2000);
  });
</script>
</body>
</html>
```

## Base.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>TRP-BANK</title>
<script>
        console.log("asd")
    </script>
<link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/c
ss/bootstrap.min.css">
<script>
     window.watsonAssistantChatOptions =
       { integrationID: "aa48965f-f929-410f-
       a38f-
8b24eebcfbcf", // The ID of this integration.
       region: "us-south", // The region your
integration is hosted in.
       serviceInstanceID: "971725a9-5b19-4933-aafa-
8d5f021c407a", // The ID of your service instance.
       onLoad: function(instance) { instance.render();
}
     };
     setTimeout(function(){
       const t=document.createElement('script');
       t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/"
+ (window.watsonAssistantChatOptions.clientVersion ||
'latest') + "/WatsonAssistantChatEntry.js";
       document.head.appendChild(t);
     });
   </script>
<style>
     body{
          background-image: url(/static/ggg.jpg);
          background-repeat: no-repeat;
          background-attachment: fixed;
          background-position: center;
          background-size: cover;
#hero {
  width: 90%;
  height: 100vh;
/* background blur black color */
#hero:before {
  content: "";
  background: rgba(0, 0, 0, 0.8);
```

position: absolute;

```
bottom: 0;
  top: 0;
  left: 0;
  right: 0;
#hero .container
  { padding-top:
  220px;text-align:
  center;
}
#hero h1
  { margin:
  0;
  font-size: 53px;
  font-weight: 600;
  line-height: 64px;
  color: #03e9f4;
  font-family: "Poppins", sans-serif;
}
.btn{
  display: inline-block;
  border: 2px solid #03e9f4;
  background: rgba(0, 0, 0, 0.1);
  color: white;
}
/* content below content */
#hero h2 {
  color: rgba(0, 0, 0, 0.9);
  margin: 10px 0 0 0;
  font-size: 24px;
}
</style>
</head>
     <body>
          <section id="hero" class="d-flex align-items-</pre>
center justify-content-center">
            <div class="container" data-aos="fade-up">
              <div class="row justify-content-center"</pre>
data-aos="fade-up" data-aos-delay="150">
                <div class="col-xl-6 col-lg-8">
                   <h1>AI Based Discourse for Banking
Industry</h1>
                   <h2>Chatbots for banking and finance
operations.</h2><br>
                   <form action="/cards">
                   <button class="btn btn-outline-light</pre>
scrollto ">more info</button>
                   </form>
                </div>
              </div>
```

</div></section>

```
</body>
</body>
</html>
```

## Cards.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
  <!-- <li>k rel="icon" type="image/png" sizes="32x32"
href="./images/favicon-32x32.png"> -->
<script>
     window.watsonAssistantChatOptions =
       { integrationID: "aa48965f-f929-410f-
       a38f-
8b24eebcfbcf", // The ID of this integration.
       region: "us-south", // The region your
integration is hosted in.
       serviceInstanceID: "971725a9-5b19-4933-aafa-
8d5f021c407a", // The ID of your service instance.
       onLoad: function(instance) { instance.render();
}
     };
     setTimeout(function(){
       const t=document.createElement('script');
       t.src="https://web-
chat.global.assistant.watson.appdomain.cloud/versions/"
+ (window.watsonAssistantChatOptions.clientVersion ||
'latest') + "/WatsonAssistantChatEntry.js";
       document.head.appendChild(t);
     });
   </script>
  <title>More Info</title>
    <style>
      :root {
    --red: hsl(0, 78%, 62%);
    --cyan: hsl(180, 62%, 55%);
    --orange: hsl(34, 97%, 64%);
    --blue: hsl(212, 86%, 64%);
    --varyDarkBlue: hsl(234, 12%, 34%);
    --grayishBlue: hsl(229, 6%, 66%);
    --veryLightGray: hsl(0, 0%, 98%);
    --weight1: 200;
    --weight2: 400;
```

--weight3: 600;

```
}
body {
    font-size: 15px;
    font-family: 'Poppins', sans-serif;
    background-color: var(--veryLightGray);
}
.box p {
    color: var(--grayishBlue);
}
.box {
    border-radius: 50px;
    box-shadow: 0px 30px 40px -20px var(--grayishBlue);
    padding: 30px;
    margin: 20px;
}
img {
    /* float: right; */
    padding-left: 210px;
    padding-top: -100px;
}
@media (max-width: 450px) {
    .box {
        height: 200px;
    }
}
@media (max-width: 950px) and (min-width: 450px) {
    .box {
        text-align: center;
        height: 180px;
    }
}
/* line over cards */
.cyan {
    border-top: 4px solid var(--cyan);
}
.red {
    border-top: 4px solid var(--red);
.blue {
    border-top: 4px solid var(--blue);
}
```

```
.orange {
    border-top: 4px solid var(--orange);
}
h2 {
    /* color: var(--varyDarkBlue); */
    font-weight: var(--weight3);
    text-align: center;
}
/* for box diveded */
@media (min-width: 950px) {
    .row1-container {
        display: flex;
        justify-content: center;
        align-items: center;
    }
    .row2-container
        {display: flex;
        justify-content: center;
        align-items: center;
    }
    .box-down {
        position: relative;
        top: 150px;
    }
    .box {
        width: 20%;
    }
    .header p {
        width: 30%;
    }
}
    </style>
</head>
<body>
  <div class="rpp">
    <br>
    <br>
    <br>
  <div class="row1-container">
    <div class="box box-down cyan">
        <div class="h2" style="text-align: center;</pre>
font-weight: bolder; font-size: 25px;">
            <a href="https://www.onlinesbi.sbi/"</pre>
```

```
target=" blank">RBI</a>
            <br>
            </div>
      <!-- <p>Monitors activity to identify project
roadblocks -->
      <img src="/static/download.png" style="width:</pre>
90px; padding-left: 110px;" alt="">
    </div>
    <div class="box red">
        <div class="h2" style="text-align: center;</pre>
font-weight: bolder; font-size: 25px;">
            <a href="https://www.ing.com/Home.htm"</pre>
target=" blank">ING</a>
            </div>
      <!-- <p>Scans our talent network to create the
optimal team for your project -->
      <img src="/static/ING.png" style="width: 190px;</pre>
padding-left: 70px; padding-top: 16px; padding-bottom:
16px;" alt="">
    </div>
    <div class="box box-down blue">
        <div class="h2" style="text-align: center;</pre>
font-weight: bolder; font-size: 25px;">
        <a href="https://www.onlinesbi.sbi/"</pre>
target=" blank">SBI</a>
        </div>
      <img src="/static/sbi-logo-33205.png"</pre>
style="width: 130px; height: 60px; padding-top: 17px;
padding-bottom: 17px; padding-left: 90px;" alt="">
    </div>
  </div>
  <div class="row2-container">
    <div class="box orange">
        <div class="h2" style="text-align: center;</pre>
font-weight: bolder; font-size: 25px;">
href="https://www.unionbankofindia.co.in/english/home.a
spx" target=" blank">Union Bank</a>
            </div>
      <img src="/static/union bank-removebg-</pre>
preview.png" style="width: 150px; height: 100px;
padding-left: 80px;" alt="">
    </div>
  </div>
  </div>
</body>
</html>
```

# 13.1 GITHUB LINK

# 13.1.1 GITHUB LINK

 $\underline{https://github.com/IBM-EPBL/IBM-Project-31176-}\\ \underline{1660197198}$ 

#### **CHAPTER 14**

#### REFERENCES

- [1] Anatoly Khorozov, Chatbots Magezine,2019, "Trends Driving the Chatbot Growth",[online]https://chatbotsmagazine.com/trends-driving-the-chatbot-growth77b78145bac
- [2] Khanna A at el., "A Study of Today's A.I. through Chatbots and Rediscovery of Machine Intelligence", International Journal of u- and e- Service, Science and Technology, Vol.8, No. 7 (2015), pp.277-284
- [3] Richad Richad, Vivensius Vivensius, Sfenrianto Sfenrianto and Emil R. Kaburuan, "ANALYSIS OF FACTORS INFLUENCING MILLENNIAL'S TECHNOLOGY ACCEPTANCE OF CHATBOT IN THE BANKING INDUSTRY IN INDONESIA", International Journal of Civil Engineering and Technology (IJCIET) Volume 10, Issue 04, April 2019, pp. 1270-1281
- [4] Arati A. Dobariya, Ajaykumar T. Shah, "Banking Inquiry Chat Bot", IJSTE International Journal of Science Technology & Engineering | Volume 5 | Issue 7 | January 2019
- [5] UX Collective, Takuma.K," Is the chatbot a hype of the past? What are the key takeaways?", [online]https://uxdesign.cc/is-the-chatbot-a-hypeof-the-past-what-are-the-key-takeaways-3922a6
- [6] Forbes, Naveen Joshi, 2018, "Yes, Chatbots And Virtual Assistants Are Different!",[online]-https://www.forbes.com/sites/cognitiveworld/2018/12/23/yes-chatbotsand-virtual-assistants-are-different/#41894a2f6d7d
- [7] Srinivasan, Nguyen, & Tanguturi, 2018," CHATBOTS ARE HERE TO STAY", [online]-https://www.accenture.com/\_acnmedia/pdf77/accenture-research-conversational-ai-platforms.pdf
- [8] UX Collective, Takuma.K," Is the chatbot a hype of the past? What are the key takeaways?",-[online]https://uxdesign.cc/is-the-chatbot-a-hypeof-the-past-what-are-the-key-takeaways-3922a6
- [9] ieeexplore.ieee.org/document/9197825
- [10]Komal Shete, Vaishnavi Pisipati, May 2019," Feasibility and success rate of chatbots on Websites" https://blog.sitm.ac.in/feasibility-and-success-rate-of-chatbots-onwebsites-with-reference-to-their-customer-association/