# Emerging Methods for Early Detection ofForest Fires

# PROJECT REPORT

Submitted by

**TEAM MEMBERS** 

TEAM LEAD : N.S.NITHIKSHA (112619104011)

TEAM MEMBER 1 : V. HARINI (112619104005)

**TEAM MEMBER 2** : S.THEEBAN BABU (112619104014)

TEAM MEMBER 3 : M. VIKRAM (112619104016)

**TEAMID: PNT2022TMID36539** 

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
SRIRAM ENGINERRING COLLEGE
ANNA UNIVERSITY: 600 025

**NOVEMBER 2022** 

# **BONAFIDE CERTIFICATE**

Certified that this project entitled"**EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES**" is the bonafide work of

N.S.NITHIKSHA 112619104011 V.HARINI 112619104005

S.THEEBAN BABU 112619104014

M.VIKRAM 112619104016

who carried the project under the supervision of

SIGNATURE SIGNATURE SIGNATURE

Ms.K.SUDHA, A.P Ms.N.BELINA, A.P Dr. L.SIVAGAMI, A.P HEAD INCHARGE OF MENTOR EVALUAOTR

DEPARTMENT OF CSE DEPARTMENT OF ECE

The project examination is to be held on.....

**INTERNAL EXAMINER** 

**EXTERNAL EXAMINER** 

### **ACKNOWLEDGEMENT**

"Thanks" is a simple word but its eloquence is magnified when it comes from the depth of the Heart.

We wholeheartedly thank the Almighty for having showered his blessings on us, which helped us to finsih our project successfully. We are highly indebted to thank our parents and all our well-wishers who have been the major driving force behind our work.

We would like to expres our sincere thanks to our management,

OUR PRINCIPAL, Dr.C.P. KARTHIKEYAN., M. Tech., Ph.D.,

Our Head Incharge Ms. K. SUDHA M.E.,

Department of Computer Science and Engineering, for inspiring and extending moral support

to us.

We are very grateful to our mentor Ms. N. BELINA.,

Assistan Professor, for being instrumentaal in the completion of our project with her complete guidance.

We also extends our heartfelt thanks to Evaluator Dr. L.SIVAGAMI, Assistant Professor, for being our continous support in guiding us through each mile stone which was very helpful in the completion of our project through her constant guidance.

We also thank all the staff members of our college and technicians for their helo in making this project a successful one

Finally,we take this oppurtunity to our deep appreciation to our family and friends, for all that they meant to us during the crucial times of the completion of our project.



## **TABLE OF CONTENTS**

### **ABSTRACT**

### 1. INTRODUCTION

- 1.1Project Overview
- 1.2Purpose

## 2. LITERATURE SURVEY

- 2.1Existing problem
- 2.2References
- 2.3Problem Statement Definition

# 3. IDEATION &PROPOSED SOLUTION

- 3.1Empathy Map Canvas
- 3.2Ideation & Brainstorming
- 3.3Proposed Solution
- 3.4Problem Solution fit

# 4. REQUIREMENT ANALYSIS

- 4.1Functional Requirements
- 4.2Non-Functional Requirements



### **5.** PROJECT DESIGN

5.1Data Flow Diagrams

5.2 Solution & Technical Architecture

## **6. PROJECT PLANNING & SCHEDULING**

6.1Sprint Planning & Estimation

6.2Sprint Delivery Schedule

6.3Reports from JIRA

# 7. CODING & SOLUTIONING (Explain the features add in the projectalong with code)

7.1Feature1

7.2Feature2

7.3Feature 3

### 8. TESTING

8.1Test Cases

8.2User Acceptance Testing

### 9. RESULTS

9.1Performance Metrics





# **10.** ADVANTAGES & DISADVANTAGES

11.CONCLUSION

12.FUTURE SCOPE

13.APPENDIX



# **ABSTRACT**

The environmental challenges the world faces nowadays have never been greater or more complex. Global areas covered by forests are threatened by natural disasters that have increased dramatically during the last decades, in terms of both frequency and magnitude. Large-scale forest fires are one of the most harmful natural hazards affecting climate change and life around the world. Thus, to minimize their impacts on people and nature, Fire detection at an early stage is important for the safety of the people. Detection of forest fire should be fast and accurate as they may cause damage and destruction at a large scale. Lack of information due to manual detection is the main cause of failure of fire detection.

It is difficult to predict and detect Forest Fire in a sparsely populated forest area and it is more difficult if the prediction is done using ground-based methods like Camera or Video-Based approach. Satellites can be an important source of data prior to and also during the Fire due to its reliability and efficiency. The various real-time forest fire detection and prediction approaches, with the goal of informing the local fire authorities.





### 1 INTRODUCTION

### 1.1 PROJECT OVERVIEW

Forest fires are a major environmental issue, creating economic and ecological damage while endangering human lives. There are typically about 100,000 wildfires in the United States every year. Over 9 million acres of land have been destroyed due to treacherous wildfires. Regardless of the reasons for the ignition of the forest fires, they normally cause withering damage to both nature and humans.

Forest fires are also considered as a main contributor to the air pollution, due to the fact that during every fire huge volume of gases and particle mater are released in the atmosphere. To fight forestfires, different solutions were employed throughout the years. They ware primaryaimed at the early detection of the fires. The simplest of these solutions is the formation of a network of observance posts - both cheap and easy to accomplish, but also time-consuming for the involved people.

It is difficult to predict and detect Forest Fire in a sparsely populated forest area and it is more difficult if the prediction is done using ground-based methods like Camera or Video-Based approach. Satellites can be an important source of data prior to and also during the Fire due to its reliability and efficiency. The various real-time forest fire detection and prediction approaches, with the goal of informing the local fire authorities.

The constant evolution of the info and communication applied science has led to the debut of a new generation of solutions for early detection and even prevention of forest fires. ICT-based networks of cameras and sensors and even satellite-based solutions were developedand used in the last decades. These solutions have greatly decreased the direct involvement of humans in the forest fire detection process, but have also proven to be expensive and hard to maintain.





Detection of forest fire and smoke in wild land areas is done through remote sensing- based methods such as satellites, high-resolution static cameras fixed on the ground, and unmanned aerial vehicles Optical/thermal cameras deployed on the observation towers togetherwith the other sensors such as smoke, temperature, and humidity sensors might detect the hazards in the closed environment rather than in the open environment as these sensors need vicinity to the fire or smoke.

The information obtained through these sensors is not appropriate. Distance covered by these methodscould be limited, and to cover a largearea, more sensorshave to be deployed that might incur expenses. Through the deployment of UAV, large areas could be covered, and the images with high spatial and temporal resolutions could be captured properly.

### 2 LITERATURE SURVEY

#### 2.1 EXISTING PROBLEM

#### Literature survey-1


Different fire detection techniques have been proposed for safety and protection of the people and environment.

- Wavelet based smoke detection-smoke detection in video sequences
- Covariance method flame detection.
- Neural Network -produces accurate result as it uses temperature, smoke density and CO concentration

#### Literature survey-2

The proposed system uses YCbCr colour spaces. Because YCbCr colour space separates luminance from chrominance, hence it is robust to changing illumination than other colour spaces like RGB and rgb (normalized RGB). The proposed method not only separates fire





### Literature survey-3

This paper proposes a large-scale monitoring system and deep learning-based forest fire detection model that can detect forest fires from video frames captured by UAV drones. The proposed CNN model successfully detects forest fires with 97.29% accuracy.

#### 2.2 REFERENCES

- 1) Author Name Ms.Tamil Mathi, Dr.L.Latha A SURVEY ON FOREST FIRE DETECTION
- 2) Author Name Priyadarshini Hanamaraddi A Literature Study on Image Processing for Forest Fire Detection
- 3) Author Name Abhay Chopde , Ansh Magon , Shreyas Bhatkar Forest Fire Detection and Prediction from image processing using RCNN

#### 2.3 PROBLEM STATEMENT DEFINITION

S.No.	Parameter	Description
1.	Problem Statement (problem to be solved)	Forest fires are one of the most vulnerable natural disaster. It affects thousand acres of land and natural resources, which also affects the thousands of living organisms and affects the livelihood of tribes and other forest workers.



# **-**\*

## EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

2.	Idea / Solution description	<ul> <li>The earlier detection of forest fires requires 24/7 monitoring of the forest which is not possible manually. To avoid the delay and manual monitoring</li> <li>1. We can use image processing to monitor forest.</li> <li>2. Use computer vision methods for recognition and detection of smoke or fire, based on the still images or the video input from the drone cameras</li> </ul>
3.	Novelty / Uniqueness	<ol> <li>Real time computer detects the forest fires at the earliest before being spread or to occur.</li> <li>Satellite images of forests will be processed for identifying the fire.</li> </ol>
4.	Social Impact / Customer Satisfaction	<ol> <li>Early detection will helps to</li> <li>Prevent the loss of natural resources and wildlife.</li> <li>It can prevent the livelihood of the surroundings and the people getting affected after the occurrence of forest fires.</li> </ol>
5.	Business Model (Revenue Model)	<ol> <li>The proposed method was implemented using the Python programming language on a Corei3 or greater.</li> <li>The prediction might be right and the can have high reliability.</li> </ol>
6.	Scalability of the Solution	<ol> <li>In future we can include machine learning and robotics many other advance technologies to detect the smoke coming from the forest.</li> <li>Computer vision models enable land cover classification and</li> </ol>






d

# **3 IDEATION & PROPOSED SOLUTION**

### 3.1 EMPATHY MAP CANVAS












### 3.2 IDEATION & BRAINSTORMING:







### 3.3 PROPOSED SOLUTION:

Project team shall fill the following information in proposed solution template.

S.No.	Parameter	Description				
1.	Problem Statement (problem to be solved)	Forest fires are one of the most vulnerable natural disaster. It affects thousand acres of land and natural resources, which also affects the thousands of living organisms and affects the livelihood of tribes and other forest workers.				
2.	Idea / Solution description	<ul> <li>The earlier detection of forest fires requires 24/7 monitoring of the forest which is not possible manually.</li> <li>To avoid the delay and manual monitoring</li> <li>3. We can use image processing to monitor forest.</li> <li>4. Use computer vision methods for recognition and detection of smoke or fire, based on the still images or the video input from the drone cameras</li> </ul>				
3.	Novelty / Uniqueness	<ul><li>3. Real time computer detects the forest fires at the earliest before being spread or to occur.</li><li>4. Satellite images of forests will be processed for identifying the fire.</li></ul>				
4.	Social Impact / Customer Satisfaction	Early detection will helps to  3. Prevent the loss of natural resources and wildlife.  4. It can prevent the livelihood of the surroundings and the people getting affected after the occurrence of forest fires.				
5.	Business Model (Revenue Model)	<ol> <li>The proposed method was implemented using the Python programming language on a Corei3 or greater.</li> <li>The prediction might be right and the can have high reliability.</li> </ol>				





# \*

### EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

6.	Scalability of the Solution	In future we can include machine learning and robotics many other advance technologies to detect the smoke coming from the forest.
		Computer vision models enable land     cover classification and smoke     detection from satellite and ground     cameras.







### 3.4 PROBLEM SOLUTION FIT

Define CS, fit into CL	1. CUSTOMER SEGMENT(S)  Who is your customer? eg. working parents of 0-5 y.o. kids	6. CUSTOMER LIMITATIONS EG. BUDGET, DEVICES  What limits your customers to act when problem occurs? Spending power, budget, no cash in the pocket? Network connection? Available devices?	5. AVAILABLE SOLUTIONS PLUSES & MINUSES  Which solutions are available to the customer when he/she is facing the problem? What had he/she tried in the past? Pluses & minuses?			
Focus on PR, tap into BE, understand RC	2. PROBLEMS / PAINS + ITS FREQUENCY  Which problem do you solve for your customer? There could be more than one, explore different sides. eg. existing solar solutions for private houses are not considered a good Investment (1).  How often does this problem occur?	9. PROBLEM ROOT / CAUSE  What is the root of every problem from the list? eg. People think that solar panels are bad investment right now, because they are too expensive (1.1), and possible charges to the law might influence the return of investment significantly and diminish the benefits (1.2).	7. BEHAVIOR + ITS INTENSITY  What does your customer do about / around / directly or indirectly related to the problem?  eg. directly related to the problem?  eg. directly related to the best deal (1.1), usually chooses for 10.0% green provider (1.2), indirectly related: volunteering work (Greenpeace etc)			
Identify strong TR & EM	3. TRIGGERS TO ACT  What triggers customer to act? eg. seeing their neighbor installing solar panels (1.1), reading about innovative, more beautiful and efficient solution (1.2)  4. EMOTIONS BEFORE / AFTER  Which emotions do people feel before/after this problem is solved? Use it in your communication strategy, eg. frustration, blocking (can't afford it) > boost, feeling smart, be an example for others (made a smart purchase)	If you are working on existing business - write down existing solution first, fill in the canvas and check how much does it fit reality.  If you are working on a new business proposition then keep it blank until you fill in the canvas and come up with a solution that fits within customer limitations, solves a problem and matches customer behaviour.	8. CHANNELS of BEHAVIOR ONLINE Extract channels from Behavior block  OFFLINE Extract channels from Behavior block and use for customer development			







# **4 REQUIREMENT ANALYSIS**

# **4.1 FUNCTIONAL REQUIREMENT**

FR. NO.	Functional Requirement	Sub Requirement (Story / Sub- Task)
FR-1	User Registration	Registration through Form Registrationthrough wildfire portal.
FR-2	User Confirmation	Confirmation via Email Confirmation viaOTP
FR-3	Data Prediction	Scientists create computer models to predictwildfire potential under a range of potential climate futures. Using different projections of temperature and downfall, scientists predict where and when wildfires are likely to occur







# **4.2 NON- FUNCTIONAL REQUIREMENTS**

FR. NO.	Non-Functional Requirement	Description		
NFR- 1	Usability	Many methods have been proposed to detect forest fires, such as camera-based systems, WSN-based systems, and machine learning coating-based systems, with both positive and negative aspects and performance figures of detection.		
NFR-	Protection	We have designed this project to secure the forest from wild fires.		
NFR- 3	Performance	In the event of a fire, the primary objective of using dronesis to gather situational consciousness, which can beused to direct the efforts of the firefighters in locating and controlling hot spots. Just like urban fires, forest fires to require monitoring so that firefighters know what they are dealing with.		




# \*

### EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

### **5 PROJECT DESIGN**

### **5.1 DATAFLOW DIAGRAMS**








# \*

### EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

### **5.2 SOLUTION & TECHNICAL ARCHITECTURE**



**Alert** 





# **6 PROJECT PLANNING & SCHEDULING**

### **6.1 SPRINT PLANNING AND ESTIMATION**

Sprint	Requirement (Epic)	User StoryNumb er	User Story / Task	Story Points	Priority	Team Members
Sprint-1		USN-1	Data collected by	10	High	N.S.NITHIKSHA
	COLLECTION		sensors aboard orbiting satellites, carriedaboard aircraft, or installed on the ground provide a wealth of data that can be used to assess conditions before a burn and track the movement of a		J	V.HARINI M.VIKRAM S.THEEBAN BABU
			wildfire innear real-			
			time.			
Sprint-1		USN-2	Image processing-	7	Medium	N.S.NITHIKSHA
	PREPROCESSI NG		Image processing technique			V.HARINI
			automatically detect forest fires around			M.VIKRAM
			the world by using			S.THEEBAN
			infrared(IR) images			BABU
			sourced from			
			satellites and CNN			
			used for image			
			recognition and			
			tasks that involve the processing of			
			pixel data.			







Sprint-2	TRAINING AND	USN-3	The m	nodel	is 1	0	high	N.S.NITHIKSHA
	TESTING		trained detecting training	the fire l	-			V.HARINI M.VIKRAM
			time wo testing according accuracy model	is doi				S.THEEBAN BABU

Sprint-3	REVIEWING THE	USN-4	The main task	7	Medium	N.S.NITHIKSHA
	MODEL		is to check that			
			the model is			V.HARINI
			efficient to			M.VIKRAM
			work in real			141. 4 11414/1141
			time to			S.THEEBAN
			ensurethere is			BABU
			no error in the			
			model			
Sprint-4	IMPLEMENTATI	USN-5	After	10	High	N.S.NITHIKSHA
	ON		completing			
			every step the			V.HARINI
			model is			M.VIKRAM
			implemented			141. 4 11414 1141
			on the			S.THEEBAN
			forestand the			BABU
			quickresponses			
			is collected			
			from forest			
			organization			








### **6.2 SPRINT DELIVERY SCHEDULE**

Sprint	Total Story Poin ts	Durati on	Sprint Start Date	Sprint End Date (Planne d)	Story Points Completed (as on PlannedE nd Date)	Sprint ReleaseDa te(Actual)
Sprint- 1	20	6 Days	24 Oct 2022	27 Oct 2022	8	27 Oct 2022
Sprint- 2	20	6 Days	31 Oct 2022	05 Nov 2022	7	08 Nov 2022
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022	8	16 Nov 2022
Sprint- 4	20	6 Days	14 Nov 2022	19 Nov 2022	7	20 Nov 2022





### **6.3 REPORT FROM JIRA**









# 7 CODING & SOLUTIONING (EXPLAIN THE FEATURES ADDED IN THE PROJECT ALONG WITH CODE)

### **7.1 FEATURE 1**

```
In [2]: import numpy as np
         from tensorflow import keras
         import os
         import cv2
         from tensorflow.keras.preprocessing.image import ImageDataGenerator
        from tensorflow.keras.preprocessing import image
        \textbf{import} \ \texttt{matplotlib.pyplot} \ \textbf{as} \ \texttt{plt}
In [3]: #defining the parameters
         train_datagen = ImageDataGenerator(rescale=1./255,
                                            shear_range=0.2,
                                            rotation range=180,
                                            zoom_range=0.2,
                                            horizontal_flip=True)
         test_datagen = ImageDataGenerator(rescale=1./255)
In [6]: #
         x_train =train_datagen.flow_from_directory('C:/Users/nithi/OneDrive/Desktop/project ibm/Dataset/train_set',
                                                     target_size=(150,150),
                                                     batch_size = 32,
                                                     class_mode = 'binary')
        Found 458 images belonging to 2 classes.
In [7]: x_test = test_datagen.flow_from_directory('C:/Users/nithi/OneDrive/Desktop/project ibm/Dataset/test_set',
                                                 target_size=(150,150),
                                                 batch_size=32,
                                                 class_mode ='binary')
        Found 122 images belonging to 2 classes.
```

#### 7.2 FEATURE 2





# \*


#### EMERGING METHODS FOR EARLY DETECTION OF FOREST FIRES

```
In [205]:
           pred =np.argmax(x,axis=1)
           if pred[0].all()==1:
                  account_sid='AC73b617c990de0f236a076c8b62159383'
                  auth_token='a61c60722933897f61a555b0a6d84b09'
                  Client = Client(account_sid, auth_token)
                  message= client.messages\
                  .create(body="Forest fire is detected, stay alert and stay safe",
                         from = "+15134808332",
                         to="8825499159")
                  print(message.sid)
                  print('Fire Detected')
                  print('SMS SENT!')
                  playsound('C:/Users/nithi/OneDrive/Desktop/project ibm/Melody Message.mp3')
              print('NO DANGER')
              #break
          video.release()
          cv2.destroyAllWindows()
          NO DANGER
```

#### **7.3 FEATURE 3**

In [152]: predictImage("C:/Users/nithi/OneDrive/Desktop/project ibm/Dataset/test\_set/with fire/19464620\_401.jpg")

```
1/1 [-----] - 1s 817ms/step [[1.]]
```



### In [95]: pip install twilio

Defaulting to user installation because normal site-packages is not writeable Collecting twilio

Downloading twilio-7.15.3-py2.py3-none-any.whl (1.4 MB)

Requirement already satisfied: PyJWT<3.0.0,>=2.0.0 in c:\programdata\anaconda3\lib\site-packages (from twilio) (2.1.0)

Requirement already satisfied: requests>=2.0.0 in c:\programdata\anaconda3\lib\site-packages (from twilio) (2.27.1)

Requirement already satisfied: pytz in c:\programdata\anaconda3\lib\site-packages (from twilio) (2021.3)

Requirement already satisfied: urllib3<1.27,>=1.21.1 in c:\programdata\anaconda3\lib\site-packages (from requests>=2.0.0->twili







# **TESTING**

FeatureTy pe	Component	Test Scenario	Steps To Execute	Expected Result	Actual Result	Status
UI	Home Page	Display the Emerging Methods of Forest	Enter URL(http://127.0 .0.1:5000)	Displaying the Home Page	Home Page displayed	Pass
UI	Home Page	Displayed thePrediction Forest Fires	1.Enter URL(http://127.0 .0.1:5 000) 2.Content of the Home Page shouldbe Displayed	Displaying the content of Home page	Content of Homepage is displayed	Pass
Function al	Home	Checks whether the Dropthe Image Here! Button is visible	Enter URL(http://127.0. 0.1:5000) Content of the Home Page shouldbe Displayed 3.Click Drop the Image Here! Button	Displays the Button	Drop thelmage Here!  Button ispops up.	Pass
Function al	Predict edpage	Display the PredictionPage and Choose Image Button	Enter URL(http://127. 0.0.1:5000) Content of the Home Page should be Displayed 3.Click Drop the Image Here! Button  4.Click Choose Image	Displays the Prediction Page and theChooseImage Button	Predicti on page displayed. Chooseimage button was clicked.	Pass







### **8.2 USER ACCEPTANCE TESTING**

### **DEFECT ANALYSIS**

Resolution	severity 1	severity 2	severity 3	badness 4	subtotal
ByDesign	1	1	2	0	4
Duplicate	0	0	0	0	0
External	0	0	2	1	3
Fixed	4	2	4	1	11
Not	0	0	0	0	0
Reproduced					
Skipped	0	0	1	1	2
Won't Fix	0	0	0	1	1
Totals	5	3	9	4	21

### **TEST CASE ANALYSIS**

Section	Total Cases	Not tested	Fail	Pass
Client Application	10	0	0	10
Security	2	0	0	2
Performance	2	0	0	2
Exception	2	0	0	2
Reporting				
Final Report Output	3	0	0	3







# 9 RESULTS

### 9.1 PERFORMANCE METRICES

S. No	Paramete r Model Summary	Values 3,453,121	Screenshot			
1.			conv2d (Conv2D) (1 max_pooling2d (MaxPooling2D) (1 conv2d_1 (Conv2D) (1 max_pooling2d_1 (MaxPooling2 (1 conv2d_2 (Conv2D) (1 max_pooling2d_2 (MaxPooling2 (1 conv2d_3 (Conv2D) (1 max_pooling2d_3 (MaxPooling2 (1 flatten (Flatten) (1	None, 72, 72, 64) None, 36, 36, 64) None, 34, 34, 128) None, 17, 17, 128) None, 15, 15, 128)	Param # 896 0 18496 0 73856 0 147584 0 0 3211776	
2.	Accuracy		dense_1 (Dense)			
		Training Accuracy - 0.9665  Validation Accuracy -0.9833	14/14 [	ss: 0.1602 - accuracy: 0.5415 - val loss: 0.00 ss: 0.1173 - accuracy: 0.5610 - val loss: 0.00 ss: 0.6025 - accuracy: 0.5741 - val loss: 0.00 ss: 0.6684 - accuracy: 0.5714 - val loss: 0.00	06 - val accuracy: 1.66 31 - val accuracy: 8.56 55 - val accuracy: 1.66 54 - val accuracy: 1.66	
			14/14 [	V. 5	74 S.F	





### 10 ADVANTAGES & DISADVANTAGES

### **ADVANTAGES:**

- 1. The proposed system detects the forest fire at a faster rate compared to existing system. It has enhanced data collection feature.
- 2. The major aspect is that it reduces false alarm and also has accuracy due to varioussensors present.
- 3. It minimises the human effortas it works automatically. This is very low-cost due towhich can be easily accessed.
- **4**. The main objective of our project is to receive an alert message through an app to therespective user.

### **DISADVANTAGE:**

- 5. Theelectrical interference diminishes the potency of radio receiver.
- 6. Themain drawback is that it has less coverage range areas.



### 11 CONCLUSION

This type of system is the first of its kind to ensure no further damage is then to forests when there is fire breakout and instantly a message is sent to the user through the App. Immediate response or early warning to a fire breakout is mostly the only ways to avoid losses and biology, cultural heritage damages to a great extent. Therefore, the most important goals in fire surveillance are quick and authentic detection of fire. It is so much easier to suppress fire while it is in its early stages. info about progress of fire is highly valuable for managing fire.

During all its stages. Basedon this data the firefighting staff can be guided on target to block firebefore it reaches cultural heritage sites and to suppress it quickly by utilise required firefighting equipment and vehicles. With further research and invention, this project can be implemented in various forest areas so that we can save our forests and maintain great environs.





# 12 FUTURE SCOPE

This project is far from complete and there is a lot of room for betterment. Some of the betterment that can be made to this project are as follows:

Additional pump can be added so that it automatically sends water when there is a firebreakout. Also industrial sensors can be used for better ranging and accuracy.

This projecthas endless potentialand can always be enhanced to become better. Enforce this concept in the real world will benefit several industries and reduce the workload on many workers, enhancing overallwork efficiency.



# 13 APPENDIX TEMPLATE

```
digital.html
```

```
<!DOCTYPE html>
<html>
<head>
    <title>Early Detection of Forest Fires</title>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1">
    k rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.5.2/css/
bootstrap.min.css">
    <script
src="https://cdn.bootcss.com/popper.js/1.12.9/umd/popper.m
in.js"></script>
    <script
src="https://cdn.bootcss.com/jquery/3.3.1/jquery.min.js">
script>
    k rel="stylesheet"
href="https://www.w3schools.com/w3css/4/w3.css">
```

```
<link rel="stylesheet" href="/static/style.css">
    <style>
    </style>
</head>
<body><br/>style="background-color:black;"></br/>
    <!-- <div class="header">Early Detection of Forest
Fires</div> -->
    <div class="container text-center mb-10"
style="padding-top:50px;">
         <div>
              <h1 style="font-size: 46px; color:
white; ">EARLY DETECTION OF <span
style="color:firebrick">FOREST FIRES
                  </span></h1>
         </div>
    </div>
    <section class="site-section" id="section-about"</pre>
style="padding-top: 200px;">
         <div class="container">
              <div class="row mb-5 align-items-center">
                  <div class="row mb-5">
                       <div class="section-heading text-
```

center text-align">

<h2 style="color:

red;">PREDICTION <strong

style="color:#FFD700;">FOREST FIRE</strong></h2>

</div>

Forest

fires are increasing in prevalence, damaging ecosystems, and costing lives.

Early detection systems are vital to preventing the detrimental impact of these fires that rapidly spread across

landscapes.

Over recent years, several optical systems have been developed that can act as early warning

systems.

ecological damage while

endangering human lives

</div>

<div class="row mb-5" style="padding-

left: 450px;">

```
<a href="#section2"> <button
class="button button3 text-center">DROP THE IMAGE
HERE!</button> </a>
                       <style>
                           .button {
                                background-color:
#4CAF50;
                                /* Green */
                                border: none;
                                color: white;
                                padding: 16px 32px;
                                text-align: center;
                                text-decoration: none;
                                display: inline-block;
                                font-size: 16px;
                                margin: 4px 2px;
                                transition-duration: 0.4s;
                                cursor: pointer;
                                border-radius: 4px;
                           }
                           .button3 {
                                background-color: white;
                                color: black;
```

```
border: 2px solid #f44336;
                           }
                           .button3:hover {
                               background-color: #f44336;
                               color: white;
                      </style>
                  </div>
             </div>
         </div>
    </section>
    </div>
    <div class="predictimg" id="section2"
style="background-color:beige;">
         <section id="main">
             <div class="text-center mb-8">
                  >
                      <h2 class="mb-5" style="font-
size:25px; font-weight: bolder;">PREDICTION ON <span</pre>
style="color:firebrick;">IMAGE </span></h2>
```

<h3 style="font-size:25px; font-weight:
bolder;"> CLICK ON CHOOSE AND <span style="color:
firebrick;"> UPLOAD THE IMAGE .... </span></h3>

</div>

</section>

<div class="container border border-danger
rounded ">

<div class="text-center">

<h4 class="mb-5" style="font-size:25px;

font-weight: bolder;">UPLOAD YOUR IMAGE</h4>

<form action="http://localhost:5000/"
id="upload-file" method="post" enctype="multipart/form-data">

<label for="imageUpload"</pre>

class="button button3">

**CHOOSE IMAGE** 

</label>

<input type="file" name="image"

```
<div class="image-section mb-5"
style="display:none; padding-left:400px;">
                       <div class="img-preview">
                            <div id="imagePreview">
                            </div>
                       </div>
                   </div>
                   <div class="image-section mb-5"
style="display:none;">
                       <div>
                            <buty><br/>button type="button"</br/>
class="button button3" id="btn-
predict">PREDICT!</button>
                       </div>
                   </div>
                   <div class="loader "
style="display:none;"></div>
                   <div >
                       <h4 class="text-center" >
                            <span id="result" class="alert</pre>
alert-primary mb-10" role="alert" style="font-size:35px;">
```

```
</span>
                        </h4>
                   </div>
              </div>
         </div>
    </div>
    <script>
         window.onscroll = function () { myFunction() };
         $(document).ready(function () {
              // Init
              $('.image-section').hide();
              $('.loader').hide();
              $('#result').hide();
              // Upload Preview
              function readURL(input) {
                   if (input.files && input.files[0]) {
                        var reader = new FileReader();
                        reader.onload = function (e) {
$('#imagePreview').css('background-image', 'url(' +
e.target.result + ')');
```

```
$('#imagePreview').hide();
                             $('#imagePreview').fadeIn(650);
                        }
reader.readAsDataURL(input.files[0]);
              $("#imageUpload").change(function () {
                   $('.image-section').show();
                   $('#btn-predict').show();
                   $('#result').text('');
                   $('#result').hide();
                   readURL(this);
              });
              // Predict
              $('#btn-predict').click(function () {
                   var form_data = new
FormData($('#upload-file')[0]);
                   // Show loading animation
                   $(this).hide();
                   $('.loader').show();
                   // Make prediction by calling api /predict
```

```
$.ajax({
                         type: 'POST',
                         url: '/predict',
                         data: form_data,
                         contentType: false,
                         cache: false,
                         processData: false,
                         async: true,
                         success: function (data) {
                             // Get and display the result
                              $('.loader').hide();
                              $('#result').fadeIn(600);
                              $('#result').text('PREDICTION
: ' + data);
                              console.log('Success!');
                         },
                    });
               });
          });
     </script>
</body>
```

```
</html></title>
</head>
<body>
</body>
</html>
app.py
from __future__ import division, print_function
import os
import numpy as np
import tensorflow as tf
from tensorflow.keras.preprocessing import image
from tensorflow.keras.models import load_model
from flask import Flask, request, render_template
from werkzeug.utils import secure_filename
from twilio.rest import Client
global graph
# graph=tf.get_default_graph()
# Define a flask app
app = Flask(__name__)
model = load_model('forest1.h5')
```

```
@app.route('/', methods=['GET'])
def index():
  # Main page
  return render_template('digital.html')
@app.route('/predict', methods=['GET', 'POST'])
def upload():
  if request.method == 'POST':
    # Get the file from post request
    f = request.files['image']
    # Save the file to ./uploads
    basepath = os.path.dirname(__file__)
    file_path = os.path.join(
       basepath, 'uploads', secure_filename(f.filename))
    f.save(file_path)
    img1 = image.load_img(file_path, target_size=(150,
150))
    y = image.img_to_array(img1)
    x = np.expand_dims(y, axis=0)
    val = model.predict(x)
```

```
print(val)
    if val == 1:
      send_message()
      result = "Fire"
    elif val == 0:
      result = "No Fire"
    return result
def send_message():
  <--- "Enter your Twilio address" -->
  if __name__ == '__main__':
    app.run(threaded=False)
style.css
predictimg{
  background-color: #565961;
  background-size: cover;
  background-position:center;
```



```
background-attachment:absolute;
  height:100%;
  margin-top:49.6%;
#showcase{
height:300px;
margin-bottom:30px;
html {
scroll-behavior: smooth;
#main{
float:center;
color:black;
width:100%;
padding:0 30px;
padding-top:7%;
box-sizing: border-box;
font-family:Georgia, serif;
text-align:center;
```



```
#sidebar{
float:right;
width:50%;
background-color: transparent;
color:#000;
font-family:Georgia, serif;
padding-left:0px;
padding-right:0px;
padding-top:1px;
box-sizing: border-box;
.img-preview {
width: 300px;
height: 300px;
position: relative;
border: 5px solid #F8F8F8;
box-shadow: 0px 2px 4px 0px rgba(0, 0, 0, 0.1);
margin-top: 1em;
margin-bottom: 1em;
.topnav-right a.active {
background-color: #565961;
color: white;
```

```
.topnav-right {
float: right;
padding-right:100px;
.img-preview>div {
width: 100%;
height: 100%;
background-size: 300px 300px;
background-repeat: no-repeat;
background-position: center;
input[type="file"] {
display: none;
.loader {
border: 8px solid #f3f3f3; /* Light grey */
border-top: 8px solid #161616;
border-radius: 50%;
width: 50px;
```

```
height: 50px;
animation: spin 1s linear infinite;
}

@keyframes spin {
0% { transform: rotate(0deg); }
100% { transform: rotate(360deg); }
}
```

## GITHUB & PROJECT DEMO LINK GITHUB LINK

IBM-EPBL/IBM-Project-31285-1660198652

## PROJECTDEMO LINK

https://drive.google.com/file/d/17Ffpk\_DPybQvW1Q8kHFlocD63Cld45Gp/view?usp=share\_link

